



राजस्थान राज्य क्रीड़ा परिषद

सर्वाई मानसिंह स्टेडियम, जनपथ, जयपुर

कार्यालय दूरभाष नं० ०१४१-२७४४२८३, फैक्स नं० ०१४१-२७४०५६८, ईमेल आईडी-rsscjaipur@gmail.com

क्रमांक :एफ-८ / त.शा. / २०२५-२६ / ब.घो. १८५ / Raj-Kaj Ref.

दिनांक: (E-Signed)

निविदा सूचना संख्या ८०/२०२५-२६

राजस्थान राज्य क्रीड़ा परिषद, जयपुर की ओर से जैतारण-ब्यावर में हॉकी मैदान (टर्फ) निर्माण कार्य हेतु राज्य/केन्द्र सरकार के संगठनों/विभागों में पंजीकृत संवेदकों से ई-प्रोक्यूरमेंट प्रक्रिया हेतु ऑनलाइन निविदा आमंत्रित की जाती है।

निविदा से संबंधित अन्य आवश्यक विवरण वेबसाईट <http://sppp.rajasthan.gov.in>, <http://eproc.rajasthan.gov.in> व www.rssc.in पर देखी जा सकती है।

सचिव



RAJASTHAN STATE SPORTS COUNCIL

TENDER DOCUMENT FOR Construction of Hockey Field (Turf) at Jaitaran (Beawar).

NIT NO.	: NIT No. 80/2025-26
ESTIMATED COST	: Rs. 660.00 Lacs
EARNEST MONEY	: Rs. 13,20,000/-
DATE OF SALE / DOWNLOADING	: From Wednesday January 21, 2026 to Tuesday February 10, 2026 11:00 Hours
DATE OF RECEIPT (D.D. & DOCUMENTS)	: From Wednesday January 21, 2026 to Tuesday February 10, 2026 13:00 Hours
PRE-BID MEETING	: Wednesday January 28, 2026 11:00 Hours
DATE OF OPENING OF TENDER	: Wednesday February 11, 2026 15:00 Hours (Before participating in the pre-bid, the contractor must deposit the tender fee. Only after depositing the tender cost (Not refunded) will the contractor be allowed to participate in the pre-bid)
COMPLETION PERIOD	: 8 Months
COST OF TENDER	: Rs. 5000/- in favour of Secretary, RSSC, Jaipur
PROCESSING FEES	: Rs 2500/- in favour of MD, RISL, Jaipur
DLP Period	: 5 Years

Rajasthan State Sports Council. Jaipur

Important Dates of Bids

1. Completion Period	8 Months
2. Date of Issue of Notice Inviting Tender	Wednesday January 21, 2026
3. Period and Places of Sale/ Download of Bidding Documents -	From Wednesday January 21, 2026 to Tuesday February 10, 2026 11:00 Hours http://sppp.rajasthan.gov.in, www.rssc.in & http://eproc.rajasthan.gov.in
4. Deadline for uploading	From Wednesday January 21, 2026 to Tuesday February 10, 2026 11:00 Hours
5. Time and Date for Opening of Bids	Wednesday February 11, 2026 15:00 Hours
6. Place of Opening of Bids	Rajasthan State Sports Council, SMS Stadium, Jaipur-302005
7. Officer Inviting Bids	Secretary, Rajasthan State Sports Council. Jaipur. Address: SMS Stadium, Jaipur-302005
8. Earnest money to be deposited	As per NIT

Instructions and information to bidder regarding Fee, EMD etc.

District	Name of Work Package No.	Estimated Cost (Rs.)	Earnest Money	Time Allowed for completion	End date and time for downloading Tender	Time and date of opening of tender	Place of Sale of documents	Class of contractor.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Jaipur	Construction of Hockey Field (Turf) at Jaitaran (Beawar).	660.00 Lacs	Rs. 13,20,000/-	8 Months	Tuesday February 10, 2026 11:00 Hours	Wednesday February 11, 2026 15:00 Hours	http://sppp.rajasthan.gov.in, http://eproc.rajasthan.gov.in & www.rssc.in	State/Central के अधिकृत संगठनों के विभागों में पंजीकृत संवेदक or Eligible Sports Infrastructure Companies

1. The Tender Fee and earnest money as mentioned above should be deposited in the appropriate form as per the tender documents in favour of **Secretary, Rajasthan State Sports Council, Jaipur** payable at **Jaipur** and **Processing Fees** payable at **MD, RISL, Jaipur** payable at Jaipur and must be uploaded scan copy of Registration of Firm, Demand Draft of Tender Cost, Processing Fee & Earnest Money on the site.
2. The tender can be viewed and downloaded from web site <http://sppp.rajasthan.gov.in>, <http://eproc.rajasthan.gov.in> & www.rssc.in.
3. The authorized tender documents are available for inspection in the office of **Rajasthan State Sports Council, SMS Stadium, Jaipur** from all working days.

Annexure A: Compliance with the Code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall-

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid rigging or anticompetitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring entity and the bidders with an intent to gain unfair advantage in the procurement process;
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of interest

The Bidder participating in a bidding process must not have a Conflict of Interest.

A Conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

(i) A bidder may be considered to be in conflict of interest with one or more parties in the bidding process if, including but not limited to:

- (a) Have controlling partners/shareholders in common; or
- (b) Receive or have received any direct or indirect subsidy from any of them; or
- (c) Have the same legal representative for purposes of the bid; or
- (d) have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another bidder, or influence the decisions of the procuring Entity regarding the bidding process; or
- (e) The bidder participates in more than one bid in a bidding process. Participation by a bidder in more than one bid will result in the disqualification of all bids in which the bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a bidder, in more than one bid; or
- (f) the bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods, Works or services that are the subject of the Bid; or
- (g) Bidder or any of its affiliates has been hired (or proposed to be hired) by the procuring entity as engineer-in-charge/consultant for the contract.

Annexure B: Declaration by the Bidder regarding Qualifications
Declaration by the Bidder

In relation to my/our Bid submitted tofor procurement ofin response to their Notice inviting Bids No.....Dated.....I/wehereby declare under Section 7 of Rajasthan Transparency in Public Procurement Act, 2012 that :

1. I/we possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entry;
2. I/we have fulfilled my/our obligation to pay such of the taxes payable to the union and the state government or any local authority as specified in the Bidding Document.
3. I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
4. I/we do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
5. I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date:

Place:

Signature of bidder

Name:

Designation:

Address:

Annexure C: Grievance Redressed during Procurement Process

The designation and address of the First Appellate Authority is **Joint Secretary**, Youth Affairs & Sports Department Govt. of Rajasthan. The designation and address of the Second Appellate Authority is **Secretary**, Youth Affairs & Sports Department Govt. of Rajasthan, Jaipur.

(1) Filing an appeal:-

if any bidder or prospective bidder is aggrieved that any decision, action or omission of the procuring entity is in contravention to the provisions of the Act or the rules or the guidelines issued there under, he may file an appeal to First Appellate authority, as specified in the Bidding document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a bidder as successful the appeal may be filed only by a bidder who has participated in procurement proceedings:

Provided further that in case a procuring entity evaluates the technical bids before the opening of the financial bids, an appeal related to the matter of financial bids may be filed only by a bidder whose technical bid is found to be acceptable.

(2) The officer to whom an appeal is filed under Para (1) shall deal with the appeal as expeditiously as possible and shall endeavor to dispose it of within thirty days from the date of the appeal.

(3) If the officer designated under Para (1) fails to dispose of the appeal filed within the period specified in Para (2), or if the bidder or prospective bidder or the procuring entity is aggrieved by the order passed by the first appellate authority, the bidder or prospective bidder or the procuring entity, as the case may be, may file a second appeal to second appellate authority specified in the bidding document in this behalf within fifteen days from the expiry of the period specified in Para (2) or of the date of receipt of the order passed by the first appellate authority, as the case may be.

(4) Appeals not to lie in certain cases:-

No appeal shall lie against any decision of the procuring entity relating to the following matters, namely:-

- (a) Determination of need of procurement
- (b) Provisions limiting participation of bidders in the bid process
- (c) The decision of whether or not to enter into negotiations
- (d) Cancellation of a procurement process
- (e) Applicability of the provisions of confidentiality

(5) Form of Appeals:-

- (a) An appeal under Para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, Affidavit verifying the facts stated in the appeal and proof of payment of fee,
- (c) Every appeal may be presented to first appellate authority or second Appellate authority, as the case may be, in person or through registered post Or authorized representative.

(6) Fee for filing Appeal:-

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a scheduled bank in India payable in the name of appellate authority concerned.

(7) Procedure for disposal of Appeal:-

- (a) The first appellate authority or second appellate authority as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing
- (b) On the date fixed for hearing, the first appellate authority or second appellate authority, as the case may be shall-
 - (i) Hear all the parties to appeal present before him; and
 - (ii) Peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the appellate authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the state public procurement portal.

Annexure D: Additional Conditions of Contract

1. Correction of arithmetical errors

Provided that a Financial Bid is substantially responsive, the Procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

- i. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- ii. If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- iii. If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated Bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed.

2. Procuring Entity's Right to Vary Quantities

- (i) At the time of award of contract, the quantity of Goods, Works or services originally specified in the Bidding Document may be increased or decreased by a specified percentage, but such increase or decrease shall not exceed Five percent, of the quantity specified in the Bidding Document. It shall be without any change in the unit prices or other terms and conditions of the Bid and the conditions of contract.
- (ii) If the Procuring Entity does not procure any subject matter of procurement or procures less than the quantity specified in the Bidding Document due to change in circumstances, the Bidder shall not be entitled for any claim or compensation except otherwise provided in the Conditions of Contract.
- (iii) In case of procurement of Goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 50% of the value of Goods of the original contract and shall be within one month from the date of expiry of last supply. If the supplier fails to do so, the Procuring Entity shall be free to arrange for the balance supply by limited Bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

3. Dividing quantities among more than one Bidder at the time of award (In case of procurement of Goods)

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidders in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

राजस्थान राज्य क्रीड़ा परिषद

सवाई मानसिंह स्टेडियम, जनपथ, जयपुर

कार्यालय दूरभाष नं 0 0141-2744283, फैक्स नं 0141-2740568, ईमेल आईडी—rsscjaipur@gmail.com
बोली की शर्तें

विशेष टिप्पणी :— बोलीदाताओं को इन शर्तों को सावधानी पूर्वक पढ़ना चाहिए तथा अपनी ई—बोलियां भेजते समय इनकी पूर्ण रूपेण पालना करनी चाहिए।

1. तकनीकी प्रस्तावों में सफल बोलीदाताओं के ही वित्तीय प्रस्ताव खोले जावेंगे जो निविदादाता तकनीकी बिड में सफल नहीं पाये गये उनकी वित्तीय बोली नहीं खोली जायेगी।
2. कोई भी फर्म/संवेदक यदि जी.एस.टी. अधिनियम के अन्तर्गत पंजीकृत नहीं है तो वह बोली नहीं देगा। इनके अभाव में बोलियों पर विचार नहीं किया जायेगा। जी. एस. टी. देयता प्रमाण पत्र दिसम्बर, 2025 का संलग्न करना आवश्यक है।
3. दरें जी.एस.टी. तथा केन्द्र व राज्य सरकार द्वारा देय समस्त करों सहित देनी होगी।
4. बोली ऑन—लाईन प्रस्तुत की जावेगी एवं निर्दिष्ट कॉलमों में प्रविष्टि की जावेगी।
5. दरें गन्तव्य स्थान तक एफ.ओ.आर. सवाई मानसिंह स्टेडियम जयपुर के आधार पर होगीं अर्थात परिवहन संबंधी कोई राशि परिषद द्वारा पृथक से देय नहीं होगी।
6. बोलियां उपापन अधिनियम/पारदर्शिता अधिनियम के तत्संबंधी प्रावधानों (धारा—28 आदि) के अध्यधीन रहते हुये उनके खोले जाने की दिनांक से एक वर्ष की अवधि के लिए विधि मान्य होंगी।
7. बोलीदाता अपनी संविदा या उसके किसी भाग को किसी अन्य एजेन्सी के लिए नहीं सौंपेगा या उपभाड़े पर नहीं देगा।
8. बोलीदाता का उसके प्रतिनिधि की ओर से प्रत्यक्ष अथवा अप्रत्यक्ष रूप से अपना पक्ष समर्थन करना एक प्रकार की अनर्हता होगी। हित विरोधी धारा 80 होगी।
9. विहित समय एवं तारीख के पश्चात् जो भी बोलियां प्राप्त होंगी उन्हें किसी स्थिति में स्वीकार नहीं किया जावेगा।
10. यदि बोलीदाता ऐसी कोई शर्त आरोपित करता है जो उसमें वर्णित शर्तों के अतिरिक्त है या उनके विरोध में है तो उसकी बोली को संक्षिप्त रूप में कार्यवाही कर रद्द कर दिया जावेगा।
11. तकनीकी बोली के साथ बोलीदाता को निम्न दस्तावेज संलग्न करने अनिवार्य होगे (जिसके आधार पर तकनीकी बिड का मूल्याकांक्षण किया जायेगा) :—
 - i. बोली में अंकित पते के प्रमाण हेतु पानी/बिजली/टेलीफोन/मोबाइल के बिल, पेन कार्ड, पासपोर्ट, आधार कार्ड अथवा ड्राईविंग लाईसेन्स में से कोई एक की प्रमाणित छाया प्रतियां।
 - i. बोलीदाता/फर्म का विगत 5 वित्तीय वर्षों (2020-21, 2021-22, 2022-23, 2023-24 एवं 2024-25) में औसत वार्षिक टर्न ओवर 660.00 लाख से कम नहीं होना चाहिये। इस हेतु बोलीदाता को उक्त वर्षों का सीए से प्रमाणित प्रमाण पत्र की प्रति मय यूडीआई नम्बर सहित संलग्न करनी होगी।

- ii. गत 5 वर्षों (2020–21, 2021–22, 2022–23, 2023–24 एवं 2024–25) में कम से कम तीन नवीन FIH Global Certified Fields with the same manufacturer के निर्माण कार्य का अनुभव होना आवश्यक है, इसके प्रमाणिकरण हेतु कार्यादेश एवं कार्य के संतोषजनक होने का प्रमाण पत्र आदि आवश्यक दस्तावेज संलग्न करने होंगे।
- iii. बोलीदाता को माल एवं सेवाकर (GST) के रजिस्ट्रेशन की प्रति संलग्न करनी होगी।
- iv. अमानत राशि एवं बोली प्रपत्र शुल्क का डी.डी. संलग्न करना होगा।

12. बयाना राशि :-

- (क) बोली से पूर्व (2%) नियमानुसार बयाना राशि ऑफ–लाईन प्रस्तुत की जायेगी। इसके बिना बोलीओं पर विचार नहीं किया जायेगा। यह राशि सचिव, राजस्थान राज्य क्रीड़ा परिषद, जयपुर के पक्ष में बैंक ड्राफ्ट/बैंकर्स चैक में से किसी रूप में जमा करायी जा सकती है।
- (ख) असफल बोलीदाता की बयाना राशि बोली को अंतिम रूप से स्वीकार करने के बाद यथा संभव शीघ्र लौटा दी जावेगी।
- (ग) अनुमोदन की प्रतीक्षा करने वाली या रद्द की गई या संविदाओं के पूर्ण हो जाने के कारण परिषद कार्यालय के पास जमा बयानाराशि/प्रतिभूति निष्केप को नवीन निविदा के लिए बायाना राशि/प्रतिभूति राशि के प्रति समायोजित नहीं किया जायेगा।

13. बयाना राशि का सम्पहरण:- बयाना राशि को निम्नलिखित मामलों में सम्पहरत कर लिया जायेगा:-

- (क) जब बोलीदाता बोली खोलने के बाद किन्तु बोली को स्वीकार करने के पूर्व प्रस्ताव को वापस लेता है या उसमें उपान्तरण करता है।
- (ख) जब बोलीदाता विर्निष्ट समय के भीतर विहित करार को निष्पादित नहीं करता है।
- (ग) जब बोलीदाता प्रदायगी के लिए आदेश देने के बाद प्रतिभूति राशि जमा नहीं कराता हो।
- (घ) जब वह निर्धारित समय के अन्तर्गत आदेशों के अनुसार कार्य करने में असफल रहता है अथवा संतोषजनक सेवाएं देने में असमर्थ रहता है।

14. करार एवं प्रतिभूति निष्केप :-

- (क) सफल बोलीदाता को आदेश दिनांक से 7 दिन की अवधि के भीतर नियमानुसार मूल्य के नॉन ज्यूडिशियन स्टॉम्प पेपर पर (जिसका व्यय स्वयं बोलीदाता द्वारा वहन किया जावेगा) एक करार–पत्र निष्पादित करना होगा तथा प्रावधित मूल्य जिसके लिए बोली स्वीकार की गई है।
- (ख) बोली के समय जमा कराई गई बयाना राशि को प्रतिभूति की राशि के लिए समायोजित किया जायेगा।
- (ग) बयाना/प्रतिभूति राशि पर परिषद द्वारा कोई ब्याज का भुगतान नहीं किया जायेगा।
- (घ) प्रतिभूति राशि के रूप में नकद रसीद पत्र/शिड्यूल बैंक का ड्राफ्ट/बैंकर्स चैक मान्य होंगे।

15. **प्रतिभूति राशि का सम्पहरण** :— प्रतिभूति की राशि को पूर्ण अथवा आंशिक रूप से निम्नलिखित मामलों में सम्पहरत किया जायेगा:—

- (क) जब संविदा की किसी शर्त/अथवा शर्तों का उल्लंघन किया गया हो।
- (ख) जब बोलीदाता सम्पूर्ण कार्य संतोषजनक ढंग से करने में असफल रहा हो।
- (ग) प्रतिभूति निक्षेप को सम्पहरत करने के मामले में युक्तियुक्त नोटिस दिया जावेगा इस सम्बन्ध में परिषद के अधिकारी का निर्णय अन्तिम होगा।
- (घ) कार्य में असफल रहने पर परिषद द्वारा वैकल्पिक व्यवस्था किये जाने पर उसमें जो भी व्यय होगा बोलीदाता से उसकी प्रतिभूति राशि में से अथवा उसको देय बिल की राशि के भुगतान में से की जायेगी। यदि वसूली करना सम्भव न हो तो राजस्थान पी.डी.आर.एक्ट या प्रवृत्त अन्य किसी कानून के अन्तर्गत कार्यवाही की जायेगी।

16. करार पत्र को पूर्ण करने एवं उस पर स्टाम्प लगाने का व्यय बोलीदाता द्वारा वहन किया जायेगा तथा परिषद को उस करार पत्र की निष्पादित स्टाम्प शुदा प्रति पड़त निःशुल्क प्रस्तुत की जायेगी।

17. परिषद के प्राधिकृत अधिकारी या उसका विधिवत् प्राधिकृत प्रतिनिधि सभी युक्तियुक्त उचित समयों पर ठेकेदार के परिसर में जायेगा तथा वह विनिर्माण की प्रक्रिया के दौरान या उसके बाद जैसे भी हो किसी भी समय सामग्री का निरीक्षण एवं जांच करने की शक्ति रखेगा।

18. परीक्षण प्रभार परिषद द्वारा वहन किये जायेंगे। यदि बोलीदाता अत्यावश्यक तत्काल परीक्षण कराना चाहता है या यदि परिणामों से यह ज्ञात होता है कि प्रदाय किया गया सामान विहित स्तरों या विनिर्देशों के अनुसार नहीं है तो परीक्षण प्रभार बोलीदाता द्वारा वहन किये जायेंगे।

19. अनुमोदित कार्य के लिए यह समझा जाएगा कि उसने कार्य किये जाने वाले विनिर्देशों की सावधानीपूर्वक जांच कर ली है यदि उसे इन शर्तों, विनिर्देशों, रेखाचित्रों आदि के किसी भाग के आशय के बारे में कोई सन्देह हो तो वह संविदा पर हस्ताक्षर करने से पूर्व परिषद से स्पष्टीकरण प्राप्त करेगा।

20. सफल बोलीदाता को कार्य आदेश जारी तिथि के 10 दिवस के अन्दर कार्य प्रारम्भ करना होगा।

21. यदि निविदा सूचना में दर्शित मात्रा से अधिक के लिए आदेश दिया जाता है, तो निविदादाता अपेक्षित कार्य करने के लिए बाध्य होगा। पुनः आदेश भी निविदा में दी गयी शर्तों पर दिए जा सकेंगे परन्तु शर्त यह है, कि ऐसे पुनरादेश मूल रूप से खरीदी गयी मात्रा की 50 प्रतिशत तक के अतिरिक्त प्रदाय के लिए ही होंगे।

22. **गारन्टी** :—गारन्टी नियमानुसार होगी।

23. **परिसमाप्ति नुकसानी** :—

- (1) परिसमाप्ति नुकसानी के साथ कार्य अवधि में वृद्धि करने के मामले में, वसूली राजस्थान लोक उपापन पारदर्शिता अधिनियम, 2012 एवं राजस्थान लोक उपापन पारदर्शिता नियम 2013 के प्रावधान अनुसार होगी।
- (2) यदि प्रदायकर्ता किन्हीं बाधाओं के कारण संविदान्तर्गत कार्य का प्रदाय पूरा करने के लिए समय में वृद्धि कराना चाहता है, तो वह लिखित में परिषद को आवेदन करेगा। किन्तु वह उसके लिए निवेदन बाधा के घटित होने पर तुरन्त उसी समय करेगा न कि प्रदाय पूर्ण होने की निर्धारित तारीख के बाद करेगा।

(3) यदि कार्य प्रदाय करने में उत्पन्न हुई बाधा बोलीदाता के नियन्त्रण से परे कारणों से हुई हो तो कार्य की अवधि में वृद्धि परिसमाप्ति नुकसानी सहित या रहित की जा सकेगी।

24. **वसूली** :—परिसमाप्ति नुकसानी, कम प्रदाय, टूट-फूट, रद्द की गई वस्तुओं के लिए वसूली साधारण रूप से बिल में से की जाएगी। संवेदक कम प्रदाय, टूट-फूट, रद्द किए गए कार्यों की सीमा तक राशि को भी रोका जा सकेगा तथा यदि सेवा सन्तोषजनक ढंग से उनको कार्य करता है तो परिसमाप्ति नुकसानी के साथ वसूली उसे देय राशि एवं विभाग के पास उपलब्ध प्रतिभूति निक्षेप से की जाएगी। यदि वसूली करना सम्भव न हो तो राजस्थान पी डी आर एक्ट या प्रवृत्त अन्य कानून के अन्तर्गत कार्रवाई की जाएगी।

25. भुगतान :—

- (क) बोलीदाता द्वारा क्रेता अधिकारी को उचित प्रारूप में लोक उपापन नियमों के अनुसार बिल प्रस्तुत करने पर भुगतान किया जायेगा। सभी प्रेषण प्रभार बोलीदाता द्वारा वहन किये जायेंगे। किसी भी सूरत में अग्रिम भुगतान नहीं किया जायेगा।
- (ख) विवादास्पद मदों में राशि का 10 प्रतिशत से 25 प्रतिशत तक को रोका जायेगा तथा उस विवाद का निपटारा हो जाने पर उसका भुगतान कर दिया जायेगा।
- (ग) उन मामलों में, जिनमें परीक्षण करने की जरूरत है, भुगतान तभी किया जायेगा जब उनका परीक्षण कर लिया जाये तथा प्राप्त हुए परीक्षण परिणाम विहित निर्देशों के अनुरूप हों।

26. यदि कार्य की तात्कालिक आवश्यकता के कारण पूर्ण या आंशिक रूप में उन कार्यों को बदलना साध्य नहीं समझा जाए तो राजस्थान राज्य क्रीड़ा परिषद द्वारा बोलीदाता को सुनवाई किये जाने का एक उचित अवसर देकर, ऐसे कारणों से जो अभिलिखित किये जायेंगे, अनुमोदित दरों में से उपयुक्त राशि की कटौती करेगा। इस प्रकार की गई कटौती अन्तिम होगी।

27. निविदादाता करार को निष्पादित करते समय निम्नलिखित दस्तावेज प्रस्तुत करेगा :—

- (i) यदि भागीदारी फर्म हो तो "पार्टनरशिप डीड" की अनुप्रमाणित प्रति।
- (ii) यदि भागीदारी फर्म रजिस्ट्रार ॲन फर्म्स के पास पंजीकृत हो तो पंजीयन संख्या एवं उसका वर्ष।
- (iii) एक मात्र स्वामित्व के मामले में आवास एवं कार्यालय का पता, टेलीफोन नम्बर।
- (iv) कम्पनी के मामले में कम्पनी के रजिस्ट्रार के द्वारा जारी किया गया प्रमाण-पत्र।

28. संविदा के निर्वचन, आशय या संविदा की शर्तों के उल्लंघन के सम्बन्ध में या अन्य किसी भी प्रकार का विवाद होने पर परिषद का निर्णय अन्तिम होगा।

29. समस्त विधिक कार्यवाहियां यदि संस्थित किया जाना आवश्यक हो तो जयपुर स्थित न्यायालय में ही की जाएगी। अन्यत्र नहीं की जाएगी।

30. बोलीदाता द्वारा अपलोड किये जाने वालों दस्तावेजों पर नम्बरिंग होनी चाही एवं चैक लिस्ट भर कर प्रस्तुत करनी होगी।

31. सचिव, राजस्थान राज्य क्रीड़ा परिषद, जयपुर को बिना कारण बताये किसी भी बोली को स्वीकार/अस्वीकार करने का अधिकार होगा।
32. जी.एफ. ए.आर., राजस्थान लोक उपापन पारदर्शिता अधिनियम, 2012 एवं राजस्थान लोक उपापन पारदर्शिता नियम 2013 के प्रावधान लागू होंगे।
33. **Special Conditions of Contract:**
 1. The bidder should be an FIH Certified field bidder and the field bidder Certificate to be attached along with the bid.
 2. Manufacturer has to be FIH preferred supplier and evidence of same to be submitted along with the bid.
 3. The offered product should be of European, Australian, American Origin only. Manufacturer's declaration should be submitted with technical bid.
 4. Joint ventures and consortium are not accepted.
 5. Custom Duty Exemption Certificate to be issued by the department as per notification of Govt. of India.
 6. The Manufacturer should be an OEM for the bidder for the product being proposed. Manufacturer to give an undertaking of exclusivity for the said project to the bidder.
 7. The Product/ Brand should be FIH approved.
 8. The Engineer-in-Charge / Rajasthan State Sports Council shall have the full and exclusive right to require testing of any material, at any stage and prior to final acceptance, in laboratories of their choice, including FIH-approved laboratories. The bidder/contractor shall, at his own cost, make all necessary arrangements for such testing (except those specified elsewhere in the tender documents) and shall bear all expenses towards sampling, testing, packing, transportation, loading, unloading and all incidental charges whatsoever. Any material found not conforming to the prescribed specifications, standards or quality requirements shall be rejected and shall not be accepted for use in the work.
 9. In case any material/work is found substandard the same shall be rejected by the Engineer-in Charge and the same shall be removed from the site of work within 48 hours, failing which the same shall be got removed by the Engineer-in-Charge at the risk & cost of the Contractor without giving any further notice and time.
 10. The Bidder shall ensure quality control measures on different aspects of construction including materials, workmanship and correct construction methodologies to be adopted.
 11. The Malba/Garbage generated at site due to construction activities shall be removed from the site immediately & shall be disposed off by the contractor to the approved dumping site from local bodies shall be a sole responsibility of contractor.
 12. The contractor shall make his own arrangement to get permission with respect to trucks from the Traffic Police.
 13. The Bidder in its name should have an authorisation certificate from the manufacturer of the proposed product to bid for this specific work, without which their bids shall stand disqualified.
 14. The bidder should never ever be blacklisted or debarred by any Central Government department, State Government department, Public Sector undertaking in India.
 15. The contractor must provide vehicle for inspection of project site as and when required by Engineer-In-Charge.

**बोलीदाता के हस्ताक्षर
(मय नाम पता एवं मोहर)**

घोषणा

मैंने/हमने राजस्थान राज्य क्रीड़ा परिषद, जयपुर की ओर से जैतारण-ब्यावर में हॉकी मैदान (टर्फ) निर्माण कार्य हेतु (मय सामग्री) की बोली के नियम एवं शर्तों को भली-भौति पढ़ व समझ लिया है। मुझे/हमारी फर्म को किसी भी विभाग द्वारा ब्लेक-लिस्ट नहीं किया गया है। इन शर्तों एवं नियमों के अधीन मैं/हम उक्त निर्माण कार्य करने हेतु सहमत एवं वचनबद्ध हूँ/है। यदि मेरे/हमारे द्वारा की किसी बोली की शर्तों, नियमों अथवा आदेशों का उल्लंघन किया जावेगा तो सक्षम अधिकारी द्वारा मेरे/हमारे विरुद्ध बोली के नियम/शर्तों के उल्लंघन की कार्यवाही करने के लिए अधिकृत होगा। इस सम्बन्ध में मुझे/हमें सक्षम/अधिकृत अधिकारी द्वारा लिया गया निर्णय मान्य होगा तथा इसमें मुझे/हमको कोई आपत्ति/हस्तक्षेप नहीं है।

हस्ताक्षर बोलीदाता.....

नाम/पता

टेलीफोन नं.

दिनांक

General Instructions for Filling of Bid

The complete bidding document has been published on the website www.rssc.in, <http://sppp.raj.nic.in>, <http://eproc.raj.gov.in>, for the purpose of downloading.

1. Bidders who wish to participate in this bidding process must register on www.rssc.in & <http://sppp.raj.nic.in>,
2. To participate in online bidding process, Bidders must procure a Digital Signature Certificate (Type III) as per Information Technology Act-2000 using which they can digitally sign their electronic bids. Bidders can procure the same from any CCA approved certifying agency, i.e. TCS, safe crypt, Node etc. Bidders who already have a valid Digital Signature Certificate (DSC) need not procure a new DSC.
3. Bidder (authorized signatory) shall submit their offer on-line in electronic formats both for Technical and financial proposal. However, DD for Tender Fees, EMD payable in favor of SECRETARY RAJASTHAN STATE SPORTS COUNCIL, JAIPUR, payable at Jaipur and Processing Fees payable in favor of Managing Director, RAJCOMP Info Services Limited, payable at JAIPUR. **Tender fee, EMD and processing fee DD should be submitted physically at the office of RAJASTHAN STATE SPORTS COUNCIL, JAIPUR, and Scanned copy of same should also be uploaded along with the technical bid.**
4. RAJASTHAN STATE SPORTS COUNCIL, JAIPUR will not be responsible for delay in online submission due to any reason. For this, bidders are requested to upload the complete bid well advance in time so as to avoid Last hours issues like slow speed; choking of web site due to heavy load or any other unforeseen problems.
5. Bidders are also advised to refer “Bidders Manual Kit” available at e-Proc website for further details about the e-tendering process.
6. No contractual obligation, whatsoever shall arise from the bidding process unless and until a formal contract is signed and executed between the tendering authority and the successful Bidder.

SECRETARY

UNDERTAKING BY THE BIDDER

This is to certify that I/we before signing this tender have read and fully understood all the terms and conditions contained herein and undertake myself/ourselves to abide by them. I/We have signed all the pages in acceptance of the terms and conditions.

I/We also undertake that I/We will not adopt any malpractices at any stage of bidding/execution.

Signature of the Bidder with Seal

Name:

Designation:

Address:

BIDDER'S AUTHORIZATION CERTIFICATE {to be filled by the bidder}

To,
{Tendering Authority},

_____,
_____,

I/

We..... {Name/Designation}
n} hereby declare/ certify that

..... {Name/ Designation} is hereby authorized to sign relevant documents on behalf of the company/ firm in dealing with Tender with RAJASTHAN STATE SPORTS COUNCIL, JAIPUR.

He/ She is also authorized to attend meetings & submit technical & commercial information/ clarifications as may be required by you in the course of processing the Bid. For the purpose of validation, his/ her verified signatures are as under.

Thanking you,

Name of the Bidder: -

Verified Signature:

Authorized Signatory: -

Seal of the Organization: -

Date:

Place:

CHECKLIST OF DOCUMENTS SUBMITTED

S. No.	Documents to be submitted	Submitted	Not Submitted	Page No.
1.	Scanned Copies of tender document fee, EMD and processing fees			
2.	Copy of Registration of firms.			
3.	Copy of GST Registration			
4.	Copy of PAN Card			
5.	Proof of Work order and Satisfactory Completion of work should be as per tender document condition no. 11 (iii) in financial Year 2020-21 to 2024-25.			
6.	Certificate from Chartered Accountant having UDIN for the proof of average annual Turnover that must be equal/more than the cost of work (bid cost) in the last three Financial Years from 2020-21 to 2024-25			
7.	Annexure A to D duly signed in context to RTPP Rules-2013.			
8.	Authorization certificate If the tender is signed other than owners			
9.	Copy of GST paid certificate filed by December, 2025 Financial Year 2025-26 in GSTR-3B Performa			
10.	Tender document and Technical Bid and undertaking all three duly signed			
11.	Any other Document			

Note: -

1. Work means the work executed under Public Sector/Autonomous Bodies/ Development Authority/Municipal Corporation of Central/State Government.
2. For the purpose of evaluating similar work experience, repair, refurbishment, or relaying of existing hockey turf (including only replacement of top surfaces) shall not be considered. Only works involving complete supply and installation of new synthetic hockey turf including base and sub-base construction, will be treated as eligible experience.
3. The contractor should ensure that the Registration should be latest or updated.

Signature of Bidder Seal of Establishment
Full Name of Bidder with address and date

PART-B (FINANCIAL BID)

Bill of Quantities

Name of Work: - Construction of Hockey Field (Turf) at Jaitaran (Beawar).

Schedule "H"

Part 'A' Synthetic Surface Work

S. No.	Quantity	Unit	Particular	Rate (Including All Taxes)	Amount
1	6400.00	Sqm	Supplying and installation of FIH approved synthetic hockey turf made of polyethylene texturized monofilament fibers with a pile height of 18 mm, including stabilizing sand infill (rounded particles of 0.3–0.8 mm size) applied at 12 kg/m ² . The turf shall be laid, jointed, and fixed over a bituminous sub-base with a minimum 15 mm thick rubberized shock pad, all conforming to FIH requirements. The completed surface shall meet FIH competition standards, including all field markings as per FIH rules and specifications, complete in all respects as directed by the Engineer-in-Charge.		
2	2.00	each	Supplying and fixing of hockey goal post Aluminum of FIH standard drawing and design including all fittings and net.		
3	2.00	each	Supplying and fixing of Players bench (Dugout) 12seater as per FIH standard drawing and design including all fittings.		

Schedule "G"

S. No.	Quantity	Unit	Particular	Rate (Rs.)	Amount (Rs.)
Part 'B' Sub Base/ Base Course Work					
1	10630.00	sqm	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15cm deep and disposal of rubbish lead up to 50 Mtr. and lift up to 1.5 Mtr.: All kinds of soil	9.00	95670.00
2	3190.00	Cum	Carriage of Earth, Sand, Lime, Morrum, Manure or Sludge etc. including loading and unloading complete with a lead of up to 1 Km	80.00	255200.00
3	2220.00	cum	Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30cm in depth. 1.5m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5 m , disposed earth to be levelled and neatly dressed : All kinds of soil	175.00	388500.00
4	8860.00	Cum	Earth work in rough excavation, banking excavated earth in layers not exceeding 20cm in depth, breaking clods watering, rolling each layer with 1/2 tonne roller, or stone or steel rammers and rolling every 3rd and top- most layer with power roller of minimum 8-10 tonne capacity and dressing up in embankment for roads, flood banks marginal banks and guide banks or filling up ground depressions, lead up to 50 Mtr. and lift up to 1.5 Mtr.:All kinds of soil	272.00	2409920.00

5	8860.00	Cum	Earth, Sand, Lime, Morrum manure or sludge upto 5 km	125.00	1107500.00
6	960.00	Cum	Granular Sub-Base with Close Graded Material (Table:- 400-1)	845.00	811200.00
7	960.00	Cum	Wet Mix Macadam (Providing, laying, spreading and compacting graded stone aggregate to wet mix macadam specification including premixing the material with water at OMC in mechanical mixer (Pug Mill), carriage of mixed material by tipper to site, laying in uniform layers in sub-base/base course on a well prepared sub-base and compacting with smooth wheel roller of 80 to 100kN weight to achieve the desired density including lighting, barricading and maintenance of diversion, etc as per Tables 400-12 & 400-13 and MoRTH Specification Clause 406.	1147.00	1101120.00
8	6390.00	Sqm	Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base(WBM/WMM) including cleaning of road surface and spraying primer at the rate of 0.70-1.0 kg/sqm using mechanical means as per MoRTH Specification Clause 502	31.00	198090.00
9	6390.00	Sqm	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.25 to 0.30 kg per sqm on the prepared granular surfaces treated with primer & cleaned with Hydraulic broom as per MORTH Specification Clause 503.	11.00	70290.00
10	320.00	Cum	Bituminous Macadam (Providing and laying bituminous macadam with hot mix plant using crushed aggregates of grading as per Table 500-7 premixed with bituminous binder, transported to site with all leads laid over a previously prepared surface with paver finisher to the required grade, level and alignment and rolled to achieve the desired compaction as per MoRTH Specification Clause 504.) VG - 30 Hockey Ground	6613.00	2116160.00
11	200.00	Cum	Providing and laying bituminous concrete with 100-120 TPH batch type hot mix plant producing an average output of 75 tonnes per hour using crushed aggregates of specified grading, premixed with bituminous binder minimum @ 5.2 & 5.4 per cent of mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MoRTH Specifications Clause 507 complete in all respects for Grading-II(13 mm nominal size) Bitumen (VG-30)	7925.00	1585000.00
12	1370.00	sqm	Providing and laying of paver block as per IS 15658 : 2006 (Indian standard for precast concrete block for paving- specification) and IRC : SP:63-2004 (guidelines for the use of interlocking concrete block pavement) Category A Denoted units to key into each other on four faces zigzag shape as per IRC SP 63:2004	816.00	1117920.00

PART 'C'-Drainage System Work						
13	307.80	Sqm	Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30cm in depth. 1.5m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5 m , disposed earth to be levelled and neatly dressed : All kinds of soil	175.00	53865.00	
14	50.63	Cum	CEMENT CONCRETE (CAST-IN-SITU):Providing and laying in position cement concrete including curing compaction etc . Complete in specified grade excluding the cost of centering and shuttering. All work up to plinth level using crusher broken aggregate 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	3302.00	167163.75	
15	64.35	Cum	Providing and laying in position specified grade of cement concrete for RCC structural elements upto floor five level including curing, compaction, finishing with rendering in cement sand mortar 1:3 (1 cement: 3 coarse sand) and making good the joints and cost of plastizers (if required) excluding the cost of centering, shuttering and reinforcement for Walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc.M20 grade Nominal Mix / Design Mix	5609.00	360939.15	
16	594.00	Sqm	Centering and shuttering with plywood or steel sheets including strutting, propping bracing both ways and removal of formworks for foundation in basement rafts, footings, straps beams, bases of columns etc. up to plinth level. Walls (any thickness) including attached pilasters, buttresses plinth and string course.	289.00	171666.00	
17	6435.00	Kg	Providing and fabricating reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding (including cost of binding wire) all complete up to floor five level. ('Original producers' who manufacture billet directly from iron ores and roll the biles to produce steel conforming to IS:1786) Thermo mechanically treated bars (conforming to relevant IS:1786.)	77.00	495495.00	
18	742.50	Sqm	Plaster on new surface on walls in cement sand mortar 1:4 including racking of joints etc. complete fine finish. 12mm thick.	163.00	121027.50	
19	742.50	Sqm	Finishing with neat cement (punning)	36.00	26730.00	
20	8250.00	Kg	Providing and fixing steel gate, grating , and grills made of angles, tees, square bars, flats,or black pipe with holdfast and fittings complete as per design and drawing including cutting welding and fabrication with priming coat of red oxide	96.00	792000.00	
21	594.00	Sqm	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work	69.00	40986.00	
22	100.00	mtr	R.C.C. NON PRESSURE PIPES : Providing, Laying & Jointing R.C.C. class NP-2 Non-Pressure pipes (IS : 458mark) of approved make with collars, jointed with C.M. 1:2 or having Spigot and socket ends with flexible rubber rings joint including testing of joints 200mm dia Internal.	674.00	67400.00	

PART 'D'-Construction of Under Ground Water tank With Pump Room						
23	35.00	sqm	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15cm deep and disposal of rubbish lead up to 50 Mtr. and lift up to 1.5 Mtr.: All kinds of soil	9.00	315.00	
24	56.25	cum	Earth work in excavation over areas (exceeding 30 cm in depth, 1.5 Mtr. In width as well as 10 sqm on plan) including disposal of excavated earth lead up to 50 m and lift up to 1.5 mtr disposed earth to be leveled and neatly dressed including stacking of useful material if available.	175.00	9843.75	
25	19.69	cum	Filling available excavated earth (excluding rock) in trenches, plinth side of foundation etc. in layers not exceeding 20 cm. in depth , consolidating each deposited layer by ramming and watering including lead upto 50Mtr. and with all lift	64.00	1260.00	
26	19.69	cum	Add extra for foundations /trenches/ drains for every additional lift of 1.5 Mtr. or part thereof upto 4.5 mtr depth	34.00	669.38	
26	1.35	cum	Random rubble dry stone Kharanja under floor.	932.00	1258.20	
27	1.01	cum	Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. M10 grade Nominal Mix 1: 3: 6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20mm nominal size).	3811.00	3858.64	
28	18.92	cum	Providing and laying in position specified grade of cement concrete for all RCC structural elements upto plinth level including curing, compaction, finishing with rendering in cement sand mortar 1:3 (1 cement: 3 coarse sand) and making good the joints and cost of plasticizers(if required) excluding the cost of centering, shuttering and reinforcement. M20 grade Nominal Mix / Design Mix	4934.00	93326.61	
29	18.92	cum	Providing M-25 grade concrete by using cement as per codal provision instead of M-20 grade design mix.	69.00	1305.14	
30	19.95	sqm	Centering & shuttering with plywood or steel sheets including strutting, propping bracing both ways with steel props and removal of formwork for upto floor five level for : Walls (any thickness) including attached pilasters, buttresses plinth and string course.	289.00	5765.55	
31	25.60	sqm	Suspended floors, roofs, landings, staircases, balconies, girders, cantilevers, bands, coping bed plates, anchor blocks, sills, chhajjas, lintel, beam, plinth beam etc.	340.00	8704.00	
32	4.67	cum	Brick masonry in foundation and plinth with bricks of class designation 75 in Cement mortar 1:6 (1 cement : 6 coarse sand)	4263.00	19886.90	
33	1891.50	kg	Providing and fabricating reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding (including cost of binding wire) all complete up to floor five level. ('Original producers' who manufacture billet directly from iron ores and roll the billets to produce steel conforming to IS:1786) Thermo-mechanically Treated bars (Conforming of relevant IS code)	77.00	145645.50	

34	43.50	sqm	Plaster on new surface on wall in cement sand mortar 1:3 including racking of joints etc. complete fine finish : :20mm thick .	211.00	9178.50
35	30.75	sqm	12mm thick .	164.00	5043.00
36	300.00	kg	Providing and fixing steel gate, grating , and grills made of angles, tees, square bars, flats,or black pipe with holdfast and fittings complete as per design and drawing including cutting welding and fabrication with priming coat of red oxide	96.00	28800.00
37	300.00	kg	Extra if square,rectangular hollow tubelar sections are used or grill made by flats only	9.60	2880.00
38	9.83	sqm	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work	69.00	678.13
39	6.00	each	P & F M.S. Foot Rests in with C.M.,1:3, standard design in 20mm square M.S. bar 50 mm embedded in wall & 10 cms. projected out complete.	223.00	1338.00
40	12.00	kg	Supplying and fixing C.I. Cover with frame, C.I. gratings for chambers & man holes.	72.00	864.00
41	1.00	each	P & F Gun-metal Non-return Valve or Check Valve (IS:Make) of approved make, superior quality : 50 mm nominal bore. Horizontal :	1416.00	1416.00
42	1.00	each	P & F Full-way valve (IS:778 Mark) or wheel valve of approved make : Gun-metal 25 mm nominal bore.	529.00	529.00
43	1.00	each	Gun-metal 50 mm nominal bore.	1464.00	1464.00
44	10.00	mtr	P & F G.I. Pipes (External work) with G.I. fittings (IS:1239 Mark) including trenching & refilling earth etc. 100 mm dia nominal bore. B Class	1064.00	10640.00
45	1.00	mtr	P & F Ball Cock (IS:1703 Mark) with Rod & P.V.C. Ball complete : -do- wt. 2000 gm, 50 mm.	789.00	789.00
46	1.00	each	SITC of Monoblock motor pump set ISI marked (IS:9079-2002) with TEFC motor, motor should be IE2 class as per IEC 60034-2-1: 2007, IEC 60034-30: 2008, & IS12615:2011. with Stainless steel Impellor, Stainless steel shaft, Mechanical seal, Single/Three phase (240 - 440 V) permanent split capacitor type (PSC), fitted with thermal overload protection, Including cost of hardware etc on existing platform complete. Pump shall have following HP Rating, phase, Head, minimum Discharge respectively complete in all respect. OEM shall have submit NABL / CPRI / ERDA accredited lab type test certificate before execution. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR . 10.0 HP, 3-Ø, 32- 48)Mtr, (830-450) LPM	63963.00	63963.00
47	10.00	mtr	Supply & fixing of GI pipes confirming to IS : 1239 P - 1 (2004) with flanges duly screwed & welded including rubber washer, nuts & bolts of 8mm dia complete in all respect.All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR . B class 32mm dia	513.00	5130.00
48	50.00	mtr	B class 50mm dia	848.00	42400.00

49	1.00	each	SITC of Contactor OEM Fabricated DOL/Star-Delta Starter panel with switchgear selection as per Type-2 Coordination Chart and made out from 1.6 mm thick powder coated CRCA sheet, enclosure comprising of over load protection relay, short circuit & single phasing protection, Illuminated ON / OFF push buttons, ammeter, voltmeter, indicating lamps etc. suitable for following rating motors complete in all respect. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR . For Three phase Submersible / Mono block pump 7.5 HP to 10.0 HP (Star / Delta starter)	18932.00	18932.00
50	100.00	p.rmt	Providing & Laying P.V.C. / XLPE insulated & P.V.C. sheathed Un-Armoured Aluminium cable confirming to IS:1554 P-I / IS :7098 P - I of 1.1 KV with H4- Grade electrolytic aluminium conductor confirming to IS 8130 of purity >99.6 %, Inner / outer sheath confirming to IS:5831 in existing RCC / Hume / Stoneware / PVC pipe/ open duct/cable trench / Cable tray (with cable tie) including testing etc. as required of following size. OEM must have it's own in house NABL accredited Laboratory for testing procedure as per IS:10810. For additional technical parameters of product / work refer Annexure 'A' attached with this BSR 16.0 Sq. mm 3 core	147.00	14700.00
51	100.00	p.rmt	10.0 Sq. mm 4 core	146.00	14600.00
52	3.00	set	Supplying and making one end termination with Nickel plated heavy duty brass single compression gland (as per IS 12943-1990) SIBG type consisting of Check Nut, Gland Body, Metal Washer(3 Nos.), Outer Seal Rubber Ring, Compression Nut, heavy duty aluminium lugs (as per IS 8309 -1993) duly crimped with crimping tool, PVC tape as per IS 8337-1976 of following size of PVC insulated & PVC sheathed/ XLPE aluminium conductor cable of 1100 volt grade as required.All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR . 3 x 16.0 sq.mm	172.00	516.00
53	3.00	set	4 x 10.0 sq.mm	185.00	555.00
PART 'E'- Construction Of Outer Wall With Channeling Fencing					
54	704.00	sqm	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15cm deep and disposal of rubbish lead up to 50 Mtr. and lift up to 1.5 Mtr.: All kinds of soil	9.00	6336.00
55	369.70	Cum	Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30cm in depth. 1.5m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5 m , disposed earth to be levelled and neatly dressed : All kinds of soil	175.00	64694.70

56	105.00	Cum	Filling available excavated earth (excluding rock) in trenches, plinth side of foundation etc. in layers not exceeding 20 cm. in depth , consolidating each deposited layer by ramming and watering including lead upto 50Mtr. and with all lift	64.00	6720.00
57	47.50	Cum	Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	3302.00	156946.70
58	96.498	sqm	Providing and laying damp-proof course with cement concrete grade M-150 (1 : 2 : 4) mortar prepared with 1% solution of water-proof compound complete as per specification . 50 mm thick	391.00	37730.70
59	269.33	Cum	Random Rubble stone masonry for with hard stone in foundation and plinth in Cement Sand mortar above 30 CM thick wall in: Cement mortar 1:6 (1 Cement : 6 Sand)	2838.00	764344.40
60	202.0	sqm	Plaster on new surface on walls in cement sand mortar 1:6 including racking of joints etc. complete fine finish : :20mm thick .	190.00	38380.00
61	53.00	sqm	Finishing wall with water proofing cement paint of approved brand and manufacture and or required shade to give an even shade including all scaffolding New work (Two or more coats applied @ 3.84 kg/10 sqm).	59.00	3127.00
62	4000.00	Kg.	Providing and fixing steel gate, grating , and grills made of angles, tees, square bars, flats,or black pipe with holdfast and fittings complete as per design and drawing including cutting welding and fabrication with priming coat of red oxide	96.00	384000.00
63	4000.00	Kg.	Add extra of square rectangular hollow tubular section are used.	9.60	38400.00
64	564.00	sqm	Supplying and fixing of chain link fencing with angle iron posts 50x50x6mm placed at every 3 Mtr. apart 30cm in ground embedded in cement concrete 1:3:6 (30x30x45cm) corner and every tenth post to be strutted with (50 x 50 x 6cm) angle iron provided and fixed and fitted with posts including earth work in excavation etc. complete with chain link size. 75mm x 15mm x 3.15mm	565.00	318660.00
65	1388.40	sqm	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work	69.00	95799.6
PART 'F'-Tube Wall					
66	250.00	R Mtr.	Construction of tube-well from ground levels and upto 100 Meter depth and above to accommodate housing and assembly pipe of following sizes in all types of alluvium strata by percussion/ rotary drilling method and with gravel as per IS:4097-1967 and packing as per IS:2800 (Part I -& II) 1979 as amended upto date (the work includes the cost of gravel & its primary packing and packing during development, lowering of housing & strainer assembly pipes, with supply and wrapping of coir-rope, wherever necessary, for arresting fine sand particles. The work will not include cost of housing pipe and strainer pipe assembly and development work, but work would be completed after obtaining sand free water). 200mm -do-.	1464.00	366000.00

67	1.00	each	Testing verticality of tube-well by plumbing system and yield test and draw down test by pumping system as per IS: 2800 (Part II) 1979.	8385.00	8385.00
68	30.00	Hr.	Development of tube well as per IS specification using suitable compressor to give sand free water for required yield of the gravel packed tube well.	600.00	18000.00
69	100.00	Mtr.	Supply of ERW M.S. black casing pipe ISI marked (IS:4270/1992) of grade Fe410 of following sizes at site of work. Nominal bore of pipe: 100mm . Out side dia of pipe : 114.3 thick ness of pipe : 5.0mm .	1728.00	172800.00
70	25.00	Mtr.	Supply of strainer pipes made of ERW M.S. black pipe ISI mark of following sizes at the site of work including required size of slotting as per IS:8110-1985. 200mm-do-.	2031.00	50775.00
71	1.00	Each	S & F tube well cover of M.S.sheet (6mm thick) with nuts and bolts complete for casing size: 200mm dia	373.00	373.00
72	240.00	R. Mtr.	Providing & lowering of G.I. Pipes, flange pipe including rubber washer and nuts of 8 mm dia complete in all respect I.S.1239 Marked. B Class 50 mm dia	498.00	119520.00
73	20.00	kg	Supplying and fixing C.I. Cover with frame, C.I. gratings for chambers & man holes.	72.00	1440.00
74	1.00	Each	SITC of Radial / mixed flow ISI marked water and anti-corrosive liquid filled submersible motor pump sets suitable for 100/150mm dia borewell. The size of adopter fixed on top of the motor should exceed the top of coupler , for safegaurd the coupler. The construction material of motor and pump should match IS: 8034 : 2018 and IS: 9283 guideline. The radial flow pumpset should operate at 5 star energy efficiency level of BEE and mixed flow pump set should operate at 3 star energy level of BEE, accompanied by valid BEE certificate. Motor should be IE2 class as per IEC 60034-2-1: 2007, IEC 60034-30: 2008, & IS12615:2011 with required accessories including making connection suitable for Bore well. The job includes labour part of lowering of riser pipe G.I./ H.D.P.E. with rope, cables & pump, installation of complete fitting and accessories, jointing of electrical cables up to Starter. All labour for testing of submersible pumps set and supply of water to water mains, complete in all respect. OEM shall have submit NABL / CPRI / ERDA accredited lab type test certificate before execution. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR . 150 mm diameter Submersible pump shall have following HP Rating, phase, Head range, Discharge range respectively. 5.0 HP, 3-Ø, (68 - 102)Mtr, (225-85) LPM	53024.00	53024.00
75	350.00	MTR	P/Laying ISI marked P.V.C. insulated submersible cable confirming to (IS:694) and as per IS 8130 : 2013 of 1.1 kV grade . Wire should be made from 99.90 % purity copper, stranding in acc. to IS:8130/IEC 60228 for lower watt loss , oxygen free for less chances of oxidization, insulation PVC type A/C/D , flame retardant as per IS 10810-53, better amperage rating as per IS:3961 part 5, existing pipe / open trench / Cable tray / on surface including making connection etc. as required. For additional technical parameters of product / work refer Annexure 'A' attached with this BSR 6.0 Sq.mm 3 core flat / Round	300.00	105000.00

76	1.00	Each	SITC of Contactor OEM Fabricated DOL/Star-Delta Starter panel with switchgear selection as per Type-2 Coordination Chart and made out from 1.6 mm thick powder coated CRCA sheet, enclosure comprising of over load protection relay, short circuit & single phasing protection, Illuminated ON / OFF push buttons, ammeter, voltmeter, indicating lamps etc. suitable for following rating motors complete in all respect. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR . 3.0 HP to 5.0 HP (DOL starter)	10173.00	10173.00
----	------	------	---	----------	----------

Secretary