राजस्थान राज्य क्रीडा परिषद

सवाई मानसिंह स्टेडियम, जनपथ, जयपुर

कार्यालय दूरभाष नं0 0141—2744283, फैक्स नं0 0141—2740568, ईमेल आईडी—rsscjaipur@gmail.com

क्रमांक :एफ-8/स.अ./SMS Stadium/ज्योनरी मरम्मत कार्य/2020-21/2659 दिनांक : 02/07/2\

निविदा सूचना संख्या ०५ / २०२१ – २२

राजस्थान राज्य क्रीडा परिषद, जयपुर की ओर से सवाई मानसिंह स्टेडियम, जयपुर परिसर में ज्योनरी मरम्मत कार्य हेतु राज्य/केन्द्र सरकार अथवा राज्य/केन्द्र सरकार के अधिकृत संगठनों के विभागों में पंजीकृत संवेदक, जो कि राजस्थान सरकार के उपयुक्त श्रेणी के संवेदकों के समकक्ष हो, से ई-प्रोक्यूरमेंट प्रक्रिया हेतु आनलाइन निविदाएं आमंत्रित की जाती है।

निविदा से संबंधित अन्य आवश्यक विवरण वेबसाईट http://sppp.rajasthan.gov.in, http://eproc.rajasthan.gov.in व www.rssc.in पर देखा जा सकता है।

(जिज्ञांसा गौड



RAJASTHAN STATE SPORTS COUNCIL

TENDER DOCUMENT

FOR

Annual maintenance work (Joinery) in S.M.S.Stadium, Jaipur.

NIT NO.

NIT No.04 /2021-22

ESTIMATED COST

Rs. 10.00 Lacs

EARNEST MONEY

Declaration to be submitted As per GOR Order

DATE OF SALE / DOWNLOADING :

From Friday July 02, 2021, 10:00 Hours to

Monday July 12, 2021, 13:00 Hours

DATE OF RECEIPT (D.D. &

From Friday July 02, 2021, 10:00 Hours to Monday

DOCUMENTS)

July 12, 2021, 13:00 Hours

DATE OF OPENING OF TENDER

Monday July 12, 2021 AT 15:00 Hours

COMPLETION PERIOD

01 (One) Year

COST OF TENDER

Rs. 500/- in favour of Secretary, RSSC, Jaipur

PROCESSING FEES

Rs 500/- in favour of MD, RISL, Jaipur



IMPORTANT DATES AND OTHER INFORMATION

Secretary, Rajasthan State Sports Council. Jaipur

Important Dates of Bids for Annual maintenance work (Joinery) in S.M.S.Stadium, Jaipur

1. Completion Period	01 Year
2. Date of Issue of Notice Inviting Tender	Friday July 02, 2021
3. Period and Places of Sale/ Download of	From Friday July 02, 2021, 10:00 Hours to Monday
Bidding Documents -	July 12, 2021, 13:00 Hours
	http://sppp.rajasthan.gov.in, http://eproc.rajasthan.gov.in & www.rssc.in
4. Deadline for uploading	From Friday July 02, 2021, 10:00 Hours to Monday
	July 12, 2021, 13:00 Hours
5. Time and Date for Opening of Bids	Monday July 12, 2021, AT 15:00 Hours
6. Place of Opening of Bids	Rajasthan State Sports Council, SMS Stadium,
	Jaipur-302005
7. Officer Inviting Bids	Designation: Secretary, Rajasthan State
	Sports Council. Jaipur.
	Address: SMS Stadium, Jaipur-302005
o D Land on DCD	Based on PWD City Circle , Jaipur
8. Rate are based on BSR	BSR 2019 and its all Corrigendums
a = 1	As per NIT
9 Earnest money to be deposited	As per Niti



Instructions and information to bidder regarding Fee, EMD etc.

District	Name of Work Package No.	Estimated Cost (Rs.)	Earnest Money	Time Allowed for completion	End date and time for downloading Tender	Time and date of opening of tender	Place of Sale of documents	Class of contractor
 -(4)	(0)					(7)	(0)	(0)
(1)	(2)	. (3)	(4)	(5)	(6)	(7)	(8)	(9)
Jaipur	Annual maintenance work (Joinery) in S.M.S.Stadium, Jaipur	10.00 Lacs	Declaration to be submitted As per GOR Order	01 Year	Monday July 12, 2021, 13:00 Hours	Monday July 12, 2021, AT 15:00 Hours	http://sppp.rajasthan.gov.in, http://eproc.rajasthan.gov.in & www.rssc.in	"B" & above for Joinery work

- 1. The Tender Fee and earnest money as mentioned above should be deposited in the appropriate form as per the tender documents in favour of Secretary, Rajasthan State Sports Council. Jaipur payable at Jaipur and Processing Fees Rs 500/- in favour of MD, RISL, Jaipur payable at Jaipur and must be uploaded scan copy of Registration of Firm, Demand Draft of Tender Cost, Processing Fee & Earnest Money and GST Number on the site
- 2. The tender can be viewed and downloaded from web site http://sppp.rajasthan.gov.in, http://eproc.rajasthan.gov.in & www.rssc.in
- The authorized tender documents are available for inspection in the office of Rajasthan State Sports Council, SMS Stadium, Jaipur from all working days.



Annexure A: Compliance with the Code of Integrity and No Conflict of

Any person participating in a procurement process shall-

(a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;

b) Not misrepresent or omit that misleads or attempts to mislead so as to obtain a

financial or other benefit or avoid an obligation;

(c) Not indulge in any collusion, Bid rigging or anticompetitive behavior to impair the transparency, fairness and progress of the procurement process;

) Not misuse any information shared between the procuring entity and the bidders

with an intent to gain unfair advantage in the procurement process;

(e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;

f) Not obstruct any investigation or audit of a procurement process;

(g) Disclose conflict of interest, if any; and

(h) Disclose any previous transgressions with any entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of interest.-

The Bidder participating in a bidding process must not have a Conflict of Interest.

A Conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

(i) A bidder may be considered to be in conflict of interest with one or more parties in the

bidding process if, including but not limited to:

(a) Have controlling partners/shareholders in common; or(b) Receive or have received any direct or indirect subsidy from any of them; or

(c) Have the same legal representative for purposes of the bid; or

have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another bidder, or influence the decisions of the procuring Entity regarding the bidding process; or

The bidder participates in more than one bid in a bidding process. Participation by a bidder in more than one bid will result in the disqualification of all bids in which the bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a bidder, in more than one bid; or

(f) the bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods, Works or services that are the

subject of the Bid; or

(g) Bidder or any of its affiliates has been hired (or proposed to be hired) by the procuring entity as engineer-in-charge/consultant for the contract.



Annexure B: Declaration by the Bidder regarding Qualifications Declaration by the Bidder

n relation to my/our B	id submitted to		for procurem	ent of
in	response to	their Notice	inviting	Bids
NoDated	I/we	hereby declare	under Section	7 of
Rajasthan Transparency	y in Public Procuremen	t Act, 2012 that:		×

- 1. I/we possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entry;
- 2. I/we have fulfilled my/our obligation to pay such of the taxes payble to the union and the state government or any local authority as specified in the Bidding Document.
- 3. I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
- 4. I/we do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
- 5. I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date:			Signature of bidder
Place :			Name:
		:	Designation:
			Address:



Annexure C: Grievance Redressed during Procurement Process

The designation and address of the First Appellate Authority is Dy. Secretary Youth Affairs & Sports Department Govt. of Rajasthan. The designation and address of the Second Appellate Authority is <u>Principal Secretary</u> Youth Affairs & Sports Department Govt. of Rajasthan, Jaipur.

(1) Filing an appeal:-

if any bidder or prospective bidder is aggrieved that any decision, action or omission of the procuring entity is in contravention to the provisions of the Act or the rules or the guidelines issued thereunder, he may file an appeal to First Appellate authority, as specified in the Bidding document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a bidder as successful the appeal may be filed only by a bidder who has participated in procurement proceedings:

Provided further that in case a procuring entity evaluates the technical bids before the opening of the financial bids, an appeal related to the matter of financial bids may be filed only by a bidder whose technical bid is found to be acceptable.

- (2) The officer to whom an appeal is filed under Para (1) shall deal with the appeal as expeditiously as possible and shall endeavour to dispose it of within thirty days from the date of the appeal.
- (3) If the officer designated under Para (1) fails to dispose of the appeal filed within the period specified in Para (2), or if the bidder or prospective bidder or the procuring entity is aggrieved by the order passed by the first appellate authority, the bidder or prospective bidder or the procuring entity, as the case may be, may file a second appeal to second appellate authority specified in the bidding document in this behalf within fifteen days from the expiry of the period specified in Para (2) or of the date of receipt of the order passed by the first appellate authority, as the case may be.

(4) Appeals not to lie in certain cases:-

No appeal shall lie against any decision of the procuring entity relating to the following matters, namely:-

- (a) Determination of need of procurement
- (b) Provisions limiting participation of bidders in the bid process
- (c) The decision of whether or not to enter into negotiations
- (d) Cancellation of a procurement process
- (e) Applicability of the provisions of confidentiality

(5) Form of Appeals:-

(a) An appeal under Para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.



- (b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee,
- (c) Every appeal may be presented to first appellate authority or second appellate authority, as the case may be, in person or though registered post or authorized representative.

(6) Fee for filing Appeal:-

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a scheduled bank in India payable in the name of appellate authority concerned.

(7) Procedure for disposal of Appeal:-

- (a) The first appellate authority or second appellate authority as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing
- (b) On the date fixed for hearing, the first appellate authority of second appellate authority, as the case may be shall-
 - (i) Hear all the parties to appeal present before him; and
 - (ii) Peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the appellate authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the state public procurement portal.



Annexure D: Additional Conditions of Contract

1. Correction of arithmetical errors

Provided that a Financial Bid is substantially responsive, the Procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

- i. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- ii. It there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- iii. If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated Bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed.

2. Procuring Entity's Right to Vary Quantities

- (i) At the time of award of contract, the quantity of Goods, Works or services originally specified in the Bidding Document may be increased or decreased by a specified percentage, but such increase or decrease shall not exceed Five percent, of the quantity specified in the Bidding Document. It shall be without any change in the unit prices or other terms and conditions of the Bid and the conditions of contract.
- (ii) If the Procuring Entity does not procure any subject matter of procurement or procures less than the quantity specified in the Bidding Document due to change in circumstances, the Bidder shall not be entitled for any claim or compensation except otherwise provided in the Conditions of Contract.
- (i) In case of procurement of Goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 50% of the value of Goods of the original contract and shall be within one month from the date of expiry of last supply. If the supplier fails to do so, the Procuring Entity shall be free to arrange for the balance supply by limited Bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

3. Dividing quantities among more than one Bidder at the time of award (In case of procurement of Goods)

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidders in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

And



राजस्थान राज्य क्रीडा परिषद

YEARS OF THE MANATINA

सवाई मानसिंह स्टेडियम, जनपथ, जयपुर

कार्यालय दूरभाष नं0 0141-2744283, फैक्स नं0 0141-2740568, ईमेल आईडी-rsscjaipur@gmail.com

बोली की शर्ते

विशेष टिप्पणी :- बोलीदाताओं को इन शर्तों को सावधानी पूर्वक पढ़ना चाहिए तथा अपनी ई-बोलियां भेजते समय इनकी पूर्ण रूपेण पालना करनी चाहिए।

- तकनीकी प्रस्तावों में सफल बोलीदाताओं के ही वित्तीय प्रस्ताव खोले जावेगें जो निविदादाता तकनीकी बिड में सफल नहीं पाये गये उनकी वित्तीय बोली नहीं खोली जायेगी।
- 2. कोई भी फर्म / संवेदक यदि जी एस.टी. अधिनियम के अन्तर्गत पंजीकृत नहीं है तो वह बोली नहीं देगा। इनके अभाव में बोलियों पर विचार नहीं किया जायेगा। जी. एस. टी. देयता प्रमाण पत्र 31 मार्च, 2021 तक का संलग्न करना आवश्यक है।
- 3. दरें जी. एस. टी. तथा केन्द्र व राज्य सरकार द्वारा देय समस्त करों सहित देनी होगी।
- 4. बोली ऑन-लाईन प्रस्तुत की जावेगी एवं निर्दिष्ट कॉलमों में प्रविष्टी की जावेगी।
- 5. दरें गन्तव्य स्थान तक एफ.ओ.आर. सवाई मानसिंह स्टेडियम जयपुर के आधार पर होगीं अर्थात परिवहन संबंधी कोई राशि परिषद द्वारा पृथक से देय नहीं होगी।
- 6. बोलियां उपापन अधिनियम / पारदर्शिता अधिनियम के तत्संबंधी प्रावधानों (धारा—28 आदि) के अध्यधीन रहते हुये उनके खोले जाने की दिनांक से एक वर्ष की अवधि के लिए विधि मान्य होंगी।
- 7. बोलीदाता अपनी संविदा या उसके किसी भाग को किसी अन्य एजेन्सी के लिए नहीं सौंपेगा या उपभाडे पर नहीं देगा।
- 8. बोलीदाता का उसके प्रतिनिधि की ओर से प्रत्यक्ष अथवा अप्रत्यक्ष रूप से अपना पक्ष समर्थन करना एक प्रकार की अनर्हता होगी। हित विरोधी धारा 80 होगी।
- 9. विहित समय एवं तारीख के पश्चात् जो भी बोलियां प्राप्त होंगी उन्हें किसी स्थिति में स्वीकार नहीं किया जावेगा।
- 10. यदि बोलीदाता ऐसी कोई शर्त आरोपित करता है जो उसमें वर्णित शर्तों के अतिरिक्त है या उनके विरोध में है तो उसकी बोली को सक्षिप्त रूप में कार्यवाही कर रदद कर दिया जावेगा।
- 11. तकनीकी बोली के साथ बोलीदाता को निम्न दस्तावेज संलग्न करने अनिवार्य होगे (जिसके आधार पर तकनीकी बिड का मूल्याकन किया जायेगा) :--
 - बोली में अंकित पते के प्रमाण हेतु पानी/बिजली/टेलीफोन/मोबाईल के बिल, पेन कार्ड, पासपोर्ट, आधार कार्ड अथवा ड्राईविंग लाईसेन्स में से कोई दो की प्रमाणित छाया प्रतियां।



ii. बोलीदाता / फर्म का विगत 1 वित्तीय वर्ष में टर्न ओवर 10.00 लाख से कम नहीं होना चाहिये। इस हेतु बोलीदाता को उक्त वर्षों के लेखा विवरण एवं आयकर विवरणी की प्रति संलग्न करनी होगी।

iii. गत 1 वर्ष में किये गये राजकीय विभागों में किये गये ज्योनरी कार्य का एकल कार्य राशि रूपये 5.00 लाख न्यूनतम का अनुभव होना आवश्यक होगा। इसके प्रमाणीकरण हेतु कार्यादेश एवं कार्य के सन्तोषजनक होने का प्रमाण पत्र आदि आवश्यक दस्तावेज संलग्न करने होगे।

iv. बोलीदाता को माल एवं सेवाकर (GST) के रिजस्ट्रेशन की प्रति संलग्न करनी

होगी।

v. अमानत राशि एवं बोली प्रपत्र शुल्क का डी.डी. संलग्न करना होगा।

12. बयाना राशि:-

- (क) बोली से पूर्व नियमानुसार बयाना राशि के संबंध में Declaration to be submitted As per GOR Order ऑन—लाईन प्रस्तुत की जायेगी। इसके बिना बोलीओं पर विचार नहीं किया जायेगा। यह Declaration to be submitted As per GOR Order के अनुसार बनाकर राजस्थान राज्य क्रीड़ा परिषद, जयपुर में भी जमा करवाया जाना अनिवार्य होगा। इसके बिना आपको तकनीकी बिड हेतु योग्य नहीं पाया जावेगा।
- (ख) अनुमोदन की प्रतीक्षा करने वाली या रद्द की गई या संविदाओं के पूर्ण हो जाने के कारण परिषद कार्यालय के पास जमा प्रतिभूति निक्षेप रूप से जमा करवाई जावे।

13. करार एवं प्रतिभूति निक्षेप :-

- (क) सफल बोलीदाता को आदेश दिनाक से 7 दिन की अवधि के भीतर नियमानुसार मूल्य के नॉन ज्यूडिशियन स्टॉम्प पेपर पर (जिसका व्यय स्वयं बोलीदाता द्वारा वहन किया जावेगा) एक करार—पत्र निष्पादित करना होगा तथा प्रावधित मूल्य जिसके लिए बोली स्वीकार की गई है।
- (ख) बोली की प्रतिभूति राशि राजस्थान राज्य क्रीडा परिषद में जमा करवाई जावे।
- (ग) प्रतिभूति राशि पर परिषद द्वारा कोई ब्याज का भुगतान नहीं किया जायेगा।
- (घ) प्रतिभूति राशि के रूप में नकद रसीद पत्र/शिड्यूल बैंक का ड्राफ्ट/ बैंकर्स चैक मान्य होंगे।
- 14. प्रतिभूति राशि का समपहरण :— प्रतिभूति की राशि को पूर्ण अथवा आंशिक रूप से निम्नलिखित मामलों में समपहरत किया जायेगा:—
 - (क) जब संविदा की किसी शर्त / अथवा शर्तों का उल्लंघन किया गया हो।
 - (ख) जब बोलीदाता सम्पूर्ण कार्य संतोषजनक ढंग से करने में असफल रहा हो।
 - (ग) प्रतिभूति निक्षेप को समपहरत करने के मामले में युक्तियुक्त नोटिस दिया जावेगा इस सम्बन्ध में परिषद के अधिकारी का निर्णय अन्तिम होगा।
 - (घ) कार्य में असफल रहने पर परिषद द्वारा वैकल्पिक व्यवस्था किये जाने पर उसमें जो भी व्यय होगा बोलीदाता से उसकी प्रतिभूति राशि में से अथवा उसको देय बिल की राशि के भुगतान में से की जायेगी। यदि वसूली करना सम्भव न हो तो राजस्थान पी.डी.आर.एक्ट या प्रवृत्त अन्य किसी कानून के अन्तर्गत कार्यवाही की जावेगी।



. 15. करार पत्र को पूर्ण करने एवं उस पर स्टाम्प लगाने का व्यय बोलीदाता द्वारा वहन किया जायेगा तथा परिषद को उस करार पत्र की निष्पादित स्टाम्प शुदा प्रति पडत निःशुल्क प्रस्तृत की जायेगी।

16. परिषद के प्राधिकृत अधिकारी या उसका विधिवत् प्राधिकृत प्रतिनिधि सभी युक्तियुक्त उचित समयों पर ठेकेदार के परिसर में जायेगा तथा वह विनिर्माण की प्रक्रिया के दौरान या उसके बाद जैसे भी हो किसी भी समय सामग्री का निरीक्षण एवं जांच करने की शक्ति रखेगा।

17. परीक्षण प्रभार परिषद द्वारा वहन किये जायेंगे। यदि बोलीदाता अत्यावश्यक तत्काल परीक्षण कराना चाहता है या यदि परिणामों से यह ज्ञात होता है कि प्रदाय किया गया सामान विहित स्तरों या विनिर्देशों के अनुसार नहीं है तो

परीक्षण प्रभार बोलीदाता द्वारा वहन किये जायेंगे।

18 अनुमोदित कार्य के लिए यह समझा जाएगा कि उसने कार्य किये जाने वाले विनिर्देशों की सावधानीपूर्वक जांच कर ली है यदि उसे इन शर्तों, विनिर्देशों, रेखाचित्रों आदि के किसी भाग के आशय के बारे में कोई सन्देह हो तो वह संविदा पर हस्ताक्षर करने से पूर्व परिषद से स्पष्टीकरण प्राप्त करेगा।

19. सफल बोलीदाता को कार्य आदेश जारी तिथि के 10 दिवस के अन्दर कार्य

प्रारम्भ करना होगा।

- 20. यदि निविदा सूचना में दर्शित मात्रा से अधिक के लिए आदेश दिया जाता है, तो निविदादाता अपेक्षित कार्य करने के लिए बाध्य होगा। पुनः आदेश भी निविदा में दी गयी शर्तों पर दिए जा सकेंगें परन्त शर्त यह है, कि ऐसे पुनआदेश मूल रूप से खरीदी गयी मात्रा की 50 प्रतिशत तक के अतिरिक्त प्रदाय के लिए ही होगें।
- 21. गारन्टी :-गारन्टी नियमानुसार होगी।

22. परिसमापित नुकसानी :--

(1) परिसमापित नुकसानी के साथ कार्य अवधि में वृद्धि करने के मामले में, वसूली राजस्थान लोक उपापन पारदर्शिता अधिनियम, 2012 एवं राजस्थान लोक उपापन पारदर्शिता नियम 2013 के प्रावधान अनुसार होगी।

- (2) यदि प्रदायकर्ता किन्ही बाधाओं के कारण संविदान्तर्गत कार्य का प्रदाय पूरा करने के लिए समय में वृद्धि कराना चाहता है, तो वह लिखित में परिषद को आवेदन करेगा। किन्तु वह उसके लिए निवेदन बाधा के घटित होने पर तूरन्त उसी समय करेगा न कि प्रदाय पूर्ण होने की निर्धारित तारीख के बाद करेगा।
- यदि कार्य प्रदाय करने में उत्पन्न हुई बाधा बोलीदाता के नियन्त्रण से परे कारणों से हुई हो तो कार्य की अवधि में वृद्धि परिसमापित नुकसानी सहित या रहित की जा सकेगी।
- 23. वसूली: -परिसमापित नुकसानी, कम प्रदाय, टूट-फूट, रद्द की गई वस्तुओं के लिए वसूली साधारण रूप से बिल में से की जाएगी। संवेदक कम प्रदाय. टूट-फूट, रदद किए गए कार्यों की सीमा तक राशि को भी रोका जा सकेगा तथा यदि सेवा सन्तोषजनक ढंग से उनको कार्य करता है तो परिसमापित नुकसानी के साथ वसूली उसे देय राशि एवं विभाग के पास उपलब्ध प्रतिभूति निक्षेप से की जाएगी। यदि वसूली करना सम्भव न हो तो राजस्थान पी डी आर एक्ट या प्रवृत्त अन्य कानून के अन्तर्गत कार्रवाई की जाएगी।



25. भुगतान :-

बोलीदाता द्वारा क्रेता अधिकारी को उचित प्रारूप में लोक उपापन नियमों (क) के अनुसार बिल प्रस्तुत करने पर भुगतान किया जायेगा। सभी प्रेषण प्रभार बोलीदाता द्वारा वहन किये जायेंगे। किसी भी सुरत में अग्रिम भगतान नहीं किया जायेगा।

विवादारपद मदों में राशि का 10 प्रतिशत से 25 प्रतिशत तक को रोका जायेगा तथा उस विवाद का निपटारा हो जाने पर उसका भुगतान कर

दिया जायेगा।

उन मामलों में, जिनमें परीक्षण करने की जरूरत है, भुगतान तभी किया जायेगा जब उनका परीक्षण कर लिया जाये तथा प्राप्त हुए परीक्षण परिणाम

विहित निर्देशों के अनुरूप हों।

26. यदि कार्य की तात्कालिक आवश्यकता के कारण पूर्ण या आंशिक रूप में उन कार्यों को बदलना साध्य नहीं समझा जाए तो राजस्थान राज्य क्रीडा परिषद द्वारा बोलीदाता को सुनवाई किये जाने का एक उचित अवसर देकर, ऐसे कारणों से जो अभिलिखित किये जायेंगे, अनुमोदित दरों में से उपयुक्त राशि की कटौती करेगा। इस प्रकार की गई कटौती अन्तिम होगी।

27. निविदादाता करार को निष्पादित करते समय निम्नलिखित दस्तावेज प्रस्तुत

(;) यदि भागीदारी फर्म हो तो "पार्टनरशिप डीड" की अनुप्रमाणित प्रति।

(ii) यदि भागीदारी फर्म रजिस्ट्रार ऑन फर्म्स के पास पंजीकृत हो तो पंजीयन संख्या एवं उसका वर्ष।

(iii) एक मात्र स्वामित्तव के मामले में आवास एवं कार्यालय का पता, टेलीफोन

(iv) कम्पनी के मामले में कम्पनी के रजिस्ट्रार के द्वारा जारी किया गया प्रमाण-पत्र।

संविदा के निर्वचन, आशय या संविदा की शर्तों के उल्लंघन के सम्बन्ध में या अन्य किसी भी प्रकार का विवाद होने पर परिषद का निर्णय अन्तिम होगा।

समस्त विधिक कार्यवाहियां यदि संस्थित किया जाना आवश्यक हो तो जयपूर रिथत न्यायालय में ही की जाएगी। अन्यत्र नहीं की जाएगी।

बोलीदाता द्वारा अपलोड किये जाने वालो दस्तावेजों पर नम्बरिंग होनी चाही

एवं चैक लिस्ट भर कर प्रस्तुत करनी होगी।

सचिव, राजस्थान राज्य क्रीडा परिषद, जयपुर को बिना कारण बताये किसी भी बोली को स्वीकार / अस्वीकार करने का अधिकार होगा।

जी.एफ. एण्ड ए.आर.,राजस्थान लोक उपापन पारदर्शिता अधिनियम, 2012 एवं राजस्थान लोक उपापन पारदर्शिता नियम 2013 के प्रावधान लागू होगें।

> बोलीदाता के हस्ताक्षर (मय नाम पता एवं मोहर)



घोषणा

मैने / हमने सवाई मानसिंह स्टेडियम, जयपुर में ज्योनरी हेतु (मय सामग्री) की बोली के नियम एवं शर्तों को भली—भॉति पढ व समझ लिया है। मुझे / हमारी फर्म को किसी भी विभाग द्वारा ब्लेक—लिस्ट नहीं किया गया है। इन शर्तों एवं नियमों के अधीन मैं / हम सवाई मानसिंह स्टेडियम, जयपुर में ज्योनरी कार्य करने हेतु सहमत एवं वचनबद्व हूँ / है। यदि मेरे / हमारे द्वारा की किसी बोली की शर्तों, नियमों अथवा आदेशों का उल्लंघन किया जावेगा तो सक्षम अधिकारी द्वारा मेरे / हमारे विरुद्ध बोली के नियम / शर्तों के उल्लंघन की कार्यवाही करने के लिए अधिकृत होगा। इस सम्बन्ध में मुझे / हमें सक्षम / अधिकृत अधिकारी द्वारा लिया गया निर्णय मान्य होगा तथा इसमें मुझे / हमको कोई आपत्ति / हस्तक्षेप नहीं है।

हस्ताक्षर बोलीदा	ता		 :	
नाम/पता				
384				
टेलीफोन नं		•••••••	 •••••	
दिनांक			 ······	



General Instructions for Filling of Bid

The complete bidding document has been published on the website www.rssc.in, http://sppp.raj.nic.in, http://eproc.raj.gov.in, for the purpose of downloading.

- 1. Bidders who wish to participate in this bidding process must register on www.rssc.in & http://sppp.raj.nic.in,
- 2. To participate in online bidding process, Bidders must procure a Digital Signature Certificate (Type III) as per Information Technology Act-2000 using which they can digitally sign their electronic bids. Bidders can procure the same from any CCA approved certifying agency, i.e. TCS, safe crypt, Node etc. Bidders who already have a valid Digital Signature Certificate (DSC) need not procure a new DSC.
- 3. Bidder (authorized signatory) shall submit their offer on-line in Electronic formats both for Technical and financial proposal. However, DD for Tender Fees, EMD payable in favor of SECRETARY RAJASTHAN STATE SPORTS COUNCIL, JAIPUR, payable at Jaipur and Processing Fees payable in favor of Managing Director, RAJCOMP Info Services Limited, payable at JAIPUR. Tender fee, EMD and processing fee DD Should be submitted physically at the office of RAJASTHAN STATE SPORTS COUNCIL, JAIPUR, and Scanned copy of same should also be uploaded along with the technical bid.
- 4. RAJASTHAN STATE SPORTS COUNCIL, JAIPUR will not be responsible for delay in online submission due to any reason. For this, bidders are requested to upload the complete bid well advance in time so as to avoid Last hours issues like slow speed; choking of web site due to heavy load or any other unforeseen problems.
- 5. Bidders are also advised to refer "Bidders Manual Kit" available at e-Proc website for further details about the e-tendering process.
- 6. No contractual obligation, whatsoever shall arise from the bidding process unless and until a formal contract is signed and executed between the tendering authority and the successful Bidder.

SECRETARY



BIDDER'S AUTHORIZATION CERTIFICATE (to be filled by the bidder)

{Tendering Authority},	
그리다 가듯이 이렇지다는 뭐라고 있다.	
I/ We	{Name/Designation} hereby
declare/ certify that	
documents on behalf of the company/ firm in dealing	with Tender with RAJASTHAN
STATE SPORTS COUNCIL, JAIPUR.	
He/ She is also authorized to attend meetings & su	ubmit technical & commercial
information/ clarifications as may be required by you in tl	
For the purpose of validation, his/her verified signatures	are as under.
Thanking you,	
선생님들 시민이 하는 것이 살려 되었다. 그 그 그	
화면 이번 병과 보는 그 사람들이 되었다.	
Name of the Bidder: -	Verified Signature:
Authorized Signatory: -	
Seal of the Organization: -	
Date:	
Place:	



CHECKLIST OF DOCUMENTS SUBMITTED

S. No.	Documents to be submitted	Submitted	Not Submitted	Page No.
1.,	Scanned Copies of tender document fee, EMD		1	
: · · ·	and processing fees			4
2.	Copy of Registration of firms (B & Above			1 1
	Class Certificate by Work Department of		- ,	
	Govt.)			
3.	Copy of GST Registration			
4.	Copy of PAN Card		3	
5.	Proof of Work Order and Work Satisfactory of	V. 1. 3.55	<u>.</u>	
n.	Joinery work (Minimum work order Rs. 50%			
ţ	of Tender cost) in financial Year 2018-19, 2019-20.			
6.	Financial Year 2019-20 audited statement and			• • • • • • • • • • • • • • • • • • • •
	Turn Over must be at least equal to this tender			
	cost from Chartered Accountant in proof of			
	Joinery work.			
7.	Annexure A to D duly signed in context to			
	RTPP Rules – 2013.			
8.	Authorization certificate If the tender is signed			
	other than owners		A STATE OF THE PARTY OF THE PAR	
9.	Copy of GST paid certificate for the month of			
	March, 2021 in gstr-3b Performa	A page 1	The second second	
10.	Tender document and Technical Bid and			
10.	undertaking all three duly signed			
	undertaking an ance daily signed	. ,		
11.	Any other Document			1

Signature of Bidder Seal of Establishment Full Name of Bidder with address and date



G Schedule

Name of work :-- Annual maintenance work (Joinery) in S.M.S.Stadium, Jaipur.

As per PWD BSR, 2019 City Circle, Jaipur

S. Quantity					2019 Cit te	Amount	
110.			Renewing glass panes, with putty and nails				
1	1.00	Sqm	wherever necessary: Float glass panes of thickness		P.Sqm	561.00	
2	1.00	Sqm	Renewing glass panes and refixing existing wooden fillets: 4mm thick plain glass panes.	578.00	P.Sqm	578.00	
3	1.00	Rmt.	Renewal of old putty of glass panes (length)	16.00	P.Rmt.	16.00	
4	1.00		Refixing old glass panes with putty and nails	194.00	P.Sqm	194.00	
			Providing and fixing external grade board solid core single leaf flush door shutters ISI 2202-67 marked				
5	1.00	Sqm	using Phenol formal dehyderesin in glue both sides with approved steel fittings complete as per	1674.00	P.Sqm	1674.00	
			annexure 'A' : 30 mm thick , Commercial Veneer hoth side Extra for providing external lipping with 2nd class				
		12 14	teak wood battens 6 mm minimum depth on all	1,115.44	A	120.00	
6	1.00	Sqm	edges of shutters (over all area of door shutter to be measured) Over item no. 8.13.	128.00	P.Sqm	128.00	
			Providing and fixing fully panelled /partly panelled double leaf shutters frame for windows and ventilators as per approved design and drawings				
7	1.00	Sqm	with approved steel fittings as per Annexure 'A' and width of styles, bottom and top rails 75mm	2388.00	P.Sqm	2388.00	
			including intermediate rails 50mm wide, beading of 25mm x 15mm size on both faces : 30 mm thick				
			Providing and fixing fully panelled/partly panelled/double leaf shutter frame for doors as per approved design and drawings with approved ordinary C.P./oxidised steel fittings as per Annexure - 'A' and				
8	1.00	Sqm	width of styles & top rails of 100mm and lock rails width of 150mm and bottom rails of 200mm width	2688.00	P.Sqm	2688.00	
		- 4	including teak wood beading of size 19mm x 12mm on both faces complete : 30 mm thickIvory coast wood grade I				
			Providing and fixing aluminum work for doors ,windows, ventilators and partition with extruded built up standard tubular / appropriate Z sections				
*** ***	·		and other sections of approved make conforming to IS:733 and IS:1285, fixed with rawl plugs and screws or with fixing clips, or with expansion hold			**************************************	
	,		fasteners including necessary filling up of gap. at junctions , at top ,bottom and sides with required				
9			PVC/neoprene felt etc. Aluminium section shall be smooth ,rust free, straight ,mitered and jointed				
			mechanically wherever required including cleat angle Aluminium snap beading for glazing /paneling , C.P. brass/ stainless steel screws Al. Tower bolt & Al. handle & Al. Aldrop etc.,all complete as per				
			architectural drawings and the directions of Engineer- in – charge .(Glazing and paneling to be paid for separately). For fixed portion .				

S. No.	Ouantity					Amount
10	1.00	Kg	For fixed portion, Anodised aluminum (anodised transparent 81 dyed to required shade according to IS: 1868. (Minimum anodic coating of grade AC 15, Anodizing to be got done from approved Anodizer)	296.00	P.Kg	296.00
			For shutters builtup standard tubular sections of openable doors ,windows & ventilators including providing & fixing hinges / rollers etc. and making provision for fixing of fittings wherever required			
11	1.00	Kg	(lockes shall be paid for separately). Anodised aluminum (anodised transparent 81 dyed to required shade according to IS: 1868. (Minimum anodic coating of grade AC 15, Anodizing to be got		P.Kg	323.00
	4.00		done from approved Anodizer) Providing and fixing glazing in aluminium door, window ,ventilator shutters and partitions etc. with PVS / neoprene gasket etc. complete as per the architectural drawings and the directions of		P.Sqm	820.00
12	1.00	Sqm	engineer-in-charge.(Cost of aluminium snap beading shall be paid in basic item.) With float glass panes of 5.0 mm thickness (weight not less than 13.50 kg/sam). Providing and fixing double action hydraulic floor		, 3 9 , 11	
13	1.00	No.	spring of approved brand and manufacture IS: 6315 marked, for doors including cost of cutting floors as required, embedding in floors and cover plates with brass pivot and single piece M.S. With	1296.00	Each	1296.00
14	1.00	Rmt.	Filling the gap upto 5 mm depth and 5 mm width in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-incharge complete	1.1	P.Rmt.	71.00
15	1.00	No.	Providing and fixing 100mm brass locks (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete.	298.00	Each	298.00
16	1.00	No.	Providing and fixing aluminium round shape handle of outer dia 100mm with SS screws etc. Complete as per direction of Engineer-in-charge. Anodized (AC 15) aluminium	61.00	Each	61.00
17	1.00		Repair of existing steel glazed doors, windows and ventilator, MS sheet door, garge doors, compound wall gates etc. by welding drilling complete include. Cost of welding rods and hire charge of welding meachine and TP etc complete	302.00	P.Sqm	302.00
18	1.00	Cam	Labour charges for repair to door / window without using any material such as applying randha (finishing) tightening of bolts & screw etc.	200.00	P.Sqm	200.00
19			Repair of door, window shutters including cost of material and labour for change of damaged :		;	
(a)		5 4	Style / rail of teak wood 30mm thick/ Aluminium Section			



- 1	S. o.	Quantity		Particulars	Ra	te	Amount
•	i)	1.00	Rmt.	4"wide	242.00	Rmt.	242.00
	ii).	1.00	Rmt.	6" wide		Rmt.	334.00
	o)_			Panel by			
_	i)_	1.00	Sqm.		544.00	Sqm.	544.00
_	ii)	1.00		Wire Gauge 14 mesh x 24 gauge	485.00	Sqm.	485.00
_	ii).	1.00	Sqm.	Plain Glass Panes 4mm thick	392.00	Sqm.	392.00
	<u>c)</u>			Aldrop of mild Steel		1 2	
$\overline{}$	i)	1.00		12" long x12mm dia	134.00	Each	134.00
_	i) -	1.00	Each	8" long x 10mm dia	96.00	Each	96.00
	7)		- 4	Stopper of Aluminium with			
\rightarrow	i)_	1.00		Single Rubber Gutka	30.00	Each	30.00
	i)_	1.00		Double Rubber Gutka		Each	43.00
	5)	1.00	Each	Door Springs of mild Steel	145.00	Each	145.00
_	f)			Steel Hinges			
$\overline{}$	i)	1.00		For Wooden Chowkhat 3" size.	22.00		22.00
_	i) '	1.00		For Wooden Chowkhat 4" size	31.00		31.00
(i	_	1.00	Each	For Stone Chowkhat ,4"size	26.00		26.00
	<u>1)</u>	1.00	Each	Mild Steel Tower Bolt 6" long	35.00		35.00
1 (_	1.00		Steel Locking Bolt	48.00		48.00
1.	i)	1.00	Each	Steel Handle 6" size	22.00	Each	22.00
		- 354		Providing and fixing curtain rods of 1.25 mm thick		10.1	
1		4.00	1	chromium plated brass plate, with two chromium			
,	0	1.00	Mtr.	I placed blass blackets fixed With Cit. blass selews		Mtr.	242.00
				and wooden plugs, etc., wherever necessary			
	_0			complete: 20 mm			
3		1.00	Cama	Renewing glass panes with wooden fillets wherever			
2	1	1.00	Sqm	necessary: 4mm thick plain glass panes.	695.00	Sqm	695.00
			ļ:	Draviding and fiving IC + 2564 marked alumining			
1:		Y- 1		Providing and fixing IS: 3564 marked aluminium			
2	,	1.00	No.	extruded section body tubular type universal			1744.00
	۱ '	1.00	NO.	hydraulic door closer with double speed adjustment	1344.00	Each	1344.00
				with necessary accessories and screws etc.			
-				complete. Providing and fixing fully panelled /partly panelled		·	· · · · · ·
2				double leaf shutters frame for windows and			
	:						
				ventilators as per approved design and drawings		· · ·	
2.	3	1.00	Sqm	with approved steel fittings as per Annexure 'A' and	2705.00	Sqm	2705.00
3	3	1 1 1 m		width of styles, bottom and top rails 75mm	A - 5 8 5 -		
				including intermediate rails 50mm wide, beading of	,		
				25mm x 15mm size on both faces : 35 mm thick	7		
	+			Type coast wood grade I Providing and fixing wood panelling or panelling			
		5		and glazing in panelled or panelled and glazed			
24		-	:	shutters for doors, windows and clerestory windows			
2		2 2		(Area of opening for panel inserts excluding portion	,		1
		6	9	inside grooves or rebates to be measured).	, *	•	
4	120	. •		Panelling for panelled and glazed shutter 25 mm to			
-	+			40 mm thick IS 710- 1976 marked 12 mm thick Teak ply BWR			• • • • • • • • • • • • • • • • • • • •
i		1.00	- 20111		1655.00	Sqm	1655.00
-	+			one side IS 710- 1976 marked 12 mm thick Teak ply BWR			
ii		1.00		both side	1885.00	Sqm	1885.00
iii	+	1.00		SS wire gauge 14 mesh x 24 gauge	027.00		
iv	_	1.00		8 mm thick glass	927.00 1314.00	Sqm	927.00
_ 14		1.00	oqiii]	o min unick glass	1314.00	Sqm	1314.00



S. No.	Ouantity		Particulars	Ra	ate	Amount
			Providing and fixing wall panelling using soft wood frame of size 50x25mm @600 mm c/c in both directions duly treated with anti-termite treatment			
25	1.00	Sqm	making grooves painting of grooves specification and drawing using : 12 mm thick one side	1589.00	Sqm	1589.00
			laminated board Practical board (Phenol bonded)			7,0,-25
26	1.00	Sqm	Extra for providing other type of fittings as mention in annexure A (as approved by EI): Stainless steel fittings		Sqm	0.10
27	1.00	Sqm	Providing & Fixing mica of approved make for inner/outer side of shutters with fevicol & nails complete as per approved by engineer in charge.		Sqm	693.00
28	1.00	Sqm	0.8mm thick mica Providing & Fixing decorative veneer of approved make for inner/outer side of shutters with fevicol & nails complete as per approved by engineer in charge, 4.0mm thick veneer	1304.00	Sqm	1304.00
29	1.00	Rmt.	Providing and fixing S.S. Rod 30mm dia (304 grade ,16SWG) including brackets fixed with C.P. brass	1034.00	Rmt.	1034.00
			Providing and fixing of Un perforated Antibacterial Metal Tile Ceiling System comprising of Tile of 600mm wide and 600mm long manufactured out of 0.7mm thick aluminium alloy 3105 with beveled edge of 4.15mm width height of 32mm. The Tile			
			will be manufactured on advanced equipment that includes several leveling stages in the manufacturing process by approved manufacturers. Tile ends will be raised with pips and slops to ensure positive engagement into the spring to			
30	1.00	Sqm	minimum deflection across the length of Tile. All	3743.00	Sqm	3743.00
			Tiles will be bevel edged. The Tile shall be epoxy polyester powder coating with ANTIBAC in white colour which is in compliant to ROHS directive. The Tile shall be clipped into clip in rail of 0.5mm thick	, e		
			GI. in form of a grid system using a cross connector. The clip in rail shall be supported from slab by means of rigid Suspension of 4mm G .I			
		r S	rod, Hold on Clamp with Clip. POWDER COATING SPECIFICATION: Aluminium PANELS, cleaned hrough eco friendly cleaning ,process and powder applied thru electrostatic charged Automatic Carona			
31	1.00	Sqm a	Providing and Fixing Cushion Vinyl/Fully flexible /inyl Flooring confirming to I.S3462 Flooring of approved make with fibre base using rubber base	900.00	Sqm	900.00
			dhesives including rolling with light wooden roller omplete: 2.0 mm thick.			



S. No.	Ouantity		Particulars	Ra	ite	Amount
32	1.00	Sqm	Providing and fixing double scaffolding system on the exterior side, upto five story made with 4" wooden member 1.5 m c/c horizontal and vertical direction joining with rassi, clamps, challies. The scaffolding system shall be stiffened with bracing, runner, connection of building if necessary with all essential safty features for the workmen etcomplete as per direction of EI.The lavation area of the scaffolding shall be measured for payment. The payment will be made once irrespective of duration of scaffolding. Note: This item to be used for maintence work judically	147.00	Sqm	147.00
33			Providing and fixing aluminum work for doors ,windows, ventilators and partition with extruded built up standard tubular / appropriate Z sections and other sections of approved make conforming to IS:733 and IS:1285, fixed with rawl plugs and screws or with fixing clips ,or with expansion hold fasteners including necessary filling up of gap. at junctions , at top ,bottom and sides with required PVC/neoprene felt etc. Aluminium section shall be smooth ,rust free, straight ,mitered and jointed mechanically wherever required including cleat angle Aluminium snap beading for glazing /paneling , C.P. brass/ stainless steel screws Al. Tower bolt & Al. handle & Al. Aldrop etc.,all complete as per architectural drawings and the directions of Engineer- in – charge .(Glazing and paneling to be paid for separately).			
i			For fixed portion Powder coating aluminum (minimum thickness of			
a	1.00	Kg	powder coating adminding (minimum discribes of powder coating 50 micron) For shutters builtup standard tubular sections of openable doors ,windows & ventilators including providing & fixing hinges / rollers etc. and making provision for fixing of fittings wherever required (lockes shall be paid for separately). Powder coating aluminum (minimum thickness of	319.00	Kg	319:00
a 34	1.00	Kg	powder coating autilitian (minimum trickness of powder coating 50 micron) Providing and fixing 12 mm thick prelaminated three layer medium density (exterior grade) particle board Grade I, Type II conforming to IS: 12823 bonded formaldehyde synthetic resin ,of approved brand and manufacture in paneling fixed in aluminium doors ,windows shutters and partition	993.00	Kg	346.00 993.00
~			frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and direction of engineer-in-charge. Prelaminated particle board with decorative lamination on both			



							
130	S. No.	Quantity		Particulars	Rate		Amount
				Providing and fixing glazing in aluminium door window ,ventilator shutters and partitions etc. with PVS / neoprene gasket etc. complete as per the	ı		
	35	1.00	Sqm	architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snar		Sqm	820.00
				beading shall be paid in basic item.) With float glass panes of 5.0 mm thickness (weight not less than 13.50 kg/sgm)			
				Filling the gap upto 5 mm depth and 5 mm width in between aluminium frame & adjacent RCC/ Brick/			
A 11 A	36	1.00	Rm	Stone work by providing weather silicon sealant over backer rod of approved quality as per	. ,1.00	Rm	71.00
				architectural drawings and direction of Engineer-in- charge complete Providing and fixing 100mm brass locks (best make			
	37	1.00	Each	of approved quality) for aluminium doors including		Each	298.00
e.	· .÷			Providing and fixing aluminium U shape handle of			
	38	1.00	Each	size 100mm with SS screws etc. Complete as per direction of Engineer-in-charge. Anodized (AC 15) aluminium	61.00	Each	61.00
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			Providing and fixing expanded grill made of aluminum as per design and drawing having			
:	20	1.00	Sqm	members section of size 7.5mm x 6.0mm and opening of size 102mm x 99mm to aluminum window/vent with required screws, Y and H	1675 00	Sqm	1675.00
	39	1.00	Jam	aluminium sec (as per drawing) at the ends and middle joints respectively complete in all respect as	1973.00	34	
			· .	per direction of engineer in charge. Powder coating aluminum (minimum thickness of powder coating			
				Providing and fixing vertical Blinds , headrail shall be oriented aluminum alloy 50 mm wide x 18 mm high the thickness shall be 1.2 mm. Control unit	١,		
				shall be made of high grade polymer and shall be housed in side the headrail, which shall transfer	2		
200			2	motion from chain tilter to tilt rod. Chain tilter shall be made of plastic bead of diameter 4.5 mm	10 Sept. 10		
				through which 2 mm thick polyester code passes. Tilt rod shall be extruded aluminum having 3 key			
	40	1.00	Sqm	ways. Runner shall be moulded plastic and shall have to plastic wheels mounted on plastic exles to	1475.00	Sqm	1475.00
				enable runner to slide unhindered in headrail. Luver shall be made of fabric 100 mm colour fast and	J		
		v		shall have protective scotchgard coating to resist stains and dust. Bottom mechanism consist bottom weight made of powder coated galvanized steel for	-		54
				maximum corrosion resistance. The bottom weight shall be attached with bottom.		. 1	:
						astr.	



S.						T	
No	Quantity		Particulars	Rate		Amount	
	. = _ '		Providing and fixing Drapery rod shall be made of				
			20 gauge cold rolled steel strip. Which is electric resistance welded, The section will be available				
7			25.4 mm diameter the section shall be coated with				
41	1.00	Rm		1 404 00	Rm	431.00	
- 3			material in nearest matching colour of rod. The rin	J .			
. 107		. / .	shall be made from ABS material in neares	- 1			
			matching colour to rod. Brackets of made of	- I	1		
1 32 - 2			lashanizad stool	140		3"	
		= 2	Providing and fixing sun control film, thickness of				
		t in	film 1 Mil Visible Light Transmittance 4-24% 8				
42	1.00	Sqm	Solar Energy Transmittance 42-51% & Total sola	1 201.00	Sqm	581.00	
			Energy rejection 37-43% of approved colour and				
			shade , complete in all respect , at all level , a directed by engineer- in -charge	S	12.7		
1 1		A. S.	Providing and fixing to existing door frames. 30mm	n			
			thick factory made solid panel PVC door shutte				
	4		consisting of frame made out of M.S. tubes of 19			1 A 7	
			gauge thickness and size of 19mm x 19mm for			,	
			stiles and 15 mm x15mm, top & bottom rails. M.S				
			frame shall have a coat of steel primers of	F			
			approved make and manufacture M.S. frame				
			covered with 5mm thick heat moulded PVC 'C				
			channel of size 30mm thickness, 70mm width out				
			of which 50mm shall be flat and 20mm shall be				
			tapered in 45 degree angle on either side forming			-	
43	1.00	Sqm	stiles; and 5mm thick, 95mm wide PVC sheet out of		Sqm	2919.00	
			which 75 mm shall be flat and 20mm shall be				
٠	1.		tapered in 45 degree on the inner side to form top		1		
	· .: :		and bottom rail and 115mm wide PVC sheet out of				
			which 75 mm shall be flat and 20mm shall be				
			tapered on both sides to form lock rail. Top bottom				
		·	and lock rails shall be provided either side of the		. **		
			panel. 10mm (5mm x 2) thick, 20mm wide cross				
			PVC sheet shall be provided as gap insert for top				
9			rail & bottom rail. Panelling of 5mm thick PVC sheet				
	اد الادات ا		to be fitted in the M.S. frame welded/ sealed to the stiles & rails with 7mm (5mm +2mm) thick x 15mm	141		21 1 12 2 2 2	
-			Providing and Fixing Aluminium composite panel of				
	* I .		approved make 3mm thick with 0.5mm thick skin &		- ,		
			PVDF coated approved shade for wall panelling.				
1		1	Main framing work to be done using				
			50mmx25mmx1.6mm tubular section of approved		4		
44			make. Stainless steel screw to be used to fix the	2250.00	C	2250.00	
44	1.00	Sqm	ACP panel to be fixed to the main frame with	2358.00	Sqm	2358.00	
	3		industrial adhesive tape and panel groove to be				
,			sealed with weather proof silicon sealant suitable	: :	į.	» ·	
			for glass/aluminium etc. complete in all respect as				
			approved by Engineer-in-charge.		1		
\dashv							
45	1.00		AccessoriesSupply and Installation of (Labour rate	180.00	Kg	180.00	
		!	ncluded in main item). Adhesives.				



S. No.	Quantity		Particulars	Rate		Amount
			Supply and fixing of Cement Bonded Particle			
		475	Board (as per 14276) double skin partition using	7. 7		
		2 8 8 8	with 10 MM thick Cement Board made out of G.I.			
			track section of size 50mmx 35mm \times 0.55 mm for		A 1.54	
			fixing to the roof and floor and stud section of	1- n	,	
			size 48mm x 35mm x 0.55mm placed in track			
			section vertically at 610mm intervals and at			
			1200mm intervals horizontally fixed to the wall by			
46	1.00	Sqm	means of self expansion screws and caps to the		Sqm	2208.00
			wall and roof. Cement Board panel is to be fixed			
			both sides of frame work by using self taping			
	3.5		screws fixed at every 300mm intervals to the			
		•	frame work leaving 3 mm gap between two panels.			
			The cost inclusive with one coat of Alltek primer			
-4			and two coats of Alltek smooth finish and cost and			
-			conveyance of all materials to site, labor charges		g jar	
. 9.4	é. 🕛 a		etc., complete as per the direction of Engineer in			

Secretary Rajasthan State Sports Council Jaipur

I/We agree to execute the above work as per rate filled in related item.. (Rate in words \$%\$ above/below)

Signature of Contractor
With full Address

Out