राजस्थान राज्य क्रीडा परिषद

सवाई मानसिंह स्टेडियम, जनपथ, जयपुर

कार्यालय दूरमाष नं0 0141—2744283, फैक्स नं0 0141—2740568, ईमेल आईडी—rsscjaipur@gmail.com

क्रमांक : एफ-8/स.अ./मरम्मत कार्य/2022-23/**476**/

दिनांक : 02-11/2022

निविदा सूचना संख्या 21 / 2022-23

राजस्थान राज्य क्रीडा परिषद, जयपुर की ओर से सवाई मानसिंह स्टेडियम, जयपुर परिसर में सैनेट्ररी मरम्मत कार्य हेतु राज्य/केन्द्र सरकार अथवा राज्य/केन्द्र सरकार के अधिकृत संगठनों के विभागों में पंजीकृत संवेदक, जो कि राजस्थान सरकार के उपयुक्त श्रेणी के संवेदकों के समकक्ष हो, से ई-प्रोक्यूरमेंट प्रक्रिया हेतु आनलाइन निविदाएं आमंत्रित की जाती है।

निविदा से संबंधित अन्य आवश्यक विवरण वेबसाईट http://sppp.rajasthan.gov.in, http://eproc.rajasthan.gov.in व www.rssc.in पर देखा जा सकता है।

(डॉ गोरधन लाल शर्मा)

आर.ए.एस

सचिव



RAJASTHAN STATE SPORTS COUNCIL

TENDER DOCUMENT

FOR

Sanitary Maintenance Work at Sawai Man Singh Stadium, Jaipur.

NIT NO.

NIT No.

/2022-23

ESTIMATED COST

Rs. 25.00 Lacs

EARNEST MONEY

Rs. 50,000/-

DATE OF SALE / DOWNLOADING :

From Friday November 04, 2022, 10:00 Hours to

Monday November 14, 2022, 13:00 Hours

DATE OF RECEIPT (D.D. &

From Friday November 04, 2022, 10:00 Hours to

DOCUMENTS)

Monday November 14, 2022, 15:00 Hours

DATE OF OPENING OF TENDER

Monday November 14, 2022 AT 16:00 Hours

COMPLETION PERIOD

1 Year (12 Months)

COST OF TENDER

Rs. 500/- in favour of Secretary, RSSC, Jaipur

PROCESSING FEES

Rs 500/- in favour of MD, RISL, Jaipur



Rajasthan State Sports Council. Jaipur

Important Dates of Bids

nportant Dates of Bids
1 Year (12 Months)
Friday November 04, 2022
From Friday November 04, 2022, 10:00 Hours to Monday
November 14, 2022, 13:00 Hours
http://sppp.rajasthan.gov.in, www.rssc.in &
http://eproc.rajasthan.gov.in
From Friday November 04, 2022, 10:00 Hours to Monday
November 14, 2022, 13:00 Hours
Monday November 14, 2022, AT 16:00 Hours
Rajasthan State Sports Council, SMS Stadium, Jaipur-
302005
Secretary, Rajasthan State Sports Council. Jaipur.
Address: SMS Stadium, Jaipur-302005
Based on PWD BSR 2022 City Circle , Jaipur and its all
Corrigendums
As per NIT



Instructions and information to bidder regarding Fee, EMD etc.

District	Name of Work Package No.	Estimated Cost (Rs.)	Earnest Money	Time Allowed for completion	End date and time for downloading Tender	date of	of documents	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Jaipu	Sanitary Maintenance Work at Sawai Man Singh Stadium, Jaipur	25.00 Lacs	Rs. 50,000/-	12 Months	Monday November 14, 2022, 13:00 Hours	Monday November 14, 2022, AT 16:00 Hours	http://sppp.rajasthan.gov.in, http://eproc.rajasthan.gov.in & www.rssc.in	S-1 and Above category for Sanitary works

- The Tender Fee and earnest money as mentioned above should be deposited in the appropriate
 form as per the tender documents in favour of Secretary, Rajasthan State Sports Council.

 Jaipur payable at Jaipur and Processing Fees Rs 500/- in favour of MD, RISL, Jaipur
 payable at Jaipur and must be uploaded scan copy of Registration of Firm, Demand Draft of
 Tender Cost, Processing Fee & Earnest Money and GST Number on the site
- The tender can be viewed and downloaded from web site http://sppp.rajasthan.gov.in, http://eproc.rajasthan.gov.in & www.rssc.in
- The authorized tender documents are available for inspection in the office of Rajasthan State Sports Council, SMS Stadium, Jaipur from all working days.



Annexure A: Compliance with the Code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall-

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid rigging or anticompetitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring entity and the bidders with an intent to gain unfair advantage in the procurement process;
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of interest.-

The Bidder participating in a bidding process must not have a Conflict of Interest.

A Conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

- (i) A bidder may be considered to be in conflict of interest with one or more parties in the bidding process if, including but not limited to:
- (a) Have controlling partners/shareholders in common; or
- (b) Receive or have received any direct or indirect subsidy from any of them; or
- (c) Have the same legal representative for purposes of the bid; or
- (d) have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another bidder, or influence the decisions of the procuring Entity regarding the bidding process; or
- (e) The bidder participates in more than one bid in a bidding process. Participation by a bidder in more than one bid will result in the disqualification of all bids in which the bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a bidder, in more than one bid; or
- (f) the bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods, Works or services that are the subject of the Bid; or
- (g) Bidder or any of its affiliates has been hired (or proposed to be hired) by the procuring entity as engineer-in-charge/consultant for the contract.

(oru)

- 1. I/we possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entry;
- 2. I/we have fulfilled my/our obligation to pay such of the taxes payable to the union and the state government or any local authority as specified in the Bidding Document.
- I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
- 4. I/we do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
- 5. I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date: Place:

Signature of bidder Name:

Designation: Address:



Annexure C: Grievance Redressed during Procurement Process

The designation and address of the First Appellate Authority is **Deputy Secretary**, Youth Affairs & Sports Department Govt. of Rajasthan. The designation and address of the Second Appellate Authority is **Principal Secretary**, Youth Affairs & Sports Department Govt. of Rajasthan, Jaipur.

(1) Filing an appeal:-

if any bidder or prospective bidder is aggrieved that any decision, action or omission of the procuring entity is in contravention to the provisions of the Act or the rules or the guidelines issued there under, he may file an appeal to First Appellate authority, as specified in the Bidding document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a bidder as successful the appeal may be filed

only by a bidder who has participated in procurement proceedings:

Provided further that in case a procuring entity evaluates the technical bids before the opening of the financial bids, an appeal related to the matter of financial bids may be filed only by a bidder whose technical bid is found to be acceptable.

- (2) The officer to whom an appeal is filed under Para (1) shall deal with the appeal as expeditiously as possible and shall endeavor to dispose it of within thirty days from the date of the appeal.
- (3) If the officer designated under Para (1) fails to dispose of the appeal filed within the period specified in Para (2), or if the bidder or prospective bidder or the procuring entity is aggrieved by the order passed by the first appellate authority, the bidder or prospective bidder or the procuring entity, as the case may be, may file a second appeal to second appellate authority specified in the bidding document in this behalf within fifteen days from the expiry of the period specified in Para (2) or of the date of receipt of the order passed by the first appellate authority, as the case may be.

(4) Appeals not to lie in certain cases:-

No appeal shall lie against any decision of the procuring entity relating to the following matters, namely:-

(a) Determination of need of procurement

- (b) Provisions limiting participation of bidders in the bid process
- (c) The decision of whether or not to enter into negotiations
- (d) Cancellation of a procurement process
- (e) Applicability of the provisions of confidentiality

(5) Form of Appeals:-

- (a) An appeal under Para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any,
 Affidavit verifying the facts stated in the appeal and proof of payment of fee,
- (c) Every appeal may be presented to first appellate authority or second Appellate authority, as the case may be, in person or though registered post Or authorized representative.

(6) Fee for filing Appeal:-

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a scheduled bank in India payable in the name of appellate authority concerned.

(7) Procedure for disposal of Appeal:-

(a) The first appellate authority or second appellate authority as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing



(b) On the date fixed for hearing, the first appellate authority of second appellate authority, as the case may be shall-

(i) Hear all the parties to appeal present before him; and

- (ii) Peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the appellate authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.

(d) The order passed under sub-clause (c) above shall also be placed on the state public procurement portal.

(Jan)

Annexure D: Additional Conditions of Contract

1. Correction of arithmetical errors

Provided that a Financial Bid is substantially responsive, the Procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

i. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;

ii. It there is an error in a total corresponding to the addition or subtraction of subtotals, the

subtotals shall prevail and the total shall be corrected; and

iii. If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated Bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing

Declaration shall be executed.

2. Procuring Entity's Right to Vary Quantities

(i) At the time of award of contract, the quantity of Goods, Works or services originally specified in the Bidding Document may be increased or decreased by a specified percentage, but such increase or decrease shall not exceed Five percent, of the quantity specified in the Bidding Document. It shall be without any change in the unit prices or other terms and conditions of the Bid and the conditions of contract.

(ii) If the Procuring Entity does not procure any subject matter of procurement or procures less than the quantity specified in the Bidding Document due to change in circumstances, the Bidder shall not be entitled for any claim or compensation except

otherwise provided in the Conditions of Contract.

In case of procurement of Goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 50% of the value of Goods of the original contract and shall be within one month from the date of expiry of last supply. If the supplier fails to do so, the Procuring Entity shall be free to arrange for the balance supply by limited Bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

3. Dividing quantities among more than one Bidder at the time of award (In case of procurement of Goods)

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidders in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.



राजस्थान राज्य क्रीडा परिषद

सवाई मानसिंह स्टेडियम, जनपथ, जयपुर

कार्यालय दूरभाष नं0 0141-2744283, फैक्स नं0 0141-2740568, ईमेल आईडी-rsscjaipur@gmail.com बोली की शर्तें

विशेष टिप्पणी :- बोलीदाताओं को इन शर्तों को सावधानी पूर्वक पढ़ना चाहिए तथा अपनी ई-बोलियां भेजते समय इनकी पूर्ण रूपेण पालना करनी चाहिए।

1. तकनीकी प्रस्तावों में सफल बोलीदाताओं के ही वित्तीय प्रस्ताव खोले जावेगें जो निविदादाता तकनीकी बिड में सफल नहीं पाये गये उनकी वित्तीय बोली नहीं खोली जायेगी।

2. कोई भी फर्म / संवेदक यदि जी.एस.टी. अधिनियम के अन्तर्गत पंजीकृत नहीं है तो वह बोली नहीं देगा। इनके अभाव में बोलियों पर विचार नहीं किया जायेगा। जी. एस. टी. देयता प्रमाण पत्र सितम्बर, 2022 का संलग्न करना आवश्यक है।

3. दरें जी.एस.टी. तथा केन्द्र व राज्य सरकार द्वारा देय समस्त करों सहित देनी होगी।

4. बोली ऑन–लाईन प्रस्तुत की जावेगी एवं निर्दिष्ट कॉलमों में प्रविष्टी की जावेगी।

5. दरें गन्तव्य स्थान तक एफ.ओ.आर. सवाई मानसिंह स्टेडियम जयपुर के आधार पर होगीं अर्थात परिवहन संबंधी कोई राशि परिषद द्वारा पृथक से देय नहीं होगी।

6. बोलियां उपापन अधिनियम / पारदर्शिता अधिनियम के तत्संबंधी प्रावधानों (धारा–28 आदि) के अध्यधीन रहते हुये उनके खोले जाने की दिनांक से एक वर्ष की अवधि के लिए विधि मान्य होंगी।

7. बोलीदाता अपनी संविदा या उसके किसी भाग को किसी अन्य एजेन्सी के लिए

नहीं सौंपेगा या उपभाडे पर नहीं देगा।

8. बोलीदाता का उसके प्रतिनिधि की ओर से प्रत्यक्ष अथवा अप्रत्यक्ष रूप से अपना पक्ष समर्थन करना एक प्रकार की अनर्हता होगी। हित विरोधी धारा 80 होगी।

9. विहित समय एवं तारीख के पश्चात् जो भी बोलियां प्राप्त होंगी उन्हें किसी स्थिति

में स्वीकार नहीं किया जावेगा।

10. यदि बोलीदाता ऐसी कोई शर्त आरोपित करता है जो उसमें वर्णित शर्तों के अतिरिक्त है या उनके विरोध में है तो उसकी बोली को संक्षिप्त रूप में कार्यवाही कर रदद कर दिया जावेगा।

11. तकनीकी बोली के साथ बोलीदाता को निम्न दस्तावेज संलग्न करने अनिवार्य होगे

(जिसके आधार पर तकनीकी बिड का मूल्याकंन किया जायेगा) :--

बोली में अंकित पते के प्रमाण हेतु पानी/बिजली/टेलीफोन/मोबाईल के बिल, पेन कार्ड, पासपोर्ट, आधार कार्ड अथवा ड्राईविंग लाईसेन्स में से कोई एक की प्रमाणित छाया प्रतियां।

बोलीदाता / फर्म का विगत ३ वित्तीय वर्ष (२०१९–२०, २०२०–२१ एवं 2021–22) में औसत वार्षिक टर्न ओवर 25.00 लाख से कम नही होना चाहिये। इस हेतु बोलीदाता को उक्त वर्षों का सीए से प्रमाणित प्रमाण पत्र

की प्रति मय यूडीआई नम्बर सहित संलग्न करनी होगी।

गत 5 वर्षों (2017-18, 2018-19, 2019-20, 2020-21 एवं 2021-22) में राजकीय विभागों में किये गये सैनेट्ररी कार्य का एकल कार्य आदेश 12.50 लाख या उससे अधिक OR दो कार्य आदेश 7.50 लाख या उससे अधिक (लगातार 12 माह में) होना आवश्यक है। इसके प्रमाणीकरण हेतु कार्यादेश एवं कार्य के सन्तोषजनक होने का प्रमाण पत्र आदि आवश्यक दस्तावेज संलग्न करने होगे।

- iv. बोलीदाता को माल एवं सेवाकर (GST) के रिजस्ट्रेशन की प्रति संलग्न करनी होगी।
- v. अमानत राशि एवं बोली प्रपत्र शुल्क का डी.डी. संलग्न करना होगा।

12. बयाना राशि:-

(क) बोली से पूर्व (2% बोली सूचना के अनुसार) नियमानुसार वयाना राशि ऑन—लाईन प्रस्तुत की जायेगी। इसके बिना बोलीओं पर विचार नहीं किया जायेगा। यह राशि सचिव, राजस्थान राज्य क्रीड़ा परिषद, जयपुर के पक्ष में बैंक ड्राफ्ट / बैंकर्स चैक में से किसी रूप में जमा करायी जा सकती है।

(ख) असफल बोलीदाता की बयाना राशि बोली को अंतिम रूप से स्वीकार करने के

बाद यथा संभव शीघ्र लौटा दी जावेगी।

- (ग) अनुमोदन की प्रतीक्षा करने वाली या रद्द की गई या संविदाओं के पूर्ण हो जाने के कारण परिषद कार्यालय के पास जमा बयानाराशि / प्रतिभृति निक्षेप को नवीन निविदा के लिए बायाना राशि / प्रतिभृति राशि के प्रति समायोजित नहीं किया जायेगा।
- 13. <u>बयाना राशि का समपहरणः</u>— बयाना राशि को निम्नलिखित मामलों में समपहरत कर लिया जायेगाः—
 - (क) जब बोलीदाता बोली खोलने के बाद किन्तु बोली को स्वीकार करने के पूर्व प्रस्ताव को वापस लेता है या उसमें उपान्तरण करता है।
 - (ख) जब बोलीदाता विर्निष्ट समय के भीतर विहित करार को निष्पादित नहीं करता है।
 - (ग) जब बोलीदाता प्रदायगी के लिए आदेश देने के बाद प्रतिभूति राशि जमा नहीं कराता हो।
 - (घ) जब वह निर्धारित समय के अन्तर्गत आदेशों के अनुसार कार्य करने में असफल रहता है अथवा संतोषजनक सेवाएं देने में असमर्थ रहता है।

14. करार एवं प्रतिभृति निक्षेप :-

- (क) सफल बोलीदाता को आदेश दिनांक से 7 दिन की अवधि के भीतर नियमानुसार मूल्य के नॉन ज्यूडिशियन स्टॉम्प पेपर पर (जिसका व्यय स्वयं बोलीदाता द्वारा वहन किया जावेगा) एक करार—पत्र निष्पादित करना होगा तथा प्रावधित मूल्य जिसके लिए बोली स्वीकार की गई है।
- (ख) बोली के समय जमा कराई गई बयाना राशि को प्रतिभूति की राशि के लिए समायोजित किया जायेगा।
- (ग) बयाना / प्रतिभूति राशि पर परिषद द्वारा कोई ब्याज का भुगतान नहीं किया जायेगा।
- (घ) प्रतिभूति राशि के रूप में नकद रसीद पत्र/शिड्यूल बैंक का ड्राफ्ट/ बैंकर्स चैक मान्य होंगे।
- 15. प्रतिभूति राशि का समपहरण :— प्रतिभूति की राशि को पूर्ण अथवा आंशिक रूप से निम्नलिखित मामलों में समपहरत किया जायेगा:—
 - (क) जब संविदा की किसी शर्त / अथवा शर्तों का उल्लंघन किया गया हो।
 - (ख) जब बोलीदाता सम्पूर्ण कार्य संतोषजनक ढंग से करने में असफल रहा हो।
 - (ग) प्रतिभूति निक्षेप को समपहरत करने के मामले में युक्तियुक्त नोटिस दिया जावेगा इस सम्बन्ध में परिषद के अधिकारी का निर्णय अन्तिम होगा।
 - (घ) कार्य में असफल रहने पर परिषद द्वारा वैकल्पिक व्यवस्था किये जाने पर उसमें जो भी व्यय होगा बोलीदाता से उसकी प्रतिभूति राशि में से अथवा उसको देय बिल की राशि के भुगतान में से की जायेगी। यदि वसूली

करना सम्भव न हो तो राजस्थान पी.डी.आर.एक्ट या प्रवृत्त अन्य किसी कानून के अन्तर्गत कार्यवाही की जावेगी।

16. करार पत्र को पूर्ण करने एवं उस पर स्टाम्प लगाने का व्यय बोलीदाता द्वारा वहन किया जायेगा तथा परिषद को उस करार पत्र की निष्पादित स्टाम्प शुदा

प्रति पडत निःशुल्क प्रस्तुत की जायेगी।

17. परिषद के प्राधिकृत अधिकारी या उसका विधिवत् प्राधिकृत प्रतिनिधि सभी युक्तियुक्त उचित समयों पर ठेकेदार के परिसर में जायेगा तथा वह विनिर्माण की प्रक्रिया के दौरान या उसके बाद जैसे भी हो किसी भी समय सामग्री का निरीक्षण एवं जांच करने की शक्ति रखेगा।

- 18. परीक्षण प्रभार परिषद द्वारा वहन किये जायेंगे। यदि बोलीदाता अत्यावश्यक तत्काल परीक्षण कराना चाहता है या यदि परिणामों से यह ज्ञात होता है कि प्रदाय किया गया सामान विहित स्तरों या विनिर्देशों के अनुसार नहीं है तो परीक्षण प्रभार बोलीदाता द्वारा वहन किये जायेंगे।
- 19. अनुमोदित कार्य के लिए यह समझा जाएगा कि उसने कार्य किये जाने वाले विनिर्देशों की सावधानीपूर्वक जांच कर ली है यदि उसे इन शर्तों, विनिर्देशों, रेखाचित्रों आदि के किसी भाग के आशय के बारे में कोई सन्देह हो तो वह संविदा पर हस्ताक्षर करने से पूर्व परिषद से स्पष्टीकरण प्राप्त करेगा।

20. सफल बोलीदाता को कार्य आदेश जारी तिथि के 10 दिवस के अन्दर कार्य प्रारम्भ करना होगा।

- 21. यदि निविदा सूचना में दर्शित मात्रा से अधिक के लिए आदेश दिया जाता है, तो निविदादाता अपेक्षित कार्य करने के लिए बाध्य होगा। पुनः आदेश भी निविदा में दी गयी शर्तों पर दिए जा सकेंगें परन्तु शर्त यह है, कि ऐसे पुनआदेश मूल रूप से खरीदी गयी मात्रा की 50 प्रतिशत तक के अतिरिक्त प्रदाय के लिए ही होगें।
- 22. <u>गारन्टी</u> :-गारन्टी नियमानुसार होगी।

23. परिसमापित नुकसानी :--

(1) परिसमापित नुकसानी के साथ कार्य अवधि में वृद्धि करने के मामले में, वसूली राजस्थान लोक उपापन पारदर्शिता अधिनियम, 2012 एवं राजस्थान लोक उपापन पारदर्शिता नियम 2013 के प्रावधान अनुसार होगी।

- (2) यदि प्रदायकर्ता किन्ही बाधाओं के कारण संविदान्तर्गत कार्य का प्रदाय पूरा करने के लिए समय में वृद्धि कराना चाहता है, तो वह लिखित में परिषद को आवेदन करेगा। किन्तु वह उसके लिए निवेदन बाधा के घटित होने पर तुरन्त उसी समय करेगा न कि प्रदाय पूर्ण होने की निर्धारित तारीख के बाद करेगा।
- (3) यदि कार्य प्रदाय करने में उत्पन्न हुई बाधा बोलीदाता के नियन्त्रण से परे कारणों से हुई हो तो कार्य की अविध में वृद्धि परिसमापित नुकसानी सहित या रहित की जा सकेगी।
- 24. वसूली :-पिरसमापित नुकसानी, कम प्रदाय, टूट-फूट, रद्द की गई वस्तुओं के लिए वसूली साधारण रूप से बिल में से की जाएगी। संवेदक कम प्रदाय, टूट-फूट, रद्द किए गए कार्यों की सीमा तक राशि को भी रोका जा सकेगा तथा यदि सेवा सन्तोषजनक ढंग से उनको कार्य करता है तो पिरसमापित नुकसानी के साथ वसूली उसे देय राशि एवं विभाग के पास उपलब्ध प्रतिभूति निक्षेप से की जाएगी। यदि वसूली करना सम्भव न हो तो राजस्थान पी डी आर एक्ट या प्रवृत्त अन्य कानून के अन्तर्गत कार्रवाई की जाएगी।



25. भुगतान :--

- (क) बोलीदाता द्वारा क्रेता अधिकारी को उचित प्रारूप में लोक उपापन नियमों के अनुसार बिल प्रस्तुत करने पर भुगतान किया जायेगा। सभी प्रेषण प्रभार बोलीदाता द्वारा वहन किये जायेंगे। किसी भी सूरत में अग्रिम भुगतान नहीं किया जायेगा।
- (ख) विवादास्पद मदों में राशि का 10 प्रतिशत से 25 प्रतिशत तक को रोका जायेगा तथा उस विवाद का निपटारा हो जाने पर उसका भुगतान कर दिया जायेगा।
- (ग) उन मामलों में, जिनमें परीक्षण करने की जरूरत है, भुगतान तभी किया जायेगा जब उनका परीक्षण कर लिया जाये तथा प्राप्त हुए परीक्षण परिणाम विहित निर्देशों के अनुरूप हों।
- 26. यदि कार्य की तात्कालिक आवश्यकता के कारण पूर्ण या आंशिक रूप में उन कार्यों को बदलना साध्य नहीं समझा जाए तो राजस्थान राज्य क्रीडा परिषद द्वारा बोलीदाता को सुनवाई किये जाने का एक उचित अवसर देकर, ऐसे कारणों से जो अभिलिखित किये जायेंगे, अनुमोदित दरों में से उपयुक्त राशि की कटौती करेगा। इस प्रकार की गई कटौती अन्तिम होगी।
- 27. निविदादाता करार को निष्पादित करते समय निम्नलिखित दस्तावेज प्रस्तुत करेगा:--
 - (i) यदि भागीदारी फर्म हो तो "पार्टनरशिप डीड" की अनुप्रमाणित प्रति।
 - (ii) यदि भागीदारी फर्म रजिस्ट्रार ऑन फर्म्स के पास पंजीकृत हो तो पंजीयन संख्या एवं उसका वर्ष।
 - (iii) एक मात्र स्वामित्तव के मामले में आवास एवं कार्यालय का पता, टेलीफोन नम्बर।
 - (iv) कम्पनी के मामले में कम्पनी के रजिस्ट्रार के द्वारा जारी किया गया प्रमाण–पत्र।
- 28. संविदा के निर्वचन, आशय या संविदा की शर्तों के उल्लंघन के सम्बन्ध में या अन्य किसी भी प्रकार का विवाद होने पर परिषद का निर्णय अन्तिम होगा।
- 29. समस्त विधिक कार्यवाहियां यदि संस्थित किया जाना आवश्यक हो तो जयपुर स्थित न्यायालय में ही की जाएगी। अन्यत्र नहीं की जाएगी।
- 30. बोलीदाता द्वारा अपलोड किये जाने वालो दस्तावेजों पर नम्बरिंग होनी चाही एवं चैक लिस्ट भर कर प्रस्तुत करनी होगी।
- 31. सचिव, राजस्थान राज्य क्रीडा परिषद, जयपुर को बिना कारण बताये किसी भी बोली को स्वीकार / अस्वीकार करने का अधिकार होगा।
- 32. जी.एफ. एण्ड ए.आर.,राजस्थान लोक उपापन पारदर्शिता अधिनियम, 2012 एवं राजस्थान लोक उपापन पारदर्शिता नियम 2013 के प्रावधान लागू होगें।

बोलीदाता के हस्ताक्षर (मय नाम पता एवं मोहर)



घोषणा

मैने/हमने सवाई मानसिंह स्टेडियम, जयपुर में सैनेट्ररी हेतु (मय सामग्री) की बोली के नियम एवं शर्तों को भली—भॉति पढ़ व समझ लिया है। मुझे/हमारी फर्म को किसी भी विभाग द्वारा ब्लेक—लिस्ट नहीं किया गया है। इन शर्तो एवं नियमों के अधीन मैं/हम सवाई मानसिंह स्टेडियम, जयपुर में सैनेट्ररी कार्य करने हेतु सहमत एवं वचनबद्व हूँ/है। यदि मेरे/हमारे द्वारा की किसी बोली की शर्तों, नियमों अथवा आदेशों का उल्लंघन किया जावेगा तो सक्षम अधिकारी द्वारा मेरे/हमारे विरुद्व बोली के नियम/शर्तों के उल्लंधन की कार्यवाही करने के लिए अधिकृत होगा। इस सम्बन्ध में मुझे/हमें सक्षम/अधिकृत अधिकारी द्वारा लिया गया निर्णय मान्य होगा तथा इसमें मुझे/हमको कोई आपत्ति/हस्तक्षेप नहीं है।

इस्ताक्षर बोलीदाता
नाम / पता
टेलीफोन नं
देनांक



General Instructions for Filling of Bid

The complete bidding document has been published on the website www.rssc.in, http://sppp.raj.nic.in, http://eproc.raj.gov.in, for the purpose of downloading.

1. Bidders who wish to participate in this bidding process must register on www.rssc.in & http://sppp.raj.nic.in,

- 2. To participate in online bidding process, Bidders must procure a Digital Signature Certificate (Type III) as per Information Technology Act-2000 using which they can digitally sign their electronic bids. Bidders can procure the same from any CCA approved certifying agency, i.e. TCS, safe crypt, Node etc. Bidders who already have a valid Digital Signature Certificate (DSC) need not procure a new DSC.
- 3. Bidder (authorized signatory) shall submit their offer on-line in Electronic formats both for Technical and financial proposal. However, DD for Tender Fees, EMD payable in favor of SECRETARY RAJASTHAN STATE SPORTS COUNCIL, JAIPUR, payable at Jaipur and Processing Fees payable in favor of Managing Director, RAJCOMP Info Services Limited, payable at JAIPUR. Tender fee, EMD and processing fee DD should be submitted physically at the office of RAJASTHAN STATE SPORTS COUNCIL, JAIPUR, and Scanned copy of same should also be uploaded along with the technical bid.
- 4. RAJASTHAN STATE SPORTS COUNCIL, JAIPUR will not be responsible for delay in online submission due to any reason. For this, bidders are requested to upload the complete bid well advance in time so as to avoid Last hours issues like slow speed; choking of web site due to heavy load or any other unforeseen problems.

5. Bidders are also advised to refer "Bidders Manual Kit" available at e-Proc website for further details about the e-tendering process.

6. No contractual obligation, whatsoever shall arise from the bidding process unless and until a formal contract is signed and executed between the tendering authority and the successful Bidder.

SECRETARY

East.

UNDERTAKING BY THE BIDDER

This is to certify that I/we before signing this tender have read and fully understood all the terms and conditions contained herein and undertake myself/ourselves to abide by them. I/We have signed all the pages in acceptance of the terms and conditions.

I/We also undertake that I/We will not adopt any malpractices at any stage of bidding/execution.

Signature of the Bidder with Seal Name:
Designation:
Address:



BIDDER'S AUTHORIZATION CERTIFICATE {to be filled by the bidder}

	Authority},			
T/		declare/	{Name/l	Designatio that
relevant d RAJASTH He/ She	locuments on behalf IAN STATE SPORTS is also authorized to	Name/ Designate of the company/ firm COUNCIL, JAIPUR. attend meetings & say be required by you in so her verified signatures	tion) is hereby authoring in dealing with Teaching with technical & countries the course of processing.	commercial
Authorize	the Bidder: - ed Signatory: - e Organization: -		Verified Sig	gnature:

Ens

CHECKLIST OF DOCUMENTS SUBMITTED

Documents to be submitted	Submitted	Not	Page No.
		Submitted	
Scanned Copies of tender document fee, EMD			
and processing fees			
Copy of Registration of firms (S-1 & Above			
category for Sanitary works, Registration under			
Govt. Department's of Rajasthan).			
Copy of GST Registration			
Copy of PAN Card			
last five years from 2017-18 to 2021-22 of the			1
value not less than 50% of the cost of work			
(bid cost).			1
OR			
		,	
September 2022 Financial Year 2022-23 in			
	Scanned Copies of tender document fee, EMD and processing fees Copy of Registration of firms (S-1 & Above category for Sanitary works, Registration under Govt. Department's of Rajasthan). Copy of GST Registration Copy of PAN Card Proof of at least one work of similar nature in last five years from 2017-18 to 2021-22 of the value not less than 50% of the cost of work (bid cost). OR Two works of similar nature in (in continuation 12 Months) 1 year of last five years from 2017-18 to 2021-22, each of value not less than 30% of the cost of work (bid cost). Certificate from Chartered Accountant having UDIN for the proof of average annual Turnover that must be equal/more than the cost of work (bid cost) in the last three Financial Years from 2019-20 to 2021-22. Annexure A to D duly signed in context to RTPP Rules-2013. Authorization certificate If the tender is signed other than owners Copy of GST paid certificate filed by September, 2022 Financial Year 2022-23 in GSTR-3B Performa	Scanned Copies of tender document fee, EMD and processing fees Copy of Registration of firms (S-1 & Above category for Sanitary works, Registration under Govt. Department's of Rajasthan). Copy of GST Registration Copy of PAN Card Proof of at least one work of similar nature in last five years from 2017-18 to 2021-22 of the value not less than 50% of the cost of work (bid cost). OR Two works of similar nature in (in continuation 12 Months) 1 year of last five years from 2017-18 to 2021-22, each of value not less than 30% of the cost of work (bid cost). Certificate from Chartered Accountant having UDIN for the proof of average annual Turnover that must be equal/more than the cost of work (bid cost) in the last three Financial Years from 2019-20 to 2021-22. Annexure A to D duly signed in context to RTPP Rules-2013. Authorization certificate If the tender is signed other than owners Copy of GST paid certificate filed by September, 2022 Financial Year 2022-23 in GSTR-3B Performa Tender document and Technical Bid and undertaking all three duly signed	Scanned Copies of tender document fee, EMD and processing fees Copy of Registration of firms (S-1 & Above category for Sanitary works, Registration under Govt. Department's of Rajasthan). Copy of GST Registration Copy of PAN Card Proof of at least one work of similar nature in last five years from 2017-18 to 2021-22 of the value not less than 50% of the cost of work (bid cost). OR Two works of similar nature in (in continuation 12 Months) 1 year of last five years from 2017-18 to 2021-22, each of value not less than 30% of the cost of work (bid cost). Certificate from Chartered Accountant having UDIN for the proof of average annual Turnover that must be equal/more than the cost of work (bid cost) in the last three Financial Years from 2019-20 to 2021-22. Annexure A to D duly signed in context to RTPP Rules-2013. Authorization certificate If the tender is signed other than owners Copy of GST paid certificate filed by September, 2022 Financial Year 2022-23 in GSTR-3B Performa Tender document and Technical Bid and undertaking all three duly signed

Note: - 1. Similar nature shall means works related to Sanitary of buildings/structure etc.

2. Last five FY for works means 2017-18, 2018-19, 2019-20, 2020-21 & 2021-22.

3. Last three FY for average annual turnover means 2019-20, 2020-21 & 2021-22.

Signature of Bidder Seal of Establishment Full Name of Bidder with address and date



Schedule "G"

Name of work :- Sanitary maintenance work at Sawai Man Singh Stadium, Jaipur.

As per PWD BSR 2022 City Circle, Jaipur

S. No.	Quantity		Praticular	Rate		Amount	
1	1.00	Nos	P & F Indian type white glazed vitreous china 1st quality W.C. orissapan (IS:2556 Mark) with 100 mm vitreous china P or S trap including cutting and making good the wall and floor: Size 580x440mm.	3080.00	Each	3080.00	
2	1.00	Nos	P & F European type white glazed vitreous china 1st quality W.C pan (IS: 2556 Mark) with P or S trap including cutting and making good the wall and floor	2420.00	Each	2420.00	
3	1.00	Nos	P & F water closet Seat Covers with brass hinges complete; Solid PVC (IS 2548 marked) grade-I White for EWC.	485.00	Each	485.00	
4	1.00	Nos	Labour charges for removing W.C. pan (any type) of all sizes with care including all necessary fittings P or S trap.	286.00	Each	286.00	
5	1.00	Nos	P & F vitreous china P trap of approved quality	215.00	Each	215.00	
6	1.00	Nos	P & F lst quality WTC Urinal (IS:2556 mark) with 25mm dia G.I. waste pipe, dome waste couplings, concealed iron brackets or screws etc complete. Flat Back (large) or half stall size 610x400x80mm.	4637.00	Each	4637.00	
7	1.00	Nos	P&F Marble Urinal Partition slab both sides polished of approved design cut from marble size 900x600mm. Makrana II quality marble having light spots	923.00	Each	923.00	
8	1.00	Nos	Labour charges for removing and refixing of urinals (all type & sizes) including all necessary fittings.	339.00	Each	339.00	
9			P & F Flush Cock : Flush Valve (IS: 9758 Mark) for WC of approved quality make:				
a	1.00	Each	(-do-) concealed 25mm nominal bore.	975.00	Each	975.00	
b	1.00	Each	25mm nominal bore.	551.00	Each	551.00	
10	1.00	Nos	Removing and re-fixing of wash hand basin including all necessary fittings.	239.00	Each	239.00	
11			P & F WVC wash basin (1st quality, I.S.: 2556 Mark) of approved make with C.I. brackets duly painted, 1 No. 15 mm C.P. Pillar cock (IS: 8934 Mark) & 32 mm C.P. brass waste coupling of approved make,25 mm G.I. waste pipe complete including cutting & making good the wall.:				
a	1.00	Each	Size 580 mm x 450 mm	2745.00	Each	2745.00	
b	1.00	Each		2994.00	Each	2994.00	
12			P & F Bottle Trap of approved make :				
a	1.00	-	C.P Brass 40 mm	584.00	Each	584.00	
13	1.00	Nos		145.00	Each	145.00	
14			P & F Bevelled edge Mirror/mirror with teak wood lipping around of special glass of approved make as per direction of Engineer-in-charge complete with 6mm thick commercial ply base fixed to wooden screws & washers.				
a	1.00	Nos		575.00	Each	575.00	
b	1.00	Sqm	Other sizes	1538.00	Sqm	1538.00	
15			P & F Towel Rail or Ring of approved quality/make:				
a	1.00	Nos	C.P. brass Towel Rail elbow type with concealed screws size 600 mm (Heavy duty).	516.00	Each	516.00	
b	1.00	Nos		254.00	Each	254.00	



16	1.00	1405	P & F Grating of approved quality/make:Stainless Steel Sheet size	97.00	Each	97.00
17	1.00	Nos I	P & F Toilet Paper Holder with rod of approved quality/make: C.P. brass heavy & Superior quality.	602.00	Each	602.00
18	1.00	Nos I	P & F Soap Dish or Tray of approved quality/make C.P. brass heavy	156.00	Each	156.00
19	1.00	Nos	and superior quality. P & F Twin- peg of approved quality / make C.P. brass (heavy)Superior	149.00	Each	149.00
20	1.00	Nos	quality P & F Shower arm 15mm dia of approved quality/make. C.P.brass	376.00	Each	376.00
21	1.00	Noc	heavy & superior quality 370mm Projection. P & F Bath Shower of approved quality/make. C.P. brass of Heavy &	573.00	Each	573.00
22	1.00	Nos	superior quality, revolving with adjustable key 150mm. P & F Extension Pipe for bib cocks of approved quality/make. C.P. brass	119.00	Each	119.00
			of Heavy & Superior quality 5100x15mm	18.00	Each	18.00
24	1.00	Nos sqm	Providing & fixing C.P.flange for 15mm dia taps. Providing and fixing 1st quality standard white, grey, ivory, fume red brown, light green, light blue and other light shades glazed tiles confirming to IS: 13753 & IS:15622 of size 200mm x 300mm in walls, floors, steps, pillars etc. laid on a bed of neat cement slurry finished with flush pointing in the white cement mixed with pigment to match the shade of the tile complete (excluding the cost of cement plaster on walls and pillar).	674.00	P.Sqm	674.00
25	1.00	Sqm	Extra for using size above 200x300mm in glazed tiles and for using	6.74	P.Sqm	6.74
26	1.00	sqm	Providing and fixing 1st quality MAT finished ceremic tile size 300x300mm confirming to IS: 13755 and IS: 15622 colour such as white, grey, ivory, fume red brown, light green, light blue and other light shades in floors, steps, pillars etc. laid on a bed of neat cement slurry finished with flush pointing in the white cement mixed with pigment to match the shade of the tile complete (including the cost of cement	748.00	P.Sqm	748.00
27	1.00	Cum	mortar hed 1:4). Filling of sunk portion of roof with earthen pots of required height including filling voids with 1:3:6 light concrete, using brick bats complete levelling and dressing the surface by 50mm thick cement concrete 1:2:4 as per specification.	1775.00	P.Cum	1775.00
28	1.00	Nos	Removing & Re fixing of P.V.C. Cistern fittings (Syphon, Ball cock & Handle Set) complete as per direction of Enginner-in-Charge	468.00	Each	468.00
29)		P & F G.I. pipes (Internal Work) with G.I. Fittings excluding union (IS:1239 Mark) & MS clamps including cutting and making good the walls and floors:			
a	1.00	Mtr	Concealed pipe in wall including painting with anticorrosive bitumen	200,00	P.Mtr	230.00
Ь	1.00	Mtr	Exposed on wall 25 mm dia nominal bore B class	360.00	P.Mtr	360.00
30			Making connection of G.I. distribution branch with G.I. main including all fitting.			
a	1.00	Nos	S Upto 25mm dia	265.00	Each	265.00
E		_	Beyond 25mm & upto 100mm dia	389.00	Each	389.00
3			P & F Pilllar Cocks (IS:8934 Mark) of superior quality and approved make:			
-	1.00	No:	C P Pillar cock 15 mm dia nominal bore	779.00	Each	779.00
-			Synthetic Material (PTMT) Pillar cock of approved quality / make	388.00	Each	388.00
- 1		+	P & F Bib Cock (IS: 8931 Mark), Superior quality of approved make:			
	2		Tat blo cook (is 70701 many)			590.00



b	1.00	Lacii	-do-) Long body, 15mm nominal bore weight not less than 690 gm	783.00	Each	783.00
С	1.00	Each	Synthetic Material(PTMT) bib cock of approved quality/ make, Long Body, 175 mm long	295.00	Each	295.00
22			P & F Push Cock superior quality, of approved make			
33	1.00	F 1	C. P. Press 15 min	370.00	Each	370.00
a	1.00		C.P. Brass 15 mm. Synthetic Material (PTMT) push cock of approved quality/make 15mm.	205.00	Each	205.00
b	1.00	Each				
34			P & F Ball Cock (IS:1703 Mark) with Rod & P.V.C. Ball complete:			
			200 15	314.00	Each	314.00
a	1.00		Brass wt. Not less than 300 gm,15mm.	440.00	Each	440.00
b	1.00	Each	(-do-) wt.Not less than 600 gm, 25mm.	480.00	Each	480.00
С	1.00	Each	(-do-) wt.Not less than 800 gm, 32mm.			
35			P & F Inlet Connection (Angle Valves) Superior quality, of approved			
33			make, for Wash basin, Gyser etc.	590.00	Each	590.00
a	1.00	Each	do with 37 cm long thread and nut			240.00
b	1.00	Each	Synthetic Material (PTMT) Inlet connection of approved quality/make 15 mm nominal size.	240.00	Each	240.00
26	1.00	Nos	P & F 15 mm. Dia Connection Pipe of approved quality/make: PVC	101.00	Each	101.00
36	1.00	INOS	nine with C.P. Brass puts unto length 450mm			
. 37			P & F Full-way Valve (IS:778 Mark) or wheel valve of approved make:			
<u> </u>				227.00	Each	227.00
a	1.00	Each		529.00	Each	529.00
ь	1.00	Each		1464.00	Each	1464.00
С	1.00	Each	(-do-) 50mm nominal bore.	1404.00		
			P & F PVC Storage Tank ISI Marked (IS: 12701) indicating the BIS			
		1	license No), of approved make with cover, 25mm dia 1M long G.I. over			
38		l l	flow pipe & 25 Cm. long wash out pipe with plug & socket, including			
-	1		making connection etc., complete of approved design:			7
		 	and the	2352.00	Each	2352.00
a	1.00	Nos	300 litres capacity	3920.00	Each	3920.00
b	1.00	Nos		7841.00	Each	7841.00
С	1.00	Nos	1000 (-do-)	157.00	Each	157.00
39	1.00	Nos	Hoisting Charges for each floor: For water tanks	157.00		
40	,	1	Supply & fixing G.I. Union ISI marked in G.I. pipe line as required			
40	<u></u>	1	I loto in all recrect of \$176.			
а			complete in all respect of size :	101.00	Each	101.00
b	1.00	Nos	15mm dia nominal bore	101.00	Each	101.00
1 0		Nos	15mm dia nominal bore 25mm dia nominal bore	164.00	Each	164.00
_	1.00	_	15mm dia nominal bore 25mm dia nominal bore	164.00 463.00		
C	1.00	Nos	15mm dia nominal bore 25mm dia nominal bore 50mm dia nominal bore P. & F. Saugre-mouth gully trap 'A' grade (IS 651-1992 :marked) of	164.00 463.00	Each	164.00
_	1.00	Nos	15mm dia nominal bore 25mm dia nominal bore 50mm dia nominal bore P & F Square-mouth gully trap `A` grade (IS 651-1992 :marked) of approved make complete with C.I. grating, frame & Cover masonary	164.00 463.00	Each	164.00
_	1.00	Nos	15mm dia nominal bore 25mm dia nominal bore 50mm dia nominal bore P & F Square-mouth gully trap 'A' grade (IS 651-1992 :marked) of approved make complete with C.I. grating, frame & Cover masonary chamber in C.M. 1:6, 100mm thick C.C. 1:5:10 base concrete, 40mm	164.00 463.00	Each Each	164.00 463.00
С	1.00	No:	15mm dia nominal bore 25mm dia nominal bore 50mm dia nominal bore P & F Square-mouth gully trap 'A' grade (IS 651-1992 :marked) of approved make complete with C.I. grating, frame & Cover masonary chamber in C.M. 1:6, 100mm thick C.C. 1:5:10 base concrete, 40mm thick C.C.M-15 grade coping, 12mm thick cement plaster in CM 1:3	164.00 463.00	Each	164.00 463.00
_	1.00	Nos	15mm dia nominal bore 25mm dia nominal bore 50mm dia nominal bore P & F Square-mouth gully trap 'A' grade (IS 651-1992 :marked) of approved make complete with C.I. grating, frame & Cover masonary chamber in C.M. 1:6, 100mm thick C.C. 1:5:10 base concrete, 40mm thick C.C.M-15 grade coping, 12mm thick cement plaster in CM 1:3	164.00 463.00	Each Each	164.00 463.00
c	1.00	No:	15mm dia nominal bore 25mm dia nominal bore 50mm dia nominal bore P & F Square-mouth gully trap 'A' grade (IS 651-1992 :marked) of approved make complete with C.I. grating, frame & Cover masonary chamber in C.M. 1:6, 100mm thick C.C. 1:5:10 base concrete, 40mm thick C.C.M-15 grade coping, 12mm thick cement plaster in CM 1:3 complete as per approved design & type. Trap size 225 X 150 mm.	164.00 463.00	Each Each	164.00 463.00
С	1.00	No:	15mm dia nominal bore 25mm dia nominal bore 50mm dia nominal bore P & F Square-mouth gully trap 'A' grade (IS 651-1992 :marked) of approved make complete with C.I. grating, frame & Cover masonary chamber in C.M. 1:6, 100mm thick C.C. 1:5:10 base concrete, 40mm thick C.C.M-15 grade coping, 12mm thick cement plaster in CM 1:3 complete as per approved design & type. Trap size 225 X 150 mm ferrow cement cover with frame Internal Chamber size 450 X 450mm.	164.00 463.00	Each Each	164.00 463.00
c	1.00	No:	15mm dia nominal bore 25mm dia nominal bore 50mm dia nominal bore P & F Square-mouth gully trap 'A' grade (IS 651-1992 :marked) of approved make complete with C.I. grating, frame & Cover masonary chamber in C.M. 1:6, 100mm thick C.C. 1:5:10 base concrete, 40mm thick C.C.M-15 grade coping, 12mm thick cement plaster in CM 1:3 complete as per approved design & type. Trap size 225 X 150 mm ferrow cement cover with frame Internal Chamber size 450 X 450mm.	164.00 463.00 1529.00	Each Each	164.00 463.00
41	1.00	Nos Nos	15mm dia nominal bore 25mm dia nominal bore 50mm dia nominal bore P & F Square-mouth gully trap 'A' grade (IS 651-1992 :marked) of approved make complete with C.I. grating, frame & Cover masonary chamber in C.M. 1:6, 100mm thick C.C. 1:5:10 base concrete, 40mm thick C.C.M-15 grade coping, 12mm thick cement plaster in CM 1:3 complete as per approved design & type. Trap size 225 X 150 mm ferrow cement cover with frame Internal Chamber size 450 X 450mm. Raising manhole cover and frames slab to required level including dismantling existing slab and making good the damage as required.	164.00 463.00 1529.00	Each Each	164.00 463.00 1529.00
С	1.00	Nos Nos	15mm dia nominal bore 25mm dia nominal bore 50mm dia nominal bore P & F Square-mouth gully trap 'A' grade (IS 651-1992 :marked) of approved make complete with C.I. grating, frame & Cover masonary chamber in C.M. 1:6, 100mm thick C.C. 1:5:10 base concrete, 40mm thick C.C.M-15 grade coping, 12mm thick cement plaster in CM 1:3 complete as per approved design & type. Trap size 225 X 150 mm ferrow cement cover with frame Internal Chamber size 450 X 450mm. Raising manhole cover and frames slab to required level including dismantling existing slab and making good the damage as required.	164.00 463.00 1529.00	Each Each Each	164.00 463.00 1529.00
41	1.00	Nos Nos	15mm dia nominal bore 25mm dia nominal bore 50mm dia nominal bore F & F Square-mouth gully trap 'A' grade (IS 651-1992 :marked) of approved make complete with C.I. grating, frame & Cover masonary chamber in C.M. 1:6, 100mm thick C.C. 1:5:10 base concrete, 40mm thick C.C.M-15 grade coping, 12mm thick cement plaster in CM 1:3 complete as per approved design & type. Trap size 225 X 150 mm ferrow cement cover with frame Internal Chamber size 450 X 450mm. Raising manhole cover and frames slab to required level including dismantling existing slab and making good the damage as required (raising depth of manhole masonry to be paid separately). Rectangula	164.00 463.00 1529.00	Each Each Each	164.00
41	1.00	Nos Nos	15mm dia nominal bore 25mm dia nominal bore 50mm dia nominal bore P & F Square-mouth gully trap 'A' grade (IS 651-1992 :marked) of approved make complete with C.I. grating, frame & Cover masonary chamber in C.M. 1:6, 100mm thick C.C. 1:5:10 base concrete, 40mm thick C.C.M-15 grade coping, 12mm thick cement plaster in CM 1:3 complete as per approved design & type. Trap size 225 X 150 mm ferrow cement cover with frame Internal Chamber size 450 X 450mm. Raising manhole cover and frames slab to required level including dismantling existing slab and making good the damage as required (raising depth of manhole masonry to be paid separately). Rectangula manhole 150x120 cm Construction of manhole in all type of soil inner size 90 X 60 Cm. 300	164.00 463.00 1529.00	Each Each Each	164.00 463.00 1529.00
41	1.00	Nos Nos	15mm dia nominal bore 25mm dia nominal bore 50mm dia nominal bore P & F Square-mouth gully trap 'A' grade (IS 651-1992 :marked) of approved make complete with C.I. grating, frame & Cover masonary chamber in C.M. 1:6, 100mm thick C.C. 1:5:10 base concrete, 40mm thick C.C.M-15 grade coping, 12mm thick cement plaster in CM 1:3 complete as per approved design & type. Trap size 225 X 150 mm ferrow cement cover with frame Internal Chamber size 450 X 450mm. Raising manhole cover and frames slab to required level including dismantling existing slab and making good the damage as required (raising depth of manhole masonry to be paid separately). Rectangula manhole 150x120 cm Construction of manhole in all type of soil inner size 90 X 60 Cm. 300	164.00 463.00 1529.00	Each Each Each	164.00 463.00 1529.00
41	1.00	Nos Nos	15mm dia nominal bore 25mm dia nominal bore 50mm dia nominal bore P & F Square-mouth gully trap 'A' grade (IS 651-1992 :marked) of approved make complete with C.I. grating, frame & Cover masonary chamber in C.M. 1:6, 100mm thick C.C. 1:5:10 base concrete, 40mm thick C.C.M-15 grade coping, 12mm thick cement plaster in CM 1:3 complete as per approved design & type. Trap size 225 X 150 mm ferrow cement cover with frame Internal Chamber size 450 X 450mm. Raising manhole cover and frames slab to required level including dismantling existing slab and making good the damage as required (raising depth of manhole masonry to be paid separately). Rectangula manhole 150x120 cm Construction of manhole in all type of soil inner size 90 X 60 Cm. 300 cm. thick masonry in CM 1:6, 10 Cm, thick cement concrete 1:5:10 in	164.00 463.00 1529.00	Each Each Each	164.00 463.00 1529.00
41	1.00	Nos Nos	15mm dia nominal bore 25mm dia nominal bore 50mm dia nominal bore P & F Square-mouth gully trap 'A' grade (IS 651-1992 :marked) of approved make complete with C.I. grating, frame & Cover masonary chamber in C.M. 1:6, 100mm thick C.C. 1:5:10 base concrete, 40mm thick C.C.M-15 grade coping, 12mm thick cement plaster in CM 1:3 complete as per approved design & type. Trap size 225 X 150 mm ferrow cement cover with frame Internal Chamber size 450 X 450mm. Raising manhole cover and frames slab to required level including dismantling existing slab and making good the damage as required (raising depth of manhole masonry to be paid separately). Rectangula manhole 150x120 cm Construction of manhole in all type of soil inner size 90 X 60 Cm. 300 mm thick masonry in CM 1:6, 10 Cm. thick cement concrete 1:5:10 in foundation, 20 mm thick inside plaster in CM 1:6, finished with floatin	164.00 463.00 1529.00 1487.00	Each Each Each	164.00 463.00 1529.00
41	1.00 1.00 1 1.00 2 1.00	Nos Nos	25mm dia nominal bore 25mm dia nominal bore 50mm dia nominal bore P & F Square-mouth gully trap 'A' grade (IS 651-1992 :marked) of approved make complete with C.I. grating, frame & Cover masonary chamber in C.M. 1:6, 100mm thick C.C. 1:5:10 base concrete, 40mm thick C.C.M-15 grade coping, 12mm thick cement plaster in CM 1:3 complete as per approved design & type. Trap size 225 X 150 mm ferrow cement cover with frame Internal Chamber size 450 X 450mm. Raising manhole cover and frames slab to required level including dismantling existing slab and making good the damage as required (raising depth of manhole masonry to be paid separately). Rectangula manhole 150x120 cm Construction of manhole in all type of soil inner size 90 X 60 Cm. 30 mm thick masonry in CM 1:6, 10 Cm. thick cement concrete 1:5:10 in foundation, 20 mm thick inside plaster in CM 1:6, finished with floatin neat cement. 50mm thick M-15 grade C.C. flooring, making channels	164.00 463.00 1529.00 1487.00	Each Each Each	164.00 463.00 1529.00
41	1.00	Nos Nos	25mm dia nominal bore 25mm dia nominal bore 50mm dia nominal bore P & F Square-mouth gully trap 'A' grade (IS 651-1992 :marked) of approved make complete with C.I. grating, frame & Cover masonary chamber in C.M. 1:6, 100mm thick C.C. 1:5:10 base concrete, 40mm thick C.C.M-15 grade coping, 12mm thick cement plaster in CM 1:3 complete as per approved design & type. Trap size 225 X 150 mm ferrow cement cover with frame Internal Chamber size 450 X 450mm. Raising manhole cover and frames slab to required level including dismantling existing slab and making good the damage as required (raising depth of manhole masonry to be paid separately). Rectangula manhole 150x120 cm Construction of manhole in all type of soil inner size 90 X 60 Cm. 30 mm thick masonry in CM 1:6, 10 Cm. thick cement concrete 1:5:10 in foundation, 20 mm thick inside plaster in CM 1:6, finished with floatin neat cement, 50mm thick M-15 grade C.C. flooring, making channels are thick stone slab covering with 40mm thick M-15 grade C.C.	164.00 463.00 1529.00 1487.00	Each Each Each	164.00 463.00 1529.00
41	1.00 1.00 1 1.00 2 1.00	Nos Nos	25mm dia nominal bore 25mm dia nominal bore 50mm dia nominal bore P & F Square-mouth gully trap 'A' grade (IS 651-1992 :marked) of approved make complete with C.I. grating, frame & Cover masonary chamber in C.M. 1:6, 100mm thick C.C. 1:5:10 base concrete, 40mm thick C.C.M-15 grade coping, 12mm thick cement plaster in CM 1:3 complete as per approved design & type. Trap size 225 X 150 mm ferrow cement cover with frame Internal Chamber size 450 X 450mm. Raising manhole cover and frames slab to required level including dismantling existing slab and making good the damage as required (raising depth of manhole masonry to be paid separately). Rectangula manhole 150x120 cm Construction of manhole in all type of soil inner size 90 X 60 Cm. 30 mm thick masonry in CM 1:6, 10 Cm. thick cement concrete 1:5:10 in foundation, 20 mm thick inside plaster in CM 1:6, finished with floatin neat cement, 50mm thick M-15 grade C.C. flooring, making channels 80mm thick stone slab covering with 40mm thick M-15 grade C.C. flooring, making channels 80mm thick stone slab covery with frame of 450mm dia, earthwork etc.	164.00 463.00 1529.00 1487.00	Each Each Each	164.00 463.00 1529.00
41	1.00 1.00 1 1.00 2 1.00	Nos Nos	15mm dia nominal bore 25mm dia nominal bore 50mm dia nominal bore P & F Square-mouth gully trap 'A' grade (IS 651-1992 :marked) of approved make complete with C.I. grating, frame & Cover masonary chamber in C.M. 1:6, 100mm thick C.C. 1:5:10 base concrete, 40mm thick C.C.M-15 grade coping, 12mm thick cement plaster in CM 1:3 complete as per approved design & type. Trap size 225 X 150 mm ferrow cement cover with frame Internal Chamber size 450 X 450mm. Raising manhole cover and frames slab to required level including dismantling existing slab and making good the damage as required (raising depth of manhole masonry to be paid separately). Rectangula manhole 150x120 cm Construction of manhole in all type of soil inner size 90 X 60 Cm. 30 mm thick masonry in CM 1:6, 10 Cm. thick cement concrete 1:5:10 in foundation, 20 mm thick inside plaster in CM 1:6, finished with floatin neat cement. 50mm thick M-15 grade C.C. flooring, making channels	164.00 463.00 1529.00 1487.00	Each Each Each	164.00 463.00 1529.00



(2)	1.00	No. 1	Double and A O S M	5489.00	Each	5489.00
(a)	1.00	Nos	Depth up to 0.5 M Add extra over item 3.19.1 for every additional 0.10m depth above 0.5			
(6)	1.00			206.00	Each	206.00
44	1.00	Mtr	m depth. Providing & fixing Spun - Centrifugally cast Iron Pipes (IS: 3989 Mark) of Approved make in wall or in floor with M.S. Holder bat clamps in 10 X 10 X10 Cm. M-15 Grade concrete blocks, joints filled with CM 1:4 with spun yarn including cutting holes and making good the wall:-100 mm dia	1299.00	P.Mtr	1299.00
			Providing & fixing Spun -Centrifugally east Iron Pipes fitting (IS:			
45			3989 Mark) in CM 1:4 with spun Yarn,			
a	1.00	Nos	100mm w/o door Offset	809.00	Ench	809.00
 b	1.00	Nos	100mm w/o door Socket	519.00	Ench	519.00
c	1.00	Nos	100mm w/o door Bend	655.00	Each	655.00
d	1.00	Nos	100mm w/o door Cowel	529.00	Each	529.00
f	1.00	Nos	100mm with door Tee	989,00	Each	989.00
46	1.00	Nos	Providing and Fixing Spun -Cast Iron floor trap (Nahani) of (IS:3989 Mark) approved quality / make with socket down or hinged grating including cutting and making good the floor: Size 100 x 100 mm	1000.00	Each	1000.00
47	1.00	Nos	Add extra for <i>Lead caulked joints</i> (18:782-1978) in sand cast iron pipes/spun- 100mm dia, 0.98 Kg. Pig lead	344.00	Each	344.00
48	1.00	Nos	Providing & fixing Spun -Centrifugally cast Iron Pipes fitting (IS: 3989 Mark) in CM 1:4 with spun Yarn 100mm w/o door as per direction of Engineer-in-Charge. P Trap of standard size	936.00	Each	936.00
49	1.00	Nos	Construction of Cement Concrete Chamber 125mm dia on depressed floor upto 45cm height from floor with: C.P. doom grating	263.00	Each	263.00
50	1.00	Cum	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.	930.00	P.Cum	930.00
51	1.00	Sqm	Dismantling tile work in floors and roofs laid in cement mortar including stacking of serviceable material and disposal of unserviceable material within 50 meter lead: For thickness of tiles 10mm to 25mm.	20.00	P.Sqm	20.00
52	1.00	Mtr	Dismantling GI pipes (external work) including excavation and refilling trenches after taking out the pipes and including stacking of pipes within 50 meter lead: 15mm to 40mm nominal bore.	41.00	P.Mtr	41.00
53	1.00	Mtr	Dismantling CI pipes including exeavation and retiting trenches after taking out the pipes, breaking lead caulked joints, melting of lead and making into block, including stacking of pipes lead at site within 50 control of the Line to 150 pm diagram.	109.00	P.Mtr	109.00
54	1.00	Nos	Dismantling of gully chamber of various sizes including CI grating with frame including stacking of useful materials near the site and disposal of unserviceable material within 50 meter lead including refilling the gap.	255.00	Each	255.00
55	1.00	Sqm	M. 50 meter lead	15.00	P.Sqm	15.00
56	1.00	Nos	Making of hole (width up to 150 mm) in R.C.C. slab/wall/beams by power driven drilling machine complete as per direction of El above 150	270.00	Each	270.00
57	1.00	Sqm	Plaster on new surface on walls in cement sand mortar 1:4 including	227.00	P.Sqm	227.00
	1.00	Sqn	Finishing with neat cement (punning).	36.00	P.Sqm	36.00



1.00 Sqm level using bricks of designation 75 Cement mortar 1: 4 (1 ement: a 333.00 1.5\text{sqm} 333.00 1.5\					9 - V			
1.00 Signature		}		_	Half brick masonry in Superstructure, above plinth level upto floor V	553.00	P.Sam	553.00
Providing and fising Granite stone slab mirror polished and machine edge cut in walls, pillars, steps, Nelves, Silk Counters, Floors etc. laid on 12mm (Av.) thick base of cement mortar 1:2 (1 cment : 3 coarse sand) jointing with white cement mortar 1:2 (1 white cement : 2 marble dust) with pigment to match the shade of the marble slab including grinding, rubbing and polishing complete. South zed Black Above 3601 Cm2 Slabs Providing and fixing Marble stone flooring table rubbed, 15-18 mm thick over 20mm (Av.) thick base of CM 1:4 (1 cement : 2 marble dust) with pigment to match the shade of the marble slab including grinding, rubbing and polishing complete. Rajnagar 1st quality/Ageria with light spots. Above 3601 Cm2 Slabs Extra for providing edge moulding to 15-18mm thick marble/ Granite stone counters, Vanities etc. including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge. Granite/ Kota stone Work. Full edge moulding. Extra for providing opening of required size & shape for wash basins/ kitchen sink in kitchen platform, vanity counters and similar location in marble/Granite/stone work including necessary holes for pillar taps etc. including and polishing of cut edges etc. complete Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of cement and simular location in marble/Granite/stone work including necessary holes for pillar taps etc. including rubbing and polishing of cut edges etc. complete Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of compact and simulations and sizes. Demolishing R.C.C. work manually by mechanical means including stacking of steeb bars and disposal of unserviceable material within 50 microst stacking of steeb bars and disposal of unserviceable material within 50 microst stacking of steeb bars and disposal of unserviceable material within 50 microst stacking o	•59	' '	1.00			333.00	1.54	333.00
code cut in walls, pillars, steps, Shelves, Sills Counters, Floors etc. latd on 12mm (Av.) thick base of cement mortar 13 (1 cement : 3 coarse sand) jointing with white cement mortar 12 (1 white cement : 2 carable dust) with pigment to match the shade of the marble slab including grinding, rubbing and polishing complete. South zed Black Above 3601 (2m. Slahs Providing and fixing Marble stone flooring table rubbed, 15-18 mm thick over 20mm (Av.) thick base of CM 1-4 (1 cement : 4 coarse sand) jointing with white cement mortar 12 (1 white cement : 2 marble dust) with pigment to match the shade of the marble slab including grinding, rubbing and polishing complete. Rajnagar 1st quality/Ageria with light spots. Above 3601 (2m. Slahs Stane counters, Vanities etc. including machine polishing to edge to give high pigment in the stone counters, Vanities etc. including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge. Granite/ Kota stone Work. Full edge moulding. Extra for providing opening of required size & shape for wash basins/ kitchen sink in kitchen platform, vanity counters and similar location in marble/Granite/stone work including necessary holes for pillar taps etc. including rubbing and polishing of cut edges etc. complete compaction etc. complete in specified grade excluding the cost of entering and shuttering - All work up to plinth level, M15 grade Nominal Mix 1: 2: 4 (1 cement : 2 coarse sand : 4 graded stone acarceate 40mm nominal size.) Demolishing R.C.C. work manually/ by mechanical means including compaction etc. complete in specified grade excluding the cost of entering and shuttering - All work up to plinth level, M15 grade Nominal Mix 1: 2: 4 (1 cement : 2 coarse sand : 4 graded stone centering and shuttering and shuttering - All more trap and shuttering and lubricant: Patring of steel hars and disposal of unserviceable material within 50 marters lead as per direction of Engineer-in-charge. i 1.00 Each 175mm dia 114.00 Each 1187.00 Ea		+			coarse sand)			
1.00 Sqm 12mm (Av.) thick base of cement mortar 1:3 (1 cement : 2 marble dust) with pigment to match the shade of the marble slab including grinding, rubbing and polishing complete. South zed Black Above 3601 Cm.S. Slabs		1	١		Providing and fixing Granite stone slab mirror polished and machine			
Sqm sand) jointing with white cement mortar 1:2 (twhite cement : 2 marble dust) with pigment to match the shade of the marble slab including grinding, rubbing and polishing complete. South zed Black Above 3601					edge cut in walls, pillars, steps, Shelves, Sills Counters, Ploofs etc. laid			
aus) with pigment to match the shade of the marble slab including grinding, rubbing and polishing complete. South zed Black Above 3601 Cm2 Slabs Providing and fixing Marble stone flooring table rubbed, 15-18 mm thick over 20mm (Av.) thick base of CM 1:4 (1 cement : 4 coarse sand) jointing with white cement mortar 1:2 (1 white cement : 2 marble dust) with pigment to match the shade of the marble slab including grinding, rubbing and polishing complete. Rajnagar 1st quality/Ageria with light spots. Above 3601 Cm2 Slabs Extra for providing edge moulding to 15-18mm thick marble/ Granite stone counters, Vanities etc. including marbling to degt to give high gloss finish etc. complete as per design approved by Engineer-in-Charge. Granite Kota stone Work. Full edge moulding. Extra for providing opening of required size & shape for wash basins kitchen sink in kitchen platform, vanity counters and similar location in marble/Granite/stone work including necessary holes for pillar taps etc. including rubbing and polishing of cut edges etc. complete Providing and laying in position cement concrete including curing compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. M15 grade Nominal Mix 1: 2: 4 (1 cement : 2 coarse sand : 4 graded stone augregate 40mm nominal size). Demolishing R.C.C. work manually by mechanical means including augregate 40mm nominal size). Demolishing R.C.C. work manually by mechanical means including stone augregate 40mm nominal size). Demolishing R.C.C. work manually by mechanical means including sining the pipe with solvent cement rubber ring and lubricant: including joining the pipe with solvent cement rubber ring and lubricant: 1 1.00 Each 110mm dia 187.00 Each 187.00 Each 187.00 Each 198.00 Each 199.00 Each 110mm dia 1.00 Each 11				_	on 12mm (Av.) thick base of cement mortar 1:3 (1 cement : 3 coarse	4076.00	P.Sam	4076.00
grinding, rubbing and polishing complete. South zed Black Above 3601 Cm2 Slahs Providing and fixing Marble stone flooring table rubbed, 15-18 mm thick over 20mm (Av.) thick base of CM 1:4 (1 cement : 4 coarse sand) jointing with white cement mortar 1:2 (1 white cement : 2 marble dust) with pigment to match the shade of the marble slab including grinding, rubbing and polishing complete. Rajnagar 1st quality/Ageria with light stone counters, Vanities etc. including machine polishing to edge to give think the shade of the marble slab including grinding. Extra for providing edge moulding to 15-18mm thick marble/ Granite stone counters, Vanities etc. including machine polishing to edge to give high plates of the stone counters. Vanities etc. including machine polishing to edge to give high plates of the stone counters. Vanities etc. including machine polishing to edge to give high plates of the stone counters. Vanities etc. including machine polishing to edge to give high plates of the stone counters. Vanities etc. including machine polishing to edge to give high plates of the stone counters. Vanities etc. including machine polishing to edge to give high plates of the stone counters. Vanities etc. including machine polishing to edge to give high plates of the stone counters which is the stone counters of the stone counters and stone and the stone counters and stone stone for pillar taps etc. including rubbing and polishing of cut edges etc. complete Providing and laying in position cement concrete including the cost of compact and stone and the stone counters and stone	60)	1.00	Sqm	Isand) jointing with white cement mortar 1:2 (Twitte cement . 2 margin	4070.00	1 .59	1070.00
grinding, rubbing and polishing complete. South zed Black Above 3601 Cm2 Slabx Providing and fixing Marble stone flooring table rubbed, 15-18 mm thick over 20mm (Av.) thick base of CM 1:4 (1 cement : 4 coarse sand) jointing with white cement mortar 1:2 (1 white cement : 2 marble dust) with pigment to match the shade of the marble slab including grinding, rubbing and polishing complete. Rajnagar 1st quality/Ageria with light stone counters, Vanities etc. including machine polishing to edge to give thing begos finish etc. complete as pre design approved by Engineer-in-Charge. Granite/Kota stone Work. Full edge moulding. Extra for providing opening of required size & shape for wash basins/ kitchen sink in kitchen platform, vanity counters and similar location in smarble/Granite/stone work including necessary holes for pillar taps etc. including rubbing and polishing of cut edges etc. complete compaction etc. complete in specified grade excluding the cost of Common compaction etc. complete in specified grade excluding the cost of Normal Mix 1: 2: 4 (1 cement : 2 coarse sand : 4 graded stone agercate 40mm. nominal size). Demolishing R.C.C. work manually by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 grade stacking of steel bars and disposal of unserviceable material within 50 grade stacking of steel bars and disposal of unserviceable material within 50 grade including joining the pipe with solvent cement rubber ring and lubricant: PRE rigid PVC pipe fittings (IS: 4985 mark) of approved quality /make including joining the pipe with solvent cement rubber ring and lubricant: Plain Te i 1.00 Each 75mm dia ii 1.00 Each 10mm dia Plain floor trap i 1.00 Each 110mm dia Providing and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes fittings type B for sciland waste discharge system (IS:13592 : 1992 Marked) of approved quality /make including darkers and providing and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes fittings type B for sciland w			1		dust) with pigment to match the shade of the marble slab including			
Cn2 Slabs Providing and fixing Marble stone flooring table rubbed, 15-18 mm thick over 20mm (Av.) thick base of CM 1:4 (1 cement : 4 coarse sand) jointing with white cement mortar 1:2 (1 white cement : 2 marble dust) with pigment to match the shade of the marble slab including grinding. Tubbing and polishing complete. Rajnagar 1st quality/Ageria with light spots. Above 3601 Cm2 Slabs Extra for providing edge moulding to 15-18mm thick marble/ Granite stone counters, Vanities etc. including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge. Granite/ Kota stone Work. Full edge moulding. Extra for providing opening of required size & shape for wash basins/ kitchen sink in kitchen platform, vanity counters and similar location in marble/Granite/stone work including necessary holes for pillar taps etc. including rubbing and polishing of cut edges etc. complete Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering. All work up to plinth level. M15 grade Nominal Mix 1: 2: 4 (1 cement : 2 coarse sand : 4 graded stone ageresate 40mm nominal size.) Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. P&F rigid PVC pipe fittings (18: 4985 mark) of approved quality /make including joining the pipe with solvent cement rubber ring and lubricant: 1		- 1			grinding, rubbing and polishing complete. South zed Black Above 3001			
thick over 20mm (Av.) thick base of CM 14 (1 cement : 4 coarse sand) jointing with white cement mortar 1:2 (1 white cement : 2 marble dust) with pigment to match the shade of the marble slab including grinding, rubbing and polishing complete. Rajnagar 1st quality/Ageria with light spots. Above 3601 Cm2 Slabs Extra for providing edge moulding to 15-18mm thick marble/ Granite stone counters, Vanities etc. including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge. Granite/ Kota stone Work. Full edge moulding. Extra for providing opening of required size & shape for wash basins/ kitchen sink in kitchen platform, vanity counters and similar location in marble/Granite/stone work including necessary holes for pillar taps etc. including rubbing and polishing of cut edge etc. complete Providing and laying in position cement concrete including curing. compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. M15 grade Nominal Mix 1: 2: 4 (1 cement : 2 coarse sand : 4 graded stone accreate 40mm nominal size). Demolishing R.C.C. work annually/ by mechanical means including beautiful markles including joining the pipe with solvent cement rubber ring and lubricant: P&F rigid PVC pipe flittings (IS: 4985 mark) of approved quality /make including joining the pipe with solvent cement rubber ring and lubricant: Pain Tee 1 1.00 Each 110mm dia Plain Tee 1 1.00 Each 110mm dia Plain floor trap 1 1.00 Each 110mm dia Plain floor trap Plain floor trap 1 1.00 Each 110mm dia Per vording and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes fittings type B for sciland waste discharge system (IS:13592: 1992 Marked) of approved quality /make make: 1 1.00 Each 10mm dia P & F Stop Cock (IS:3931 Mark), superior quality & of approved make: 1 1.00 Each 10mm dia					Cm2 Slabs			
1.00 Sqm iointing with white cement mortar 1:2 (1 white cement: 2 marble dust) 1305.00 P.Sqm 1305.00			- 1		Providing and fixing Marble stone flooring table rubbed, 13-18 min		1	
with pigment to match the shade of the marble slab including grinding, rubbing and polishing complete. Rajnagar 1st quality/Ageria with light spots. Above 3601 Cm2 Slabs Extra for providing edge moulding to 15-18mm thick marble/ Granite stone counters, Vanities etc. including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge. Granite/ Kota stone Work. Full edge moulding. Extra for providing opening of required size & shape for wash basins/ kitchen sink in kitchen platform, vanity counters and similar location in marble/Granite/stone work including necessary holes for pillar taps etc. including rubbing and polishing of cut edges etc. complete Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. M15 grade Nominal Mix 1: 2: 4 (1 cement : 2 coarse sand : 4 graded stone aceregate 40mm nominal size). Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. P&F rigid PVC pipe fittings (IS: 4985 mark) of approved quality /make including joining the pipe with solvent cement rubber ring and lubricant: Plain Tee 1 1.00 Each 176mm dia Plain floor trap 1 1.00 Each 110mm dia Plain floor trap 1 1.00 Each 110mm dia Peroviding and laying in position cement cement rubber ring and lubricant: Providing and laying in position cement cement rubber ring and lubricant: Providing and laying in position cement cement rubber ring and lubricant: Providing and polishing C.C. work manually by mechanical means including by the position of Engineer-in-charge. 1 1.00 Each 110mm dia Pac Providing and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes fittings type B for sciland waste discharge system (IS:13592 1992 Marked) of approved quality /make 1 1.00 Each 10mm dia P & F Stop Cock (IS:3931 Mar		- 1			thick over 20mm (Av.) thick base of CM 1:4 (1 cement : 4 coarse said)			
with pigment to match the shade of the matribe state including strategy and polishing complete. Rajnagar 1st quality/Ageria with light spots. Above 3601 Cm2 Slabs Extra for providing edge moulding to 15-18mm thick marble/ Granite stone counters, Vanities etc. including machine polishing to edge to give short high gloss finish etc. complete as per design approved by Engineer-in-Charge. Granite/ Kota stone Work. Full edge moulding. Extra for providing opening of required size & shape for wash basins/ kitchen sink in kitchen platform, vanity counters and similar location in marble/Granite/stone work including necessary holes for pillar taps etc. including rubbing and polishing of cut edges etc. complete compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. M15 grade Nominal Mix 1: 2: 4 (1 cernett: 2 coarse sand: 4 graded stone acerceate 40mm nominal size). Demolishing R.C.C. Cwork manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. A page 1 1.00 Each 176mm dia 114.00 Each 114.00 Each 116.00 Each 110mm dia 187.00 Each 110mm dia 187.00 Each 110mm dia 1.00 Each 110mm dia				_	jointing with white cement mortar 1:2 (1 white cement : 2 marble dust)	1305.00	P.Sam	1305.00
Spots.Above 3601 Cm2 Slabs	6	1	1.00	Sqm	with pigment to match the shade of the marble slab including grinding,	1505.00	,,	
Extra for providing edge moulding to 15-18mm thick marble/ Granite stone counters, Vanities etc. including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge. Granite/ Kota stone Work. Full edge moulding. Extra for providing opening of required size & shape for wash basins/ kitchen sink in kitchen platform, vanity counters and similar location in marble/Granite/stone work including necessary holes for pillar taps etc. including rubbing and polishing of cut edges etc. complete or compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. M15 grade Nominal Mix 1: 2: 4 (1 cement : 2 coarse sand : 4 graded stone averegate 40mm nominal size). Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. P&F rigid PVC pipe fittings (IS: 4985 mark) of approved quality /make including joining the pipe with solvent cement rubber ring and lubricant: Palain Tee								
Stone counters, Vanities etc. including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge. Granite/ Kota stone Work. Full edge moulding. Extra for providing opening of required size & shape for wash basins/ kitchen sink in kitchen platform, vanity counters and similar location in marble/Granite/stone work including necessary holes for pillar taps etc. including rubbing and polishing of cut edges etc. complete Providing and laying in position cement concrete including curring, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. M15 grade Nominal Mix 1: 2: 4 (1 cement: 2 coarse sand: 4 graded stone agergeate 40mm nominal size). Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. P&F rigid PVC pipe fittings (IS: 4985 mark) of approved quality/make including joining the pipe with solvent cement rubber ring and lubricant: Plain Tee		- 1			spots.Above 3601 Cm2 Slabs			
Stone counters, Vanities etc. including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge. Granite/ Kota stone Work. Full edge moulding. Extra for providing opening of required size & shape for wash basins/ kitchen sink in kitchen platform, vanity counters and similar location in marble/Granite/stone work including necessary holes for pillar taps etc. including rubbing and polishing of cut edges etc. complete Providing and laying in position cement concrete including curring, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. M15 grade Nominal Mix 1: 2: 4 (1 cement: 2 coarse sand: 4 graded stone agergeate 40mm nominal size). Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. P&F rigid PVC pipe fittings (IS: 4985 mark) of approved quality/make including joining the pipe with solvent cement rubber ring and lubricant: Plain Tee		\dashv			Extra for providing edge moulding to 15-18mm thick marble/ Granite			
1.00 Mtr high gloss finish etc. complete as per design approved by Engineer-in-Charge. Granite/ Kota stone Work. Full edge moulding.					stone counters. Vanities etc. including machine polishing to edge to give			
Charge. Granite/ Kota stone Work. Full edge moulding. Extra for providing opening of required size & shape for wash basins/ kitchen sink in kitchen platform, vanity counters and similar location in marble/Granite/stone work including necessary holes for pillar taps etc. including rubbing and polishing of cut edges etc. complete Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. MI5 grade Nominal Mix 1: 2: 4 (1 cement : 2 coarse sand : 4 graded stone agreezate 40mm nominal size). Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. P&F rigid PVC pipe fittings (IS: 4985 mark) of approved quality /make including joining the pipe with solvent cement rubber ring and lubricant: Plain Tee i 1.00 Each 75mm dia 114.00 Each 114.00 Each 117.00 Each 187.00 Each 187.00 Each 187.00 Each 187.00 Each 110mm dia 230.00 Each 230.00 Each 230.00 Each 100mm dia 230.00 Each 110mm dia 10.00 Each		(2	1.00	Mtr	high class finish etc. complete as per design approved by Engineer-in-	146.00	P.Mtr	146.00
Extra for providing opening of required size & shape for wash basins/ kitchen sink in kitchen platform, vanity counters and similar location in marble/Granite/stone work including necessary holes for pillar taps etc. including rubbing and polishing of cut edges etc. complete Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. M15 grade Nominal Mix 1: 2: 4 (1 cement : 2 coarse sand : 4 graded stone agergeate 40mm nominal size). Demolishing R.C.C. work manually/ by mechanical means including staking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. P&F rigid PVC pipe fittings (IS: 4985 mark) of approved quality /make including joining the pipe with solvent cement rubber ring and lubricant: Plain Tee i 1.00 Each 110mm dia Plain floor trap i 1.00 Each 110mm dia Plain floor trap i 1.00 Each 110mm dia Vent Cowel i 1.00 Each 110mm dia C Deach 110mm dia Pending and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes fittings type B for sciland waste discharge system (IS:13592: 1992 Marked) of approved quality /make a 1.00 Each 0ffset 110mm dia P & F Stop Cock (IS:8931 Mark), superior quality & of approved make: a 1.00 Each C.P. Brass 15mm nominal bore. 477.00 Each 1000.	J . `	,	1.00	IVILI	Charge Granite/ Kota stone Work Full edge moulding.			
kitchen sink in kitchen platform, vanity counters and similar location in marble/Granite/stone work including necessary holes for pillar taps etc. including rubbing and polishing of cut edges etc. complete Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. M15 grade Nominal Mix 1: 2: 4 (1 cement: 2 coarse sand: 4 graded stone ageregate 40mm nominal size). Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. P&F rigid PVC pipe fittings (IS: 4985 mark) of approved quality /make including joining the pipe with solvent cement rubber ring and lubricant: Plain Tee i 1.00 Each 110mm dia Plain floor trap i 1.00 Each 110mm dia c Plain floor trap i 1.00 Each 110mm dia C Vent Cowel d Bend 87.5 i 1.00 Each 110mm dia Providing and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes fittings type B for sciland waste discharge system (IS:13592: 1992 Marked) of approved quality /make a 1.00 Each Offset I10mm dia P & F Stop Cock (IS:8931 Mark), superior quality & of approved make: 477.00 Each 477.00 Each 477.00 Each 477.00 Each 477.00 Each 477.00 Each 1009.00 Each 1009.00		- 1						
1.00 Nos marble/Granite/stone work including necessary holes for pillar taps etc. including rubbing and polishing of cut edges etc. complete	_				Extra for providing opening of required size & shape for wash basins/			
1.00 Nos marble/Granite/stone work including necessary notes for plina taps etc. including rubbing and polishing of cut edges etc. complete					kitchen sink in kitchen platform, vanity counters and similar location in	256.00	Each	256.00
etc. including rubbing and polishing of cut edges etc. complete Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. M15 grade Nominal Mix 1: 2: 4 (1 cement: 2 coarse sand: 4 graded stone agreeate 40mm nominal size). Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. P&F rigid PVC pipe fittings (IS: 4985 mark) of approved quality /make including joining the pipe with solvent cement rubber ring and lubricant: Plain Tee i 1.00 Each 75mm dia Plain floor trap b Plain floor trap i 1.00 Each 110mm dia c Plain floor trap i 1.00 Each 110mm dia c Pending and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes fittings type B for sciland waste discharge system (IS:13592: 1992 Marked) of approved quality /make a 1.00 Each Offset 110mm dia Providing and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes fittings type B for sciland waste discharge system (IS:13592: 1992 Marked) of approved quality /make a 1.00 Each Offset 110mm dia P & F Stop Cock (IS:8931 Mark), superior quality & of approved make: 477.00 Each 1009.00 Each 1009.00		63	1.00	Nos	marble/Granite/stone work including necessary holes for pillar taps	250.00	Opening	250.00
compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. M15 grade Nominal Mix 1: 2: 4 (1 cement : 2 coarse sand : 4 graded stone acgregate 40mm nominal size). Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. P&F rigid PVC pipe fittings (IS: 4985 mark) of approved quality /make including joining the pipe with solvent cement rubber ring and lubricant: a Plain Tee i 1.00 Each 75mm dia 187.00 Each 187.00 ii 1.00 Each 110mm dia 187.00 Each 187.00 ii 1.00 Each 110mm dia 230.00 Each 230.00 ii 1.00 Each 110mm dia 56.00 Each 56.00 ii 1.00 Each 110mm dia 56.00 Each 56.00 d Bend 87.5 i 1.00 Each 110mm dia 56.00 Each 161.00 Each 161.00 Providing and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes fittings type B for sciland waste discharge system (IS:13592: 1992 Marked) of approved quality /make 282.00 Each 282.00 a 1.00 Each Offset 110mm dia 282.00 Each 282.00 each 477.00 Each 477.00 Each 477.00 Each 477.00 Each 477.00 Each 1009.00 Each 1009.00 Each 1009.00					etc. including rubbing and polishing of cut edges etc. complete			
compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. MI15 grade Nominal Mix 1: 2: 4 (1 cement : 2 coarse sand : 4 graded stone aggregate 40mm nominal size). Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. P&F rigid PVC pipe fittings (IS: 4985 mark) of approved quality /make including joining the pipe with solvent cement rubber ring and lubricant: a Plain Tee i 1.00 Each 75mm dia 187.00 Each 187.00 ii 1.00 Each 110mm dia 187.00 Each 187.00 ii 1.00 Each 110mm dia 230.00 Each 230.00 i 1.00 Each 110mm dia 56.00 Each 56.00 i 1.00 Each 110mm dia 56.00 Each 56.00 d Bend 87.5 I 1.00 Each 110mm dia 100 Each 110mm dia 10	L	-		-	Providing and laying in position cement concrete including curing,			
Cum Stacking of steel bars and disposal of unserviceable material within 50 Cum Stacking of steel bars and disposal of unserviceable material within 50 Cum	١	- 1		1	compaction etc. complete in specified grade excluding the cost of			Ca
Nominal Mix 1: 2: 4 (1 cement : 2 coarse sand : 4 graded stone aggregate 40mm nominal size). Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. P&F rigid PVC pipe fittings (IS: 4985 mark) of approved quality/make including joining the pipe with solvent cement rubber ring and lubricant: Plain Tee	1		1.00	Cun	compaction etc. complete in spectrum grand plinth level. M15 grade	4544.00	P.Cum	4544.00
ageregate 40mm nominal size). Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. P&F rigid PVC pipe fittings (IS: 4985 mark) of approved quality /make including joining the pipe with solvent cement rubber ring and lubricant:	1	04	1.00	Cuii	Nominal Mix 1: 2: 4 (1 cement : 2 coarse sand : 4 graded stone			
Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. P&F rigid PVC pipe fittings (IS: 4985 mark) of approved quality /make including joining the pipe with solvent cement rubber ring and lubricant: Plain Tee	1				4. 40 nominal size)			
Stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. 930.00 P.Cum 930.00	H			_	Demolishing R.C.C. work manually by mechanical means including			
P&F rigid PVC pipe fittings (IS: 4985 mark) of approved quality /make including joining the pipe with solvent cement rubber ring and lubricant: Plain Te	l				stacking of steel bars and disposal of unserviceable material within 50	930.00	P.Cum	930.00
Including joining the pipe with solvent cement rubber ring and lubricant:		65	1.00	Cun	metres lead as per direction of Engineer-in-charge.			
Including joining the pipe with solvent cement rubber ring and lubricant:	L			_	DOD ::: A BVC ping fittings (IS: 4985 mark) of approved quality /make			
Plain Tee					including joining the pine with solvent cement rubber ring and lubricant:		1	
i 1.00 Each 75mm dia 187.00 Each 187.00 Ea		66			Including Johnnig the pipe with services			
i 1.00 Each 75mm dia 187.00 Each 187.00 ii 1.00 Each 110mm dia 230.00 Each 230.00 i 1.00 Each 110mm dia 56.00 Each 56.00 i 1.00 Each 110mm dia 161.00 Each 161.00 i 1.00 Each 110mm dia 161.00 Each 161.00 67 Pipes fittings type B for sciland waste discharge system (IS:13592 : 1992 Marked) of approved quality /make 282.00 Each 282.00 a 1.00 Each Offset 110mm dia 282.00 Each 282.00 68 P & F Stop Cock (IS:8931 Mark), superior quality & of approved make: 477.00 Each 477.00 a 1.00 Each C.P. Brass 15mm nominal bore. 477.00 Each 1009.00	 -	a				114 00	Each	114.00
1.00 Each 110mm dia 230.00 Each 230.00 1 1.00 Each 110mm dia 256.00 1 1.00 Each 0.00 0.00 1 1.00 0.00 0.00 1 1.00 0.00 0.00 1 1.00 0.00 0.00 1 1.00 0.00 0.00 1 1.00 0.00 0.00 1 1.00 0.00 0.00 1 1.00 0.00 1 1.00 0.00 0.00 1 1.00 0.00 1 1.00 0.00 0.00 1 1.00 0.00 0.00 1 1.00 0.00 0.00 1 1.00 0.00 0.00 1 1.00 0.00 0.00 1 1.00 0.00 1 1.00 0.00 0.00 1 1.00 0.00 0.00 1 1.00				Eac				
1.00 Each 110mm dia 230.00 Each 230.00		ii	1.00	Eac				
Vent Cowel i 1.00 Each 110mm dia d Bend 87.5 i 1.00 Each 110mm dia Providing and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes fittings type B for sciland waste discharge system (IS:13592: 1992 Marked) of approved quality /make a 1.00 Each Offset 110mm dia P & F Stop Cock (IS:8931 Mark), superior quality & of approved make: a 1.00 Each C.P. Brass 15mm nominal bore. 477.00 Each 477.00 1009.00 Each 1009.00	L		1 22	+-		230.00	Each	230.00
i 1.00 Each 110mm dia Bend 87.5 i 1.00 Each 110mm dia Providing and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes fittings type B for sciland waste discharge system (IS:13592: 1992 Marked) of approved quality /make a 1.00 Each Offset 110mm dia P & F Stop Cock (IS:8931 Mark), superior quality & of approved make: a 1.00 Each C.P. Brass 15mm nominal bore. 477.00 Each 477.00 1009.00 Each 1009.00	L		1.00	Eac				
d Bend 87.5 i 1.00 Each 110mm dia Providing and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes fittings type B for sciland waste discharge system (IS:13592: 1992 Marked) of approved quality /make a 1.00 Each Offset 110mm dia P & F Stop Cock (IS:8931 Mark), superior quality & of approved make: a 1.00 Each C.P. Brass 15mm nominal bore. 477.00 Each 477.00 1009.00 Each 1009.00	-		1.00	Fac		56.00	Each	56.00
i 1.00 Each 110mm dia Providing and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes fittings type B for sciland waste discharge system (IS:13592: 1992 Marked) of approved quality /make a 1.00 Each Offset 110mm dia P & F Stop Cock (IS:8931 Mark), superior quality & of approved make: a 1.00 Each C.P. Brass 15mm nominal bore. 477.00 Each 477.00 1009.00 Each 1009.00	\vdash		1.00	Eac			P. I	161.00
Providing and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes fittings type B for sciland waste discharge system (IS:13592: 1992 Marked) of approved quality /make 282.00 Each 282.00 Bach Offset 110mm dia P & F Stop Cock (IS:8931 Mark), superior quality & of approved make: 477.00 Each 477.00 Bach C.P. Brass 15mm nominal bore. 1009.00 Each 1009.00	F		1.00	Eac	110 110	161.00	Each	161.00
Pipes fittings type B for sciland waste discharge system (15:13392 : 1992 Marked) of approved quality /make 282.00 Each 282.00 P & F Stop Cock (1S :8931 Mark), superior quality & of approved make: 477.00 Each 477.00 a 1.00 Each C.P. Brass 15mm nominal bore. 1009.00 Each 1009.00	H	<u>'</u>	1.00		In widing and Fixing Upplasticized Poly Vinyl Chloride (UPVC) SWR			ľ
1992 Marked) of approved quality /make 282.00 Each 282.00 a 1.00 Each Offset 110mm dia P & F Stop Cock (IS :8931 Mark), superior quality & of approved make: 477.00 Each 477.00 Each 477.00 Each 1009.00 Each		67			Pipes fittings type B for sciland waste discharge system (15:13392).			
a 1.00 Each Offset 110mm dia 68 P & F Stop Cock (IS:8931 Mark), superior quality & of approved make: 477.00 Each a 1.00 Each C.P. Brass 15mm nominal bore. 1009.00 Each 1009.00					1992 Marked) of approved quality /make		Each	282.0
68 make: 477.00 Each 477.0 a 1.00 Each C.P. Brass 15mm nominal bore. 1009.00 Each 1009.0	t	a	1.00	Eac	ch Offset 110mm dia			
a 1.00 Each C.P. Brass 15mm nominal bore. 477.00 Each 477.00 a 1.00 Each C.P. Brass 15mm nominal bore. 1009.00 Each 1009.00	Ī	62						
Took I Sam Connected Ston Cook 15mm	1		1.00	-	- the second			
	1	a b		_	ch C.P. Brass Concealed Ston Cock 15mm	1009.00	Each	1009.0



			2			
,_		F	P&F rigid PVC Pipe (IS:4985 mark) class II/ (4 Kg. /Cm².) approved			
6 9		c	quality /make including joining the pipe with solvent cement rubber			
		r	ing and lubricant.	177.00	P.Mtr	177.00
a	1.00		75 mm dia	282.00	P.Mtr	282.00
b	1.00	Mtr	110 mm dia			
	1	[]	P & F Low level Flushing Cistern of 10 litres capacity (IS: 2556mark).			
70		1	Of approved make with complete fittings C.I. brackets duly painted,			
, 0	1		brass ball cock with ball, (IS: 1703 mark) complete including cutting	- 1		
			and making good the wall:	1491.00	Each	1491.00
a	1.00	Each	PVC with CP brass long band.		Each	381.00
71	1.00		P & F Jet spray for water closet with C.P. Copper Tube flange of	381.00	Each	361.00
4.1	1.00		approved make.			
			P & F G.I. Pipes (External Work) with G.I. fittings excluding union (IS)	491.00	Mtr.	491.00
72	1.00	Mtr.	: 1239 Mark) including trenching & refilling earth etc. 50mm dia	.,		
			nominal bore 'B' Class			
			P & F Gun-metal Non-return Valve or Check Valve (IS :Make) of	272.00	Each	272.00
73	1.00	Each	approved make, superior quality: (a) 15mm nominal bore- Horizontal	2,2.00		
			and the state of t		7.1	1740.00
74	1.00	Each	P & F Mixing Range (15mm) C.P. One hole/close hole basin mixer with	1740.00	Each	1740.00
	1.00	Lucii	casted spout.		P 1	262.00
75	1.00	Each	P & F C.P. brass <i>Urinal Spreader</i> for stall urinal of approved make.	363.00	Each	363.00
73	1.00	Lucii	C P Brass		- 1	219.00
76	1.00	Each	P& F waste Coulping with fittings of approved quality /make: C.P Brass	218.00	Each	218.00
70	1.00	- Lucii	40 mm dia			
			Construction of septic Tank in all types of soil with 40 Cm .thick	1		
		1	masonry in CM 1:6, 15 Cm thick C.C bed of 1:5:10, M-15 grade C.C			
		1	flooring & over stone slab covering ,80 mm thick slab ,jointing of slab in			
			CM 1.3 Ralthal, Kharania, 50 mm thick stone partition walls, 20 mm		1	
			thick plaster in CM 1:6 finished with neat floating cement, 4 Nos C.I			
		l .	foot rests of approved design two No. 450 mm dia each Ferro cement	38499.00	Each	38499.00
77	1.00	Each	leaver with frame earth work etc. complete as per approved drawing			
		1	including disposal of surplus earth within a lead of 50 mtr:- Size 230			
	-	1	x110 x150 cm.(for 20 users) with 115 mm thick RCC (M-20) slab with			
			Tor steel reinforcement 10mm \(\phi \) @15 cm c/c bothways including			
			Tor steel reinforcement forming with the state of the sta	1		
		1	shuttering complete in all respect.	,		
_		_	Emptying of Septic tank ,Soakage well etc. by disposing or sludge upto 5			
_		C	Km. lead & taking out sewage including cleaning of site.	286.00	P.Cum	286.00
7	1.00	Cum				
		+	Supplying & Fixing R.C.C. Manholes covers with frame of approved	502.00	Each	502.00
7	1.00	Each	make (Light duty). Size 600 X 600mm (Double seal)	302.00	Each	302.00
			Construction of soakage well in all type of soil with 300 mm thick dr	/		
			masonry, top and bottom 300 mm course in CM 1:6, 80mm thick ston	e		
			masonry, top and bottom 500 min course in Civi 1.0, domin thick M-1	5		24125.0
١.	0 1.00	Each	slab, jointing of slab in CM 1:3, Ralthal, Kharanja, 40 mm thick M-1	24135.00	Each	24135.0
8	1.00	Each		g		
l			including disposal of earth within a lead of 50 mtr.: Size 300 Cm. di	a		
					+	
\vdash		_	Construction of Soakage well in all types of soil of approved drawing	5,		
			Itan 00 Cm. Portion in 450mm thick masonry with CM 1:6, 80 mm thick	K	1	1
			Istone slab covering jointing of slab in CM 1:3 , Kaithai, Kharan	^a 5478 00	Each	5478.0
8	1 1.00	Each	1 John thick M-15 grade C.C. flooring, earth work etc. comple	te		
1			including disposal of surplus earth within a lead of 50 mtr. Inner dia	00		
1		1				
1	1		Cm & 10 to 12 Mtr deen. Providing Laying & jointing glazed S.W. pipes grade 'A' (1S;6:	51		1
_			Trioviding Daying to Johning Bianes 2, Fire 5			1
-			at a start of approved make with spun varn & stiff mixture of ceme	nt		1
			Imarked) of approved make with spun yarn & still illixture of cellic	1111	P.Mtr	406.0
-	2 1.00	Mtr	marked) of approved make with spun yarn & still mixture of center and approved make with spun yarn & still mixture of center and approved make with spun yarn & still mixture of center and approved make with spun yarn & still mixture of center and approved make with spun yarn & still mixture of center and approved make with spun yarn & still mixture of center and approved make with spun yarn & still mixture of center and approved make with spun yarn & still mixture of center and approved make with spun yarn & still mixture of center and approved make with spun yarn & still mixture of center and approved make with spun yarn & still mixture of center and approved make with spun yarn & still mixture of center and approved make with spun yarn & still mixture of center and approved make with spun yarn & still mixture of center and approved make with spun yarn & still mixture of center and approved make with spun yarn & still mixture of center and approved make with spun yarn & still mixture of center and approved make with spun yarn & still mixture of center and approved make with a spun yarn & still mixture of center and approved make with a spun yarn & still mixture of center and approved make with a spun yarn & still mixture of center and approved make with a spun yarn & still mixture of center and approved make with a spun yarn & still mixture of center and approved make with a spun yarn & still mixture of center and approved make with a spun yarn & still mixture of center and approved make with a spun yarn & still mixture of center and approved make with a spun yarn & still mixture of center and approved make with a spun yarn & still mixture of center and approved make with a spun yarn & still mixture of center and approved make with a spun yarn & still mixture of center and approved make with a spun yarn & still mixture of center and approved make with a spun yarn & still mixture of center and approved make with a spun yarn & still mixture of center and approved make with a spun yarn & still mixture of center a	m 406.00	P.Mtr	406.0
	1.00	Mtr	Imarked) of approved make with spun yarn & still illixture of cellic	m 406.00	P.Mtr	406.0

83	1.00	Mtr.	Providing & Laying C.C. 1:5:10 (Stone aggregate 40mm nominal size) upto haunches of S.W. pipes including 150 mm thick bed concrete (Width W= Dia of pipe in Cm+ 30Cm.) concrete width to be reduced from width W at center of pipe to '0' at top of pipe. (Excluding cost of pipe) 150mm dia S.W. pipe	353.00	P.Mtr	353.00
84	1.00		Construction of <i>chamber</i> in all type of soil with 300 mm thick masonry in CM 1:6 m,10 cm thick C.C. 1:5:10 in foundation, 20mm thick insider plaster in Cm 1:6, finished with floating neat cement, 50mm thick M-15 grade C.C. flooring, earthwork etc. complete as per design including disposal of surplus earth within a lead of 50 mtr. Inside size 450 x 450mm depth upto 0.5 M Cement cover with frame	2332.00	Each	2332.00
85	1.00	Each	Removing & Re fixing of P.V.C. Cistern fittings (Syphon, Ball cock & Handle Set) complete as per direction of Enginner-in-Charge	468.00	Each	468.00
86	1.00	Each	fittings : Brass 25 mm.	172.00	Each	172.00
87			Mechanised cleaning of storage tanks comprises of following 6 stage as mentioned below: 1. Mechanical dewatering 2. Desalting removal of leftover dirty water and sludge with sludge pump 3. Cleaning of wall, ceiling and floor by high pressure water jet with help of equipments which creates a pressure of 100-150 bar 4. Removal of remaing sludge from floor with the help of industrial vacuum cleaner. 5. Spraying of non toxic, bio degradable ecofriendly and bacterial agent certified by a govt approved laborary to disinfect the tank from all harmfull pathogens. The dose should be safe as per the UECD guidelines & 23 adopted on 17 th december 2001. 6. Treatment of inside tank by exposing UV radiation to kill further			
a	1.00	Ltr.	Upto 500 ltr.	0.40	P.litres	0.40
ь		Ltr.	Above 500 ltr. to 1000 Ltr.	0.35	P.litres	0.35
С	1.00	Ltr.	Above 1000 ltr.	0.30	P.litres	0.30
88	3 1.00	Each	P & F Kitchen & Lab. Sink of approved make with C.I. brackets duly painted, 40 mm C.P. waste coupling, C.P. Brass chain with rubber plug, 40 mm G.I. waste pipe up-to floor level complete including cutting and making good the wall & floor: 1.0 mm thick Salem stainless steel AISI 304 & IS 13983-1994 kitchen sink of approved make as per Engineer-in charge with large waste coupling. 24 x 18 x 8 20x16x8	5062.00	Each	5062.00
89	1.00	Eacl	make and heavy as per direction of Enginner-in-Charge	605.00	Each	605.00
90	1.00	Eacl		1246.00	Each	1246.00
91	1.00	Eac	Providing and fixing Superior quality CP Brass fittings of approved make as per direction of Engineer-in-charge Angular stop cock with long thread 15 mm nominal size	762.00	Each	762.00
92	2 1.00	Eac	Providing and fixing Superior quality CP Brass fittings of approved make as per direction of Engineer-in-charge Two way Bib Cock 15 mm nominal size	1174.00	Each	1174.00
9:	3 1.00	Eac	telephonic shower.	2541.00	Each	2541.00
9.	4 1.00	Eac	h P & F Mixing Range (15mm) C.P. sink mixer with swinging spout J- pipe.	1876.00	Each	1876.00



.95	1.00	Mtr	P&F rigid PVC Pipe (IS:4985 mark) class II/ (4 Kg. /Cm2.) approved quality /make including joining the pipe with solvent cement rubber ring and lubricant. 160 mm dia	463.00	Mtr	463.00
96	1.00		Providing and fixing Superior quality CP Brass fittings of approved make as per direction of Engineer-in-charge 190 mm rain shower	5583.00	Each	5583.00
97	1.00	Lach I	Providing and fixing Superior quality CP Brass fittings of approved make as per direction of Engineer-in-charge Shower arm	1210.00	Each	1210.00
98	1.00		P & F W.V.C. (IS: 2556 Mark) Squatting Urinal of standard make complete. Including cutting & making good the floor: Size 450x350mm	853.00	Each	853.00
99	1.00	Each	Construction of chamber in all type of soil with 300 mm thick masonry in CM 1:6 m,10 cm thick C.C. 1:5:10 in foundation, 20mm thick insider plaster in Cm 1:6, finished with floating neat cement, 50mm thick M-15 grade C.C. flooring, earthwork etc. complete as per design including disposal of surplus earth within a lead of 50 mtr. Inside size 300 X 300 mm depth upto 0.5 M Cement cover with frame.	1049.00	Each	1049.00
100	1.00	Rm	Supply & fixing Pre-cast RCC Rinngs at the mouth of recharge shaft of M20 mix with 40 mm thickness Diameter 750 mm	666.00	Rm	666.00
101	1.00	Sqm	Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement including	458.00	Sqm	458.00
102	1.00	Cum	Brick work with F.P.S. bricks of class designation 75 in superstructure above plinth level upto floor V level in all shapes and sizes in: Cement mortar 1:4 (1 cement: 4 coarse sand)	5196.00	Cum	5196.00
103	1.00	Cum	Random Rubble stone masonry for with hard stone in foundation and plinth in Cement Sand mortar above 30 CM thick wall in: Cement Mortar 1:6 (1-Cement: 6-Sand).	2838.00	Cum	2838.00
104	1.00	Sqm	Stone slab roofing on ground floor with fine grained stone slab from approved quarry including filling of joints of parapet and slab on both sides in cement sand mortar 1:4, with ceiling pointing in cement sand mortar 1:3 complete as per specification and instruction of Engineer In Charge	1648.00	Sqm	1648.00
105	1.00	Sqm	T 1/10 C000(D .)	329.60	Sqm	329.60
106	1.00	Cum	of surplus excavated soil as directed with in a lead of 50 meter. All kinds of soils	178.00	Cum	178.00
107	1.00	Cum	Nominal Mix 1: 2: 4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm	4624.00	Cum	4624.00
108	1.00	Sqm	P & F 1st qualityVitrified Porcelain Polished tiles on floor, skirting and steps etc.in different sizes (thickness to be specified by manufactuer with water absortion less than 0.08% and conforming to IS 15622 o	911.00	Sqm	911.00

109	1.00		Add extra for Fixing glazed/ Ceramic/ Vitrified floor tiles with cement based high polymer modified quick-set tile adhesive (Water based) conforming to IS: 15477, using 5kg. adhesive per sum of tile area, in average 3mm thickness instead of cement mortar.	128.00	Sqm	128.00
110	1.00	Sqm	Providing and laying water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound consisting of applying: a) first layer of slurry of cement @ 0.488 kg/sqm mixed with water proffing cement compound @0.253 kg//sqm .This layer will be allowed to air cure for 4 hours. b) Second layer of slurry of cement @ 0.242 kg/sqm mixed with water proffing cement compound @ 0.126 kg/sqm This layer will be allowed to air cure for 4 hours followed by water curing for 48 hours. The rates includes preparation of surface treatment & sealing of all joints, corners, junction with polymer mixed slurry.	275.00	Sqm	275.00
111	1.00	Cum	Carriage of Building Rubbish Stone metal (Grit and ballast etc.) including loading unloading etc. complete with all lead. 1 Km.	80.00	Gym	80.00
112	1.00	Each	Providing & Fixing Premium Quality white glazed vitreous china Sanitary Wares (IS:2556 Mark) of approved make as per direction of Engineer-in-charge including cutting and making good the wall and	17839.00	Each	17839.00
113	3 1.00	Eacl	Construction of septic Tank in all types of soil with 40 Cm .thick masonry in CM 1:6, 15 Cm thick C.C bed of 1:5:10, M-15 grade C.C floor & RCC slab covering with M15 grade c.c. floor, 50 mm thick stone slab partition walls, 20 mm thick plaster in CM 1:6 finished with neat floating cement, 4 Nos stone foot rests of approved design ,two No. 450 mm dia each Ferro cement cover with frame, earth work etc. complete as per approved drawing including disposal of surplus earth within a lead of 50 mtr:- Size 400 x140x150 cm.(for 50 users) with 115 mm thick RCC (M-20) slab with Tor steel reinforcement 10mm \$\phi\$ @15 cm c/c bothways including shuttering complete in all respect.	59860.00	Each	59860.00

Chan

Secretary Rajasthan State Sports Council Jaipur

I/We agree to execute the above work as per rate filled in related item. (Rate in words

% above/below)

Signature of Contractor With full Address

